

LAVORO

COLLECTION 6

MAKING. HEIGHT ADJUSTABLE. EASY.

Welcome to Lavoro Design, manufacturers and designers of height adjustable workstations.

Our brochure is designed to make it easy for designers and specifiers to create value within the workspace, with healthy sit-stand desk solutions to suit any application.

Our premium, Scandinavian made furniture will ensure that every project returns maximum results through hassle free interactions and reducing risk, from manufacture through to installation.

A happy, healthy workforce is a productive workforce. That is why architects, designers and specifiers trust Lavoro height adjustable desks for office projects worldwide when investing in the people who make companies work from day to day.

Come with us and we'll make height adjustable easy and increase your profitability, whilst reducing risk and costs.

Warm Regards,




Brent Simpson
Managing Director




CONTENTS

DESK RANGES >




ADVANCE

Our flagship dual motor height adjustable desk. 18




CROMO CORNER

Shiny, executive and built to last. 60




SOLO

Simplistic, manual hand-crank desk. 104




ADVANCE CORNER

The premium triple-motor corner desk. 30




MINI

The powerful space-saving workstation. 66




FLEX

The ultra-flexible multi-use workstation. 114



FORGE

The classy industrial looking one. 42




ZERO

The entry level dual motor workhorse. 78



DUO

The back-to-back bench champion. 124




FORGE CORNER

Executive vintage-industrial head turner. 48




FIVE

Avant-garde industrial style design. 88



CROMO


The shiny polished chrome masterpiece. 54




CROWN

Sturdy, versatile and executive workstation. 94


MEETING TABLES >



SYNERGI
The all-embracing modular meeting table. 136




ADVANCE MEETING TABLE
The height adjustable, agile, networking table. 172




COLLABORATE TRIGON
Bringing teams together in a flexible way. 148




BOOST
The high-quality gas-lift table. 178



COLLABORATE MINI
Bringing teams together in an active way. 154




COLLABORATE
Bringing teams together in a healthy way. 160



TEAM
The opportunity for true distinction. 166

DESKTOPS >



DESKTOPS

Inspired surfaces for maximum impact.

186


STORAGE >



VAULT

Concealed, effective secure storage.

196




FORM

The precision engineered pedestal.

200

ACCESSORIES >



CABLE MANAGEMENT

206

DESK OPERATION

209

POWER & CHARGING

210

MONITOR ARMS

212

CPU HOLDERS, CASTORS & MATS

213

MODESTY PANELS

214

SCREENS

215

DUO ACCESSORIES

216

SYNERGI ACCESSORIES

218

DELIVERY & INSTALLATION

220

TERMS & CONDITIONS

222

FRAME FINISHES & DESKTOP DÉCORS

224

TAKE A STANCE >



BE THE REVOLUTION.



POSTURE >

Height adjustable desks combat sedentary working, allowing users to be more active, engage their core, improve posture and relieve back pain. Also reduces the risk of osteoporosis, heart disease, diabetes, hypertension and fatigue.



PRODUCTIVITY >

Active working adds energy and focus to your culture and revolutionises your workplace dynamic. Increasing the functionality of your workspace will improve innovation and output levels within the workforce.



DIVERSITY >

Height adjustable furniture caters for the needs of all ability groups. By helping you to position both equipment and the user safely and comfortably at the optimum height, it also assists you in complying with DSE regulations.



SUSTAINABILITY >

Using FSC materials in our desktops and 30% recycled steel combined with low energy motors, our desks have a minimal impact on the environment. Motors use less than 0.3W standby power and have low energy draw.



POSITIVITY >


Happy people are productive people, and height adjustable desks have a proven positive impact on attitude. They also improve sleep quality through enhanced mobility facilitated by active working experience.

ORIGIN. DESIGN. PRODUCTION.



ORIGIN >

Scandinavian inspired and born, our desks are manufactured in the heart of Sweden using renowned top quality Swedish steel and motors, with European made electronics and desktops. Instilling premium quality into the heart of the workplace.





DESIGN >

Sleek but functional, elegant but powerful, our desks are the perfect blend of aesthetics and performance. Flawlessly finished frames combined with bold and beautiful décors, create desks that elevate the design of any environment.



PRODUCTION >

All components in our desks are produced in the UK and Europe, with each desktop being fitted with metal-to-metal fixings using our specialist CNC machinery. This ensures simplicity of build and gives the strongest possible construction.

HOW WE MAKE IT EASY.



COLLABORATION >

Our product experts work closely with both our partners and end clients to ensure the smooth running of projects, maximise profitability and reduce risk.



FOCUS >

As specialists in the design and manufacture of height adjustable desks we bring industry leading expertise to assist clients in the design, specification and requirements of all projects.



SUPPORT >

With our rapid sample service and comprehensive resource centre, including imagery and videos, we ensure our partners are well equipped to secure and retain projects.





DESIGN INTEGRATION >

All clients have access to a complete library of BIM files, giving seamless integration into the project design from the very beginning.



DEMONSTRATION >

To guarantee client satisfaction, correct specification and peace of mind, our technical team support our partners with full on-site product demonstrations to establish requirements and ensure clients questions are answered.



DELIVERY & INSTALLATION >

Protect your reputation by utilising our dedicated delivery and installation service. One of our experienced account managers will assist through to completion including on-site consultation and support.

WE'VE GOT YOUR BACK.



TECHNICAL >

Once products are installed, our dedicated technical team are readily available to answer any questions. We make communication easy, whether in person, on the telephone, or over video.



ON-SITE SUPPORT >

To save our clients time and money, our engineers will rapidly attend before, during or after installation if any challenges arise with spare parts and expertise. Leave it to us, we will sort it – fast!



“The customer service we receive from the Lavoro team on a daily basis is incredible. They allow us to work quickly without faulting on quality, giving us the time to make sure the end client is happy with the overall service we provide.”

Workspace Design Company, London



GUARANTEE >

All of our products are covered by a comprehensive 5-year guarantee – including motors and all moving parts. Confidence and assurance with 100% European manufactured products.







ADVANCE

Our flagship dual motor height adjustable desk.

The Advance is a sturdy and stylish, Swedish design desk with the maximum height adjustability on the market. Can be specified from stock in over 500 frame colour, décor and size combinations.

Suitable for all users.



ADVANCE

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1150 - 1740mm

Height Range (Inc. 25mm Top)

625 - 1285mm (± 5mm)

Stroke

660mm

Side Bracket Depth

540mm

Foot Depth

690mm

Max Even Load Capacity

120kg (Heavy Duty Upgrade: 160kg)

Total Frame Weight

29kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

40mm per second

Standby Power

<0.3 W

Max Operational Power

300W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30/EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

UL 962 ETL Listed

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

1200 x 700mm, 1200 x 800mm,

1400 x 700mm, 1400 x 800mm,

1600 x 700mm, 1600 x 800mm,

1800 x 800mm

PACKAGING

Frame

Size - 840 x 380 x 120mm

Weight - 27kg

Quantity - 1

Top (size dependent)

Size - (1300-1900) x 900 x 30mm

Weight - 16 - 26kg

Quantity - 1

INSTALLATION

Build Time (per unit)

20 - 30 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Advance is our best-selling model, with over 500 size, décor and frame combinations in stock. It features dual, sturdy motors with an even load capacity of 120kg.

This desk also features a quiet electronic system, which has an efficient standby power of less than 0.3w, and allows the desk to raise and lower at a speed of 40mm per second. Highly customisable with over 20 compatible accessory and cable management options.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120kg
(Heavy Duty Upgrade 160kg)



Dual Motor Desk

STOCK FRAME COLOURS



Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016

BESPOKE FRAME COLOURS



Bespoke RAL
Colours

SUSTAINABILITY



ADVANCE

BLACK FRAMES

RAL 9005



BLACK

Black Frame

1200x800: [BADVS/1200800BLA](#)
 1400x800: [BADVS/1400800BLA](#)
 1600x800: [BADVS/1600800BLA](#)
 1800x800: [BADVS/1800800BLA](#)

1200x700: [BADVS/1200700BLA](#)
 1400x700: [BADVS/1400700BLA](#)
 1600x700: [BADVS/1600700BLA](#)



GRAPHITE

Black Frame

1200x800: [BADVS/1200800GRA](#)
 1400x800: [BADVS/1400800GRA](#)
 1600x800: [BADVS/1600800GRA](#)
 1800x800: [BADVS/1800800GRA](#)

1200x700: [BADVS/1200700GRA](#)
 1400x700: [BADVS/1400700GRA](#)
 1600x700: [BADVS/1600700GRA](#)



GREY

Black Frame

1200x800: [BADVS/1200800GRY](#)
 1400x800: [BADVS/1400800GRY](#)
 1600x800: [BADVS/1600800GRY](#)
 1800x800: [BADVS/1800800GRY](#)

1200x700: [BADVS/1200700GRY](#)
 1400x700: [BADVS/1400700GRY](#)
 1600x700: [BADVS/1600700GRY](#)



WHITE

Black Frame

1200x800: [BADVS/1200800WHI](#)
 1400x800: [BADVS/1400800WHI](#)
 1600x800: [BADVS/1600800WHI](#)
 1800x800: [BADVS/1800800WHI](#)

1200x700: [BADVS/1200700WHI](#)
 1400x700: [BADVS/1400700WHI](#)
 1600x700: [BADVS/1600700WHI](#)



WENGE

Black Frame

1200x800: [BADVS/1200800WEN](#)
 1400x800: [BADVS/1400800WEN](#)
 1600x800: [BADVS/1600800WEN](#)
 1800x800: [BADVS/1800800WEN](#)

1200x700: [BADVS/1200700WEN](#)
 1400x700: [BADVS/1400700WEN](#)
 1600x700: [BADVS/1600700WEN](#)



ANTHRACITE SHERMAN OAK

Black Frame

1200x800: [BADVS/1200800ASO](#)
 1400x800: [BADVS/1400800ASO](#)
 1600x800: [BADVS/1600800ASO](#)
 1800x800: [BADVS/1800800ASO](#)

1200x700: [BADVS/1200700ASO](#)
 1400x700: [BADVS/1400700ASO](#)
 1600x700: [BADVS/1600700ASO](#)



NATURAL DIJON WALNUT

Black Frame

1200x800: [BADVS/1200800NDW](#)
 1400x800: [BADVS/1400800NDW](#)
 1600x800: [BADVS/1600800NDW](#)
 1800x800: [BADVS/1800800NDW](#)

1200x700: [BADVS/1200700NDW](#)
 1400x700: [BADVS/1400700NDW](#)
 1600x700: [BADVS/1600700NDW](#)



TIMBER

Black Frame

1200x800: [BADVS/1200800TIM](#)
 1400x800: [BADVS/1400800TIM](#)
 1600x800: [BADVS/1600800TIM](#)
 1800x800: [BADVS/1800800TIM](#)

1200x700: [BADVS/1200700TIM](#)
 1400x700: [BADVS/1400700TIM](#)
 1600x700: [BADVS/1600700TIM](#)



GREY NEBRASKA OAK
Black Frame

1200x800:	BADVS/1200800GNO
1400x800:	BADVS/1400800GNO
1600x800:	BADVS/1600800GNO
1800x800:	BADVS/1800800GNO
1200x700:	BADVS/1200700GNO
1400x700:	BADVS/1400700GNO
1600x700:	BADVS/1600700GNO



BEECH
Black Frame

1200x800:	BADVS/1200800BEE
1400x800:	BADVS/1400800BEE
1600x800:	BADVS/1600800BEE
1800x800:	BADVS/1800800BEE
1200x700:	BADVS/1200700BEE
1400x700:	BADVS/1400700BEE
1600x700:	BADVS/1600700BEE



OAK
Black Frame

1200x800:	BADVS/1200800OAK
1400x800:	BADVS/1400800OAK
1600x800:	BADVS/1600800OAK
1800x800:	BADVS/1800800OAK
1200x700:	BADVS/1200700OAK
1400x700:	BADVS/1400700OAK
1600x700:	BADVS/1600700OAK



MAPLE
Black Frame

1200x800:	BADVS/1200800MAP
1400x800:	BADVS/1400800MAP
1600x800:	BADVS/1600800MAP
1800x800:	BADVS/1800800MAP
1200x700:	BADVS/1200700MAP
1400x700:	BADVS/1400700MAP
1600x700:	BADVS/1600700MAP



CASCINA PINE
Black Frame

1200x800:	BADVS/1200800CAS
1400x800:	BADVS/1400800CAS
1600x800:	BADVS/1600800CAS
1800x800:	BADVS/1800800CAS
1200x700:	BADVS/1200700CAS
1400x700:	BADVS/1400700CAS
1600x700:	BADVS/1600700CAS



BLACK PLY EDGE
Black Frame

1200x800:	BADVS/1200800BLA/PE
1400x800:	BADVS/1400800BLA/PE
1600x800:	BADVS/1600800BLA/PE
1800x800:	BADVS/1800800BLA/PE
1200x700:	BADVS/1200700BLA/PE
1400x700:	BADVS/1400700BLA/PE
1600x700:	BADVS/1600700BLA/PE



GRAPHITE PLY EDGE
Black Frame

1200x800:	BADVS/1200800GRA/PE
1400x800:	BADVS/1400800GRA/PE
1600x800:	BADVS/1600800GRA/PE
1800x800:	BADVS/1800800GRA/PE
1200x700:	BADVS/1200700GRA/PE
1400x700:	BADVS/1400700GRA/PE
1600x700:	BADVS/1600700GRA/PE



WHITE PLY EDGE
Black Frame

1200x800:	BADVS/1200800WHI/PE
1400x800:	BADVS/1400800WHI/PE
1600x800:	BADVS/1600800WHI/PE
1800x800:	BADVS/1800800WHI/PE
1200x700:	BADVS/1200700WHI/PE
1400x700:	BADVS/1400700WHI/PE
1600x700:	BADVS/1600700WHI/PE



CONCRETE
Black Frame

1200x800:	BADVS/1200800CON
1400x800:	BADVS/1400800CON
1600x800:	BADVS/1600800CON
1800x800:	BADVS/1800800CON
1200x700:	BADVS/1200700CON
1400x700:	BADVS/1400700CON
1600x700:	BADVS/1600700CON



FERRO BRONZE
Black Frame

1200x800:	BADVS/1200800FER
1400x800:	BADVS/1400800FER
1600x800:	BADVS/1600800FER
1800x800:	BADVS/1800800FER
1200x700:	BADVS/1200700FER
1400x700:	BADVS/1400700FER
1600x700:	BADVS/1600700FER

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

ADVANCE

ANTHRACITE FRAMES

METALLIC

**BLACK**

Anthracite Frame

1200x800: [AADVS/1200800BLA](#)
 1400x800: [AADVS/1400800BLA](#)
 1600x800: [AADVS/1600800BLA](#)
 1800x800: [AADVS/1800800BLA](#)

1200x700: [AADVS/1200700BLA](#)
 1400x700: [AADVS/1400700BLA](#)
 1600x700: [AADVS/1600700BLA](#)

**GRAPHITE**

Anthracite Frame

1200x800: [AADVS/1200800GRA](#)
 1400x800: [AADVS/1400800GRA](#)
 1600x800: [AADVS/1600800GRA](#)
 1800x800: [AADVS/1800800GRA](#)

1200x700: [AADVS/1200700GRA](#)
 1400x700: [AADVS/1400700GRA](#)
 1600x700: [AADVS/1600700GRA](#)

**GREY**

Anthracite Frame

1200x800: [AADVS/1200800GRY](#)
 1400x800: [AADVS/1400800GRY](#)
 1600x800: [AADVS/1600800GRY](#)
 1800x800: [AADVS/1800800GRY](#)

1200x700: [AADVS/1200700GRY](#)
 1400x700: [AADVS/1400700GRY](#)
 1600x700: [AADVS/1600700GRY](#)

**WHITE**

Anthracite Frame

1200x800: [AADVS/1200800WHI](#)
 1400x800: [AADVS/1400800WHI](#)
 1600x800: [AADVS/1600800WHI](#)
 1800x800: [AADVS/1800800WHI](#)

1200x700: [AADVS/1200700WHI](#)
 1400x700: [AADVS/1400700WHI](#)
 1600x700: [AADVS/1600700WHI](#)

**WENGE**

Anthracite Frame

1200x800: [AADVS/1200800WEN](#)
 1400x800: [AADVS/1400800WEN](#)
 1600x800: [AADVS/1600800WEN](#)
 1800x800: [AADVS/1800800WEN](#)

1200x700: [AADVS/1200700WEN](#)
 1400x700: [AADVS/1400700WEN](#)
 1600x700: [AADVS/1600700WEN](#)

**ANTHRACITE SHERMAN OAK**

Anthracite Frame

1200x800: [AADVS/1200800ASO](#)
 1400x800: [AADVS/1400800ASO](#)
 1600x800: [AADVS/1600800ASO](#)
 1800x800: [AADVS/1800800ASO](#)

1200x700: [AADVS/1200700ASO](#)
 1400x700: [AADVS/1400700ASO](#)
 1600x700: [AADVS/1600700ASO](#)

**NATURAL DIJON WALNUT**

Anthracite Frame

1200x800: [AADVS/1200800NDW](#)
 1400x800: [AADVS/1400800NDW](#)
 1600x800: [AADVS/1600800NDW](#)
 1800x800: [AADVS/1800800NDW](#)

1200x700: [AADVS/1200700NDW](#)
 1400x700: [AADVS/1400700NDW](#)
 1600x700: [AADVS/1600700NDW](#)

**TIMBER**

Anthracite Frame

1200x800: [AADVS/1200800TIM](#)
 1400x800: [AADVS/1400800TIM](#)
 1600x800: [AADVS/1600800TIM](#)
 1800x800: [AADVS/1800800TIM](#)

1200x700: [AADVS/1200700TIM](#)
 1400x700: [AADVS/1400700TIM](#)
 1600x700: [AADVS/1600700TIM](#)



GREY NEBRASKA OAK

Anthracite Frame

1200x800: [AADVS/1200800GNO](#)1400x800: [AADVS/1400800GNO](#)1600x800: [AADVS/1600800GNO](#)1800x800: [AADVS/1800800GNO](#)1200x700: [AADVS/1200700GNO](#)1400x700: [AADVS/1400700GNO](#)1600x700: [AADVS/1600700GNO](#)

BEECH

Anthracite Frame

1200x800: [AADVS/1200800BEE](#)1400x800: [AADVS/1400800BEE](#)1600x800: [AADVS/1600800BEE](#)1800x800: [AADVS/1800800BEE](#)1200x700: [AADVS/1200700BEE](#)1400x700: [AADVS/1400700BEE](#)1600x700: [AADVS/1600700BEE](#)

OAK

Anthracite Frame

1200x800: [AADVS/1200800OAK](#)1400x800: [AADVS/1400800OAK](#)1600x800: [AADVS/1600800OAK](#)1800x800: [AADVS/1800800OAK](#)1200x700: [AADVS/1200700OAK](#)1400x700: [AADVS/1400700OAK](#)1600x700: [AADVS/1600700OAK](#)

MAPLE

Anthracite Frame

1200x800: [AADVS/1200800MAP](#)1400x800: [AADVS/1400800MAP](#)1600x800: [AADVS/1600800MAP](#)1800x800: [AADVS/1800800MAP](#)1200x700: [AADVS/1200700MAP](#)1400x700: [AADVS/1400700MAP](#)1600x700: [AADVS/1600700MAP](#)

CASCINA PINE

Anthracite Frame

1200x800: [AADVS/1200800CAS](#)1400x800: [AADVS/1400800CAS](#)1600x800: [AADVS/1600800CAS](#)1800x800: [AADVS/1800800CAS](#)1200x700: [AADVS/1200700CAS](#)1400x700: [AADVS/1400700CAS](#)1600x700: [AADVS/1600700CAS](#)

BLACK PLY EDGE

Anthracite Frame

1200x800: [AADVS/1200800BLA/PE](#)1400x800: [AADVS/1400800BLA/PE](#)1600x800: [AADVS/1600800BLA/PE](#)1800x800: [AADVS/1800800BLA/PE](#)1200x700: [AADVS/1200700BLA/PE](#)1400x700: [AADVS/1400700BLA/PE](#)1600x700: [AADVS/1600700BLA/PE](#)

GRAPHITE PLY EDGE

Anthracite Frame

1200x800: [AADVS/1200800GRA/PE](#)1400x800: [AADVS/1400800GRA/PE](#)1600x800: [AADVS/1600800GRA/PE](#)1800x800: [AADVS/1800800GRA/PE](#)1200x700: [AADVS/1200700GRA/PE](#)1400x700: [AADVS/1400700GRA/PE](#)1600x700: [AADVS/1600700GRA/PE](#)

WHITE PLY EDGE

Anthracite Frame

1200x800: [AADVS/1200800WHI/PE](#)1400x800: [AADVS/1400800WHI/PE](#)1600x800: [AADVS/1600800WHI/PE](#)1800x800: [AADVS/1800800WHI/PE](#)1200x700: [AADVS/1200700WHI/PE](#)1400x700: [AADVS/1400700WHI/PE](#)1600x700: [AADVS/1600700WHI/PE](#)

CONCRETE

Anthracite Frame

1200x800: [AADVS/1200800CON](#)1400x800: [AADVS/1400800CON](#)1600x800: [AADVS/1600800CON](#)1800x800: [AADVS/1800800CON](#)1200x700: [AADVS/1200700CON](#)1400x700: [AADVS/1400700CON](#)1600x700: [AADVS/1600700CON](#)

FERRO BRONZE

Anthracite Frame

1200x800: [AADVS/1200800FER](#)1400x800: [AADVS/1400800FER](#)1600x800: [AADVS/1600800FER](#)1800x800: [AADVS/1800800FER](#)1200x700: [AADVS/1200700FER](#)1400x700: [AADVS/1400700FER](#)1600x700: [AADVS/1600700FER](#)

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

ADVANCE

SILVER FRAMES

RAL 9006



BLACK

Silver Frame

1200x800: [SADVS/1200800BLA](#)
 1400x800: [SADVS/1400800BLA](#)
 1600x800: [SADVS/1600800BLA](#)
 1800x800: [SADVS/1800800BLA](#)

1200x700: [SADVS/1200700BLA](#)
 1400x700: [SADVS/1400700BLA](#)
 1600x700: [SADVS/1600700BLA](#)



GRAPHITE

Silver Frame

1200x800: [SADVS/1200800GRA](#)
 1400x800: [SADVS/1400800GRA](#)
 1600x800: [SADVS/1600800GRA](#)
 1800x800: [SADVS/1800800GRA](#)

1200x700: [SADVS/1200700GRA](#)
 1400x700: [SADVS/1400700GRA](#)
 1600x700: [SADVS/1600700GRA](#)



GREY

Silver Frame

1200x800: [SADVS/1200800GRY](#)
 1400x800: [SADVS/1400800GRY](#)
 1600x800: [SADVS/1600800GRY](#)
 1800x800: [SADVS/1800800GRY](#)

1200x700: [SADVS/1200700GRY](#)
 1400x700: [SADVS/1400700GRY](#)
 1600x700: [SADVS/1600700GRY](#)



WHITE

Silver Frame

1200x800: [SADVS/1200800WHI](#)
 1400x800: [SADVS/1400800WHI](#)
 1600x800: [SADVS/1600800WHI](#)
 1800x800: [SADVS/1800800WHI](#)

1200x700: [SADVS/1200700WHI](#)
 1400x700: [SADVS/1400700WHI](#)
 1600x700: [SADVS/1600700WHI](#)



WENGE

Silver Frame

1200x800: [SADVS/1200800WEN](#)
 1400x800: [SADVS/1400800WEN](#)
 1600x800: [SADVS/1600800WEN](#)
 1800x800: [SADVS/1800800WEN](#)

1200x700: [SADVS/1200700WEN](#)
 1400x700: [SADVS/1400700WEN](#)
 1600x700: [SADVS/1600700WEN](#)



ANTHRACITE SHERMAN OAK

Silver Frame

1200x800: [SADVS/1200800ASO](#)
 1400x800: [SADVS/1400800ASO](#)
 1600x800: [SADVS/1600800ASO](#)
 1800x800: [SADVS/1800800ASO](#)

1200x700: [SADVS/1200700ASO](#)
 1400x700: [SADVS/1400700ASO](#)
 1600x700: [SADVS/1600700ASO](#)



NATURAL DIJON WALNUT

Silver Frame

1200x800: [SADVS/1200800NDW](#)
 1400x800: [SADVS/1400800NDW](#)
 1600x800: [SADVS/1600800NDW](#)
 1800x800: [SADVS/1800800NDW](#)

1200x700: [SADVS/1200700NDW](#)
 1400x700: [SADVS/1400700NDW](#)
 1600x700: [SADVS/1600700NDW](#)



TIMBER

Silver Frame

1200x800: [SADVS/1200800TIM](#)
 1400x800: [SADVS/1400800TIM](#)
 1600x800: [SADVS/1600800TIM](#)
 1800x800: [SADVS/1800800TIM](#)

1200x700: [SADVS/1200700TIM](#)
 1400x700: [SADVS/1400700TIM](#)
 1600x700: [SADVS/1600700TIM](#)



GREY NEBRASKA OAK

Silver Frame

1200x800: SADVS/1200800GNO

1400x800: SADVS/1400800GNO

1600x800: SADVS/1600800GNO

1800x800: SADVS/1800800GNO

1200x700: SADVS/1200700GNO

1400x700: SADVS/1400700GNO

1600x700: SADVS/1600700GNO



BEECH

Silver Frame

1200x800: SADVS/1200800BEE

1400x800: SADVS/1400800BEE

1600x800: SADVS/1600800BEE

1800x800: SADVS/1800800BEE

1200x700: SADVS/1200700BEE

1400x700: SADVS/1400700BEE

1600x700: SADVS/1600700BEE



OAK

Silver Frame

1200x800: SADVS/1200800OAK

1400x800: SADVS/1400800OAK

1600x800: SADVS/1600800OAK

1800x800: SADVS/1800800OAK

1200x700: SADVS/1200700OAK

1400x700: SADVS/1400700OAK

1600x700: SADVS/1600700OAK



MAPLE

Silver Frame

1200x800: SADVS/1200800MAP

1400x800: SADVS/1400800MAP

1600x800: SADVS/1600800MAP

1800x800: SADVS/1800800MAP

1200x700: SADVS/1200700MAP

1400x700: SADVS/1400700MAP

1600x700: SADVS/1600700MAP



CASCINA PINE

Silver Frame

1200x800: SADVS/1200800CAS

1400x800: SADVS/1400800CAS

1600x800: SADVS/1600800CAS

1800x800: SADVS/1800800CAS

1200x700: SADVS/1200700CAS

1400x700: SADVS/1400700CAS

1600x700: SADVS/1600700CAS



BLACK PLY EDGE

Silver Frame

1200x800: SADVS/1200800BLA/PE

1400x800: SADVS/1400800BLA/PE

1600x800: SADVS/1600800BLA/PE

1800x800: SADVS/1800800BLA/PE

1200x700: SADVS/1200700BLA/PE

1400x700: SADVS/1400700BLA/PE

1600x700: SADVS/1600700BLA/PE



GRAPHITE PLY EDGE

Silver Frame

1200x800: SADVS/1200800GRA/PE

1400x800: SADVS/1400800GRA/PE

1600x800: SADVS/1600800GRA/PE

1800x800: SADVS/1800800GRA/PE

1200x700: SADVS/1200700GRA/PE

1400x700: SADVS/1400700GRA/PE

1600x700: SADVS/1600700GRA/PE



WHITE PLY EDGE

Silver Frame

1200x800: SADVS/1200800WHI/PE

1400x800: SADVS/1400800WHI/PE

1600x800: SADVS/1600800WHI/PE

1800x800: SADVS/1800800WHI/PE

1200x700: SADVS/1200700WHI/PE

1400x700: SADVS/1400700WHI/PE

1600x700: SADVS/1600700WHI/PE



CONCRETE

Silver Frame

1200x800: SADVS/1200800CON

1400x800: SADVS/1400800CON

1600x800: SADVS/1600800CON

1800x800: SADVS/1800800CON

1200x700: SADVS/1200700CON

1400x700: SADVS/1400700CON

1600x700: SADVS/1600700CON



FERRO BRONZE

Silver Frame

1200x800: SADVS/1200800FER

1400x800: SADVS/1400800FER

1600x800: SADVS/1600800FER

1800x800: SADVS/1800800FER

1200x700: SADVS/1200700FER

1400x700: SADVS/1400700FER

1600x700: SADVS/1600700FER

SEE PAGE 210
FOR POWER
AND CHARGING

ADVANCE

WHITE FRAMES

RAL 9016



BLACK

White Frame

1200x800: [WADVS/1200800BLA](#)1400x800: [WADVS/1400800BLA](#)1600x800: [WADVS/1600800BLA](#)1800x800: [WADVS/1800800BLA](#)1200x700: [WADVS/1200700BLA](#)1400x700: [WADVS/1400700BLA](#)1600x700: [WADVS/1600700BLA](#)

GRAPHITE

White Frame

1200x800: [WADVS/1200800GRA](#)1400x800: [WADVS/1400800GRA](#)1600x800: [WADVS/1600800GRA](#)1800x800: [WADVS/1800800GRA](#)1200x700: [WADVS/1200700GRA](#)1400x700: [WADVS/1400700GRA](#)1600x700: [WADVS/1600700GRA](#)

GREY

White Frame

1200x800: [WADVS/1200800GRY](#)1400x800: [WADVS/1400800GRY](#)1600x800: [WADVS/1600800GRY](#)1800x800: [WADVS/1800800GRY](#)1200x700: [WADVS/1200700GRY](#)1400x700: [WADVS/1400700GRY](#)1600x700: [WADVS/1600700GRY](#)

WHITE

White Frame

1200x800: [WADVS/1200800WHI](#)1400x800: [WADVS/1400800WHI](#)1600x800: [WADVS/1600800WHI](#)1800x800: [WADVS/1800800WHI](#)1200x700: [WADVS/1200700WHI](#)1400x700: [WADVS/1400700WHI](#)1600x700: [WADVS/1600700WHI](#)

WENGE

White Frame

1200x800: [WADVS/1200800WEN](#)1400x800: [WADVS/1400800WEN](#)1600x800: [WADVS/1600800WEN](#)1800x800: [WADVS/1800800WEN](#)1200x700: [WADVS/1200700WEN](#)1400x700: [WADVS/1400700WEN](#)1600x700: [WADVS/1600700WEN](#)

ANTHRACITE SHERMAN OAK

White Frame

1200x800: [WADVS/1200800ASO](#)1400x800: [WADVS/1400800ASO](#)1600x800: [WADVS/1600800ASO](#)1800x800: [WADVS/1800800ASO](#)1200x700: [WADVS/1200700ASO](#)1400x700: [WADVS/1400700ASO](#)1600x700: [WADVS/1600700ASO](#)

NATURAL DIJON WALNUT

White Frame

1200x800: [WADVS/1200800NDW](#)1400x800: [WADVS/1400800NDW](#)1600x800: [WADVS/1600800NDW](#)1800x800: [WADVS/1800800NDW](#)1200x700: [WADVS/1200700NDW](#)1400x700: [WADVS/1400700NDW](#)1600x700: [WADVS/1600700NDW](#)

TIMBER

White Frame

1200x800: [WADVS/1200800TIM](#)1400x800: [WADVS/1400800TIM](#)1600x800: [WADVS/1600800TIM](#)1800x800: [WADVS/1800800TIM](#)1200x700: [WADVS/1200700TIM](#)1400x700: [WADVS/1400700TIM](#)1600x700: [WADVS/1600700TIM](#)



GREY NEBRASKA OAK

White Frame

1200x800: [WADVS/1200800GNO](#)1400x800: [WADVS/1400800GNO](#)1600x800: [WADVS/1600800GNO](#)1800x800: [WADVS/1800800GNO](#)1200x700: [WADVS/1200700GNO](#)1400x700: [WADVS/1400700GNO](#)1600x700: [WADVS/1600700GNO](#)

BEECH

White Frame

1200x800: [WADVS/1200800BEE](#)1400x800: [WADVS/1400800BEE](#)1600x800: [WADVS/1600800BEE](#)1800x800: [WADVS/1800800BEE](#)1200x700: [WADVS/1200700BEE](#)1400x700: [WADVS/1400700BEE](#)1600x700: [WADVS/1600700BEE](#)

OAK

White Frame

1200x800: [WADVS/1200800OAK](#)1400x800: [WADVS/1400800OAK](#)1600x800: [WADVS/1600800OAK](#)1800x800: [WADVS/1800800OAK](#)1200x700: [WADVS/1200700WHI](#)1400x700: [WADVS/1400700WHI](#)1600x700: [WADVS/1600700WHI](#)

MAPLE

White Frame

1200x800: [WADVS/1200800MAP](#)1400x800: [WADVS/1400800MAP](#)1600x800: [WADVS/1600800MAP](#)1800x800: [WADVS/1800800MAP](#)1200x700: [WADVS/1200700MAP](#)1400x700: [WADVS/1400700MAP](#)1600x700: [WADVS/1600700MAP](#)

CASCINA PINE

White Frame

1200x800: [WADVS/1200800CAS](#)1400x800: [WADVS/1400800CAS](#)1600x800: [WADVS/1600800CAS](#)1800x800: [WADVS/1800800CAS](#)1200x700: [WADVS/1200700CAS](#)1400x700: [WADVS/1400700CAS](#)1600x700: [WADVS/1600700CAS](#)

BLACK PLY EDGE

White Frame

1200x800: [WADVS/1200800BLA/PE](#)1400x800: [WADVS/1400800BLA/PE](#)1600x800: [WADVS/1600800BLA/PE](#)1800x800: [WADVS/1800800BLA/PE](#)1200x700: [WADVS/1200700BLA/PE](#)1400x700: [WADVS/1400700BLA/PE](#)1600x700: [WADVS/1600700BLA/PE](#)

GRAPHITE PLY EDGE

White Frame

1200x800: [WADVS/1200800GRA/PE](#)1400x800: [WADVS/1400800GRA/PE](#)1600x800: [WADVS/1600800GRA/PE](#)1800x800: [WADVS/1800800GRA/PE](#)1200x700: [WADVS/1200700GRA/PE](#)1400x700: [WADVS/1400700GRA/PE](#)1600x700: [WADVS/1600700GRA/PE](#)

WHITE PLY EDGE

White Frame

1200x800: [WADVS/1200800WHI/PE](#)1400x800: [WADVS/1400800WHI/PE](#)1600x800: [WADVS/1600800WHI/PE](#)1800x800: [WADVS/1800800WHI/PE](#)1200x700: [WADVS/1200700WHI/PE](#)1400x700: [WADVS/1400700WHI/PE](#)1600x700: [WADVS/1600700WHI/PE](#)

CONCRETE

White Frame

1200x800: [WADVS/1200800CON](#)1400x800: [WADVS/1400800CON](#)1600x800: [WADVS/1600800CON](#)1800x800: [WADVS/1800800CON](#)1200x700: [WADVS/1200700CON](#)1400x700: [WADVS/1400700CON](#)1600x700: [WADVS/1600700CON](#)

FERRO BRONZE

White Frame

1200x800: [WADVS/1200800FER](#)1400x800: [WADVS/1400800FER](#)1600x800: [WADVS/1600800FER](#)1800x800: [WADVS/1800800FER](#)1200x700: [WADVS/1200700FER](#)1400x700: [WADVS/1400700FER](#)1600x700: [WADVS/1600700FER](#)

SEE PAGE 204
FOR OUR RANGE
OF ACCESSORIES





ADVANCE CORNER

The premium triple-motor corner desk.

The Advance Corner is a derivative of our flagship Advance desk, with an extra motorised leg providing an increased working area and a higher load capacity. Available in over 100 frame colour, décor and size combinations.

Suited to executive and administrative use.



ADVANCE CORNER

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee	Testing Operational Life	Anti-Collision
5yrs	10,000 cycles at full rated load	Yes
Frame Width Adjustment	Voltage	Compliance
1150 - 1740mm x 1545 - 2135mm	230V AC Input, 24V DC operation	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Operational Speed	Machine Directive 2006/42/EC
625 - 1285mm (± 5mm)	40mm per second	EMC Directive 2014/30/EU
Stroke	Standby Power	Low Voltage Directive 2014/35/EC
660mm	<0.3 W	REACH, WEEE and RoHS 3 2015/863
Side Bracket Depth	Max Operational Power	EN 527-1:2011 Type A, EN 527-2:2016
540mm	410W	ISO 21016
Foot Depth	Programmable Min/Max Height	UL 962 ETL Listed
690mm x 2, 490mm x 1 (return)	Yes	
Max Even Load Capacity	Duty Cycle	
160kg	10% - 2mins on, 18mins off	
Total Frame Weight	Noise Level	
53kg	<42 dB	

DESKTOP

Guarantee	Edging	Stock Sizes
5yrs	2mm ABS	1600 x 1600mm
Material	Compliance	1800 x 1600mm
25mm MFC	FSC Certified	(2 piece tops)

PACKAGING


Frame	Top (size dependent)
Size - 840 x 380 x 120mm (per box)	Size - (1700 - 1900) x 900 x 30mm x 1
Weight - 57kg (total)	1100 x 700 x 30mm x 1
Quantity - 2 (total)	Weight - 34 - 36kg (total)
	Quantity - 2 (total)

INSTALLATION

Build Time (per unit)
30 - 40 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at
www.lavorodesign.com/samples 



The Advance Corner is a powerful triple motor desk, available in the same décor and frame colour combinations as our flagship Advance desk. It has a telescopic beam system to facilitate a plethora of top sizes.

This desk will support an even load of a staggering 160kg, and comes with a sensitive anti-collision sensor. With a 5 year guarantee and a 40mm/s operational speed, the Advance Corner desk is an executive option to maximise workspace and provides a premium, functional solution.

FEATURES



Height Range: 630 - 1290mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 160kg



Triple Motor Desk

STOCK FRAME COLOURS



Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016

BESPOKE FRAME COLOURS



Bespoke RAL
Colours

SUSTAINABILITY



ADVANCE CORNER

BLACK FRAME

RAL 9005



BLACK
Black Frame

1600x1600: [BADVC/16001600BLA](#)
1800x1600: [BADVC/18001600BLA](#)



GRAPHITE
Black Frame

1600x1600: [BADVC/16001600GRA](#)
1800x1600: [BADVC/18001600GRA](#)



GREY
Black Frame

1600x1600: [BADVC/16001600GRY](#)
1800x1600: [BADVC/18001600GRY](#)



WHITE
Black Frame

1600x1600: [BADVC/16001600WHI](#)
1800x1600: [BADVC/18001600WHI](#)



WENGE
Black Frame

1600x1600: [BADVC/16001600WEN](#)
1800x1600: [BADVC/18001600WEN](#)



ANTHRACITE SHERMAN OAK
Black Frame

1600x1600: [BADVC/16001600ASO](#)
1800x1600: [BADVC/18001600ASO](#)



NATURAL DIJON WALNUT
Black Frame

1600x1600: [BADVC/16001600NDW](#)
1800x1600: [BADVC/18001600NDW](#)



TIMBER
Black Frame

1600x1600: [BADVC/16001600TIM](#)
1800x1600: [BADVC/18001600TIM](#)



GREY NEBRASKA OAK
Black Frame
1600x1600: [BADVC/16001600GNO](#)
1800x1600: [BADVC/18001600GNO](#)



BEECH
Black Frame
1600x1600: [BADVC/16001600BEE](#)
1800x1600: [BADVC/18001600BEE](#)



OAK
Black Frame
1600x1600: [BADVC/16001600OAK](#)
1800x1600: [BADVC/18001600OAK](#)



MAPLE
Black Frame
1600x1600: [BADVC/16001600MAP](#)
1800x1600: [BADVC/18001600MAP](#)



CASCINA PINE
Black Frame
1600x1600: [BADVC/16001600CAS](#)
1800x1600: [BADVC/18001600CAS](#)



BLACK PLY EDGE
Black Frame
1600x1600: [BADVC/16001600BLA/PE](#)
1800x1600: [BADVC/18001600BLA/PE](#)



GRAPHITE PLY EDGE
Black Frame
1600x1600: [BADVC/16001600GRA/PE](#)
1800x1600: [BADVC/18001600GRA/PE](#)



WHITE PLY EDGE
Black Frame
1600x1600: [BADVC/16001600WHI/PE](#)
1800x1600: [BADVC/18001600WHI/PE](#)



CONCRETE
Black Frame
1600x1600: [BADVC/16001600CON](#)
1800x1600: [BADVC/18001600CON](#)



FERRO BRONZE
Black Frame
1600x1600: [BADVC/16001600FER](#)
1800x1600: [BADVC/18001600FER](#)

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

ADVANCE CORNER

ANTHRACITE FRAME

METALLIC



BLACK

Anthracite Frame

1600x1600: [AADVC/16001600BLA](#)

1800x1600: [AADVC/18001600BLA](#)



GRAPHITE

Anthracite Frame

1600x1600: [AADVC/16001600GRA](#)

1800x1600: [AADVC/18001600GRA](#)



GREY

Anthracite Frame

1600x1600: [AADVC/16001600GRY](#)

1800x1600: [AADVC/18001600GRY](#)



WHITE

Anthracite Frame

1600x1600: [AADVC/16001600WHI](#)

1800x1600: [AADVC/18001600WHI](#)



WENGE

Anthracite Frame

1600x1600: [AADVC/16001600WEN](#)

1800x1600: [AADVC/18001600WEN](#)



ANTHRACITE SHERMAN OAK

Anthracite Frame

1600x1600: [AADVC/16001600ASO](#)

1800x1600: [AADVC/18001600ASO](#)



NATURAL DIJON WALNUT

Anthracite Frame

1600x1600: [AADVC/16001600NDW](#)

1800x1600: [AADVC/18001600NDW](#)



TIMBER

Anthracite Frame

1600x1600: [AADVC/16001600TIM](#)

1800x1600: [AADVC/18001600TIM](#)



GREY NEBRASKA OAK
Anthracite Frame

1600x1600: [AADVC/16001600GNO](#)
1800x1600: [AADVC/18001600GNO](#)

BEECH
Anthracite Frame

1600x1600: [AADVC/16001600BEE](#)
1800x1600: [AADVC/18001600BEE](#)

OAK
Anthracite Frame

1600x1600: [AADVC/16001600OAK](#)
1800x1600: [AADVC/18001600OAK](#)

MAPLE
Anthracite Frame

1600x1600: [AADVC/16001600MAP](#)
1800x1600: [AADVC/18001600MAP](#)



CASCINA PINE
Anthracite Frame

1600x1600: [AADVC/16001600CAS](#)
1800x1600: [AADVC/18001600CAS](#)

BLACK PLY EDGE
Anthracite Frame

1600x1600: [AADVC/16001600BLA/PE](#)
1800x1600: [AADVC/18001600BLA/PE](#)

GRAPHITE PLY EDGE
Anthracite Frame

1600x1600: [AADVC/16001600GRA/PE](#)
1800x1600: [AADVC/18001600GRA/PE](#)

WHITE PLY EDGE
Anthracite Frame

1600x1600: [AADVC/16001600WHI/PE](#)
1800x1600: [AADVC/18001600WHI/PE](#)



CONCRETE
Anthracite Frame

1600x1600: [AADVC/16001600CON](#)
1800x1600: [AADVC/18001600CON](#)

FERRO BRONZE
Anthracite Frame

1600x1600: [AADVC/16001600FER](#)
1800x1600: [AADVC/18001600FER](#)

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

ADVANCE CORNER

SILVER FRAME

RAL 9006



BLACK

Silver Frame

1600x1600: [SADVC/16001600BLA](#)

1800x1600: [SADVC/18001600BLA](#)



GRAPHITE

Silver Frame

1600x1600: [SADVC/16001600GRA](#)

1800x1600: [SADVC/18001600GRA](#)



GREY

Silver Frame

1600x1600: [SADVC/16001600GRY](#)

1800x1600: [SADVC/18001600GRY](#)



WHITE

Silver Frame

1600x1600: [SADVC/16001600WHI](#)

1800x1600: [SADVC/18001600WHI](#)



WENGE

Silver Frame

1600x1600: [SADVC/16001600WEN](#)

1800x1600: [SADVC/18001600WEN](#)



ANTHRACITE SHERMAN OAK

Silver Frame

1600x1600: [SADVC/16001600ASO](#)

1800x1600: [SADVC/18001600ASO](#)



NATURAL DIJON WALNUT

Silver Frame

1600x1600: [SADVC/16001600NDW](#)

1800x1600: [SADVC/18001600NDW](#)



TIMBER

Silver Frame

1600x1600: [SADVC/16001600TIM](#)

1800x1600: [SADVC/18001600TIM](#)



GREY NEBRASKA OAK
Silver Frame
1600x1600: [SADVC/16001600GNO](#)
1800x1600: [SADVC/18001600GNO](#)



BEECH
Silver Frame
1600x1600: [SADVC/16001600BEE](#)
1800x1600: [SADVC/18001600BEE](#)



OAK
Silver Frame
1600x1600: [SADVC/16001600OAK](#)
1800x1600: [SADVC/18001600OAK](#)



MAPLE
Silver Frame
1600x1600: [SADVC/16001600MAP](#)
1800x1600: [SADVC/18001600MAP](#)



CASCINA PINE
Silver Frame
1600x1600: [SADVC/16001600CAS](#)
1800x1600: [SADVC/18001600CAS](#)



BLACK PLY EDGE
Silver Frame
1600x1600: [SADVC/16001600BLA/PE](#)
1800x1600: [SADVC/18001600BLA/PE](#)



GRAPHITE PLY EDGE
Silver Frame
1600x1600: [SADVC/16001600GRA/PE](#)
1800x1600: [SADVC/18001600GRA/PE](#)



WHITE PLY EDGE
Silver Frame
1600x1600: [SADVC/16001600WHI/PE](#)
1800x1600: [SADVC/18001600WHI/PE](#)



CONCRETE
Silver Frame
1600x1600: [SADVC/16001600CON](#)
1800x1600: [SADVC/18001600CON](#)



FERRO BRONZE
Silver Frame
1600x1600: [SADVC/16001600FER](#)
1800x1600: [SADVC/18001600FER](#)

SEE PAGE 210
FOR POWER
AND CHARGING

ADVANCE CORNER

WHITE FRAME

RAL 9016



BLACK

White Frame

1600x1600: [WADVC/16001600BLA](#)1800x1600: [WADVC/18001600BLA](#)

GRAPHITE

White Frame

1600x1600: [WADVC/16001600GRA](#)1800x1600: [WADVC/18001600GRA](#)

GREY

White Frame

1600x1600: [WADVC/16001600GRY](#)1800x1600: [WADVC/18001600GRY](#)

WHITE

White Frame

1600x1600: [WADVC/16001600WHI](#)1800x1600: [WADVC/18001600WHI](#)

WENGE

White Frame

1600x1600: [WADVC/16001600WEN](#)1800x1600: [WADVC/18001600WEN](#)

ANTHRACITE SHERMAN OAK

White Frame

1600x1600: [WADVC/16001600CASO](#)1800x1600: [WADVC/18001600ASO](#)

NATURAL DIJON WALNUT

White Frame

1600x1600: [WADVC/16001600NDW](#)1800x1600: [WADVC/18001600NDW](#)

TIMBER

White Frame

1600x1600: [WADVC/16001600TIM](#)1800x1600: [WADVC/18001600TIM](#)



GREY NEBRASKA OAK
White Frame
1600x1600: [WADVC/16001600GNO](#)
1800x1600: [WADVC/18001600GNO](#)



BEECH
White Frame
1600x1600: [WADVC/16001600BEE](#)
1800x1600: [WADVC/18001600BEE](#)



OAK
White Frame
1600x1600: [WADVC/16001600OAK](#)
1800x1600: [WADVC/18001600OAK](#)



MAPLE
White Frame
1600x1600: [WADVC/16001600MAP](#)
1800x1600: [WADVC/18001600MAP](#)



CASCINA PINE
White Frame
1600x1600: [WADVC/16001600CAS](#)
1800x1600: [WADVC/18001600CAS](#)



BLACK PLY EDGE
White Frame
1600x1600: [WADVC/16001600BLA/PE](#)
1800x1600: [WADVC/18001600BLA/PE](#)



GRAPHITE PLY EDGE
White Frame
1600x1600: [WADVC/16001600GRA/PE](#)
1800x1600: [WADVC/18001600GRA/PE](#)



WHITE PLY EDGE
White Frame
1600x1600: [WADVC/16001600WHI/PE](#)
1800x1600: [WADVC/18001600WHI/PE](#)



CONCRETE
White Frame
1600x1600: [WADVC/16001600CON](#)
1800x1600: [WADVC/18001600CON](#)



FERRO BRONZE
White Frame
1600x1600: [WADVC/16001600FER](#)
1800x1600: [WADVC/18001600FER](#)

SEE PAGE 204
FOR OUR RANGE
OF ACCESSORIES





FORGE

The classy industrial looking one.

The Forge features a raw steel industrial look with all welds and burnish marks retained but coated with a tough, clear lacquer for heavy, constant use. The three stage leg offers maximum height range to suit all users.

For stylish minimalist workspaces.



FORGE

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1150 - 1740mm

Height Range (Inc. 25mm Top)

625 - 1285mm (± 5mm)

Stroke

660mm

Side Bracket Depth

540mm

Foot Depth

690mm

Max Even Load Capacity

120kg

Total Frame Weight

29kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

40mm per second

Standby Power

<0.3 W

Max Operational Power

300W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

1200 x 700mm, 1200 x 800mm,

1400 x 700mm, 1400 x 800mm,

1600 x 700mm, 1600 x 800mm,

1800 x 800mm

PACKAGING

Frame

Size - 840 x 380 x 120mm

Weight - 31kg

Quantity - 1

Top (size dependent)

Size - (1300 - 1900) x 900 x 30mm

Weight - 16 - 26kg

Quantity - 1

INSTALLATION

Build Time (per unit)

20 - 30 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Forge is a robust dual motor desk, made from high grade steel. The framework is finished with a clear lacquer, leaving visible weld seams, heat marks and burnishing.

The Forge has two solid motors giving a refined, low noise operation and rapid operation of 40mm/s. The frame and all electronics are covered by a 5 year guarantee. It also features a telescopic central beam system, allowing it to be fitted with desktops from 1200 to 1800mm in width.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120kg



Dual Motor Desk

FRAME OPTIONS



Raw Steel
Gloss Finish

SUSTAINABILITY



FORGE

RAW STEEL FRAMES

RAW STEEL
GLOSS FINISH



BLACK

Raw Frame

1200x800: [FORS/1200800BLA](#)
1400x800: [FORS/1400800BLA](#)
1600x800: [FORS/1600800BLA](#)
1800x800: [FORS/1800800BLA](#)

1200x700: [FORS/1200700BLA](#)
1400x700: [FORS/1400700BLA](#)
1600x700: [FORS/1600700BLA](#)



GRAPHITE

Raw Frame

1200x800: [FORS/1200800GRA](#)
1400x800: [FORS/1400800GRA](#)
1600x800: [FORS/1600800GRA](#)
1800x800: [FORS/1800800GRA](#)

1200x700: [FORS/1200700GRA](#)
1400x700: [FORS/1400700GRA](#)
1600x700: [FORS/1600700GRA](#)



GREY

Raw Frame

1200x800: [FORS/1200800GRY](#)
1400x800: [FORS/1400800GRY](#)
1600x800: [FORS/1600800GRY](#)
1800x800: [FORS/1800800GRY](#)

1200x700: [FORS/1200700GRY](#)
1400x700: [FORS/1400700GRY](#)
1600x700: [FORS/1600700GRY](#)



WHITE

Raw Frame

1200x800: [FORS/1200800WHI](#)
1400x800: [FORS/1400800WHI](#)
1600x800: [FORS/1600800WHI](#)
1800x800: [FORS/1800800WHI](#)

1200x700: [FORS/1200700WHI](#)
1400x700: [FORS/1400700WHI](#)
1600x700: [FORS/1600700WHI](#)



WENGE

Raw Frame

1200x800: [FORS/1200800WEN](#)
1400x800: [FORS/1400800WEN](#)
1600x800: [FORS/1600800WEN](#)
1800x800: [FORS/1800800WEN](#)

1200x700: [FORS/1200700WEN](#)
1400x700: [FORS/1400700WEN](#)
1600x700: [FORS/1600700WEN](#)



ANTHRACITE SHERMAN OAK

Raw Frame

1200x800: [FORS/1200800ASO](#)
1400x800: [FORS/1400800ASO](#)
1600x800: [FORS/1600800ASO](#)
1800x800: [FORS/1800800ASO](#)

1200x700: [FORS/1200700ASO](#)
1400x700: [FORS/1400700ASO](#)
1600x700: [FORS/1600700ASO](#)



NATURAL DIJON WALNUT

Raw Frame

1200x800: [FORS/1200800NDW](#)
1400x800: [FORS/1400800NDW](#)
1600x800: [FORS/1600800NDW](#)
1800x800: [FORS/1800800NDW](#)

1200x700: [FORS/1200700NDW](#)
1400x700: [FORS/1400700NDW](#)
1600x700: [FORS/1600700NDW](#)



TIMBER

Raw Frame

1200x800: [FORS/1200800TIM](#)
1400x800: [FORS/1400800TIM](#)
1600x800: [FORS/1600800TIM](#)
1800x800: [FORS/1800800TIM](#)

1200x700: [FORS/1200700TIM](#)
1400x700: [FORS/1400700TIM](#)
1600x700: [FORS/1600700TIM](#)



GREY NEBRASKA OAK
Raw Frame

1200x800:	FORS/1200800GNO
1400x800:	FORS/1400800GNO
1600x800:	FORS/1600800GNO
1800x800:	FORS/1800800GNO
1200x700:	FORS/1200700GNO
1400x700:	FORS/1400700GNO
1600x700:	FORS/1600700GNO



BEECH
Raw Frame

1200x800:	FORS/1200800BEE
1400x800:	FORS/1400800BEE
1600x800:	FORS/1600800BEE
1800x800:	FORS/1800800BEE
1200x700:	FORS/1200700BEE
1400x700:	FORS/1400700BEE
1600x700:	FORS/1600700BEE



OAK
Raw Frame

1200x800:	FORS/1200800OAK
1400x800:	FORS/1400800OAK
1600x800:	FORS/1600800OAK
1800x800:	FORS/1800800OAK
1200x700:	FORS/1200700OAK
1400x700:	FORS/1400700OAK
1600x700:	FORS/1600700OAK



MAPLE
Raw Frame

1200x800:	FORS/1200800MAP
1400x800:	FORS/1400800MAP
1600x800:	FORS/1600800MAP
1800x800:	FORS/1800800MAP
1200x700:	FORS/1200700MAP
1400x700:	FORS/1400700MAP
1600x700:	FORS/1600700MAP



CASCINA PINE
Raw Frame

1200x800:	FORS/1200800CAS
1400x800:	FORS/1400800CAS
1600x800:	FORS/1600800CAS
1800x800:	FORS/1800800CAS
1200x700:	FORS/1200700CAS
1400x700:	FORS/1400700CAS
1600x700:	FORS/1600700CAS



BLACK PLY EDGE
Raw Frame

1200x800:	FORS/1200800BLA/PE
1400x800:	FORS/1400800BLA/PE
1600x800:	FORS/1600800BLA/PE
1800x800:	FORS/1800800BLA/PE
1200x700:	FORS/1200700BLA/PE
1400x700:	FORS/1400700BLA/PE
1600x700:	FORS/1600700BLA/PE



GRAPHITE PLY EDGE
Raw Frame

1200x800:	FORS/1200800GRA/PE
1400x800:	FORS/1400800GRA/PE
1600x800:	FORS/1600800GRA/PE
1800x800:	FORS/1800800GRA/PE
1200x700:	FORS/1200700GRA/PE
1400x700:	FORS/1400700GRA/PE
1600x700:	FORS/1600700GRA/PE



WHITE PLY EDGE
Raw Frame

1200x800:	FORS/1200800WHI/PE
1400x800:	FORS/1400800WHI/PE
1600x800:	FORS/1600800WHI/PE
1800x800:	FORS/1800800WHI/PE
1200x700:	FORS/1200700WHI/PE
1400x700:	FORS/1400700WHI/PE
1600x700:	FORS/1600700WHI/PE



CONCRETE
Raw Frame

1200x800:	FORS/1200800CON
1400x800:	FORS/1400800CON
1600x800:	FORS/1600800CON
1800x800:	FORS/1800800CON
1200x700:	FORS/1200700CON
1400x700:	FORS/1400700CON
1600x700:	FORS/1600700CON



FERRO BRONZE
Raw Frame

1200x800:	FORS/1200800FER
1400x800:	FORS/1400800FER
1600x800:	FORS/1600800FER
1800x800:	FORS/1800800FER
1200x700:	FORS/1200700FER
1400x700:	FORS/1400700FER
1600x700:	FORS/1600700FER

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS





FORGE CORNER

Executive vintage industrial head turner.

Based on the Forge, our Forge Corner features an extra motorised leg to facilitate a greater working area with a higher load capacity. Finished in the same smooth clear lacquer, this desk offers the ultimate industrial look.

Resilient and stylish, spacious and cool.



FORGE CORNER

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee	Operational Life	Anti-Collision
5yrs	10,000 cycles at full rated load	Yes
Frame Width Adjustment	Voltage	Compliance
1150 - 1740mm x 1545 - 2135mm	230V AC Input, 24V DC operation	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Operational Speed	Machine Directive 2006/42/EC
625 - 1285mm (±5mm)	40mm per second	EMC Directive 2014/30EU
Stroke	Standby Power	Low Voltage Directive 2014/35/EC
660mm	<0.3 W	REACH, WEEE and RoHS 3 2015/863
Side Bracket Depth	Max Operational Power	EN 527-1:2011 Type A, EN 527-2:2016
540mm	410W	ISO 21016
Foot Depth	Programmable Min/Max Height	
690mm x 2, 490mm x 1 (return)	Yes	
Max Even Load Capacity	Duty Cycle	
160kg	10% - 2mins on, 18mins off	
Total Frame Weight	Noise Level	
45kg	<42 dB	

DESKTOP

Guarantee	Edging	Stock Sizes
5yrs	2mm ABS	1600 x 1600mm
Material	Compliance	1800 x 1600mm
25mm MFC	FSC Certified	(2 piece tops)

PACKAGING


Frame	Top (size dependent)
Size - 840 x 380 x 120mm (per box)	Size - (1700 - 1900) x 900 x 30mm x 1
Weight - 49kg (total)	1100 x 700 x 30mm x 1
Quantity - 2 (total)	Weight - 34 - 36kg (total)
	Quantity - 2 (total)

INSTALLATION

Build Time (per unit)
30 - 40 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at
www.lavorodesign.com/samples 



The Forge Corner desk is a triple motor version of the popular Forge desk, our vintage-industrial style raw steel frame. This is finished in a clear lacquer, leaving visible weld seams, heat marks and burnishing.

The precision manufacturing process gives this desk a rugged look, whilst maintaining ultra-smooth operation. The Forge Corner is rated to carry an even load of 160kg and has an optional high sensitivity upgrade available. The height adjustment range of 625 - 1285mm allows for a wide user spectrum.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 160kg



Triple Motor Desk

FRAME OPTIONS



Raw Steel
Gloss Finish

SUSTAINABILITY



FORGE CORNER

RAW STEEL FRAMES

RAW STEEL
GLOSS FINISH



BLACK
Raw Frame

1600x1600: [FORC/16001600BLA](#)
1800x1600: [FORC/18001600BLA](#)



GRAPHITE
Raw Frame

1600x1600: [FORC/16001600GRA](#)
1800x1600: [FORC/18001600GRA](#)



GREY
Raw Frame

1600x1600: [FORC/16001600GRY](#)
1800x1600: [FORC/18001600GRY](#)



WHITE
Raw Frame

1600x1600: [FORC/16001600WHI](#)
1800x1600: [FORC/18001600WHI](#)



WENGE
Raw Frame

1600x1600: [FORC/16001600WEN](#)
1800x1600: [FORC/18001600WEN](#)



ANTHRACITE SHERMAN OAK
Raw Frame

1600x1600: [FORC/16001600ASO](#)
1800x1600: [FORC/18001600ASO](#)



NATURAL DIJON WALNUT
Raw Frame

1600x1600: [FORC/16001600NDW](#)
1800x1600: [FORC/18001600NDW](#)



TIMBER
Raw Frame

1600x1600: [FORC/16001600TIM](#)
1800x1600: [FORC/18001600TIM](#)



GREY NEBRASKA OAK
Raw Frame

1600x1600: [FORC/16001600GNO](#)
1800x1600: [FORC/18001600GNO](#)



BEECH
Raw Frame

1600x1600: [FORC/16001600BEE](#)
1800x1600: [FORC/18001600BEE](#)



OAK
Raw Frame

1600x1600: [FORC/16001600OAK](#)
1800x1600: [FORC/18001600OAK](#)



MAPLE
Raw Frame

1600x1600: [FORC/16001600MAP](#)
1800x1600: [FORC/18001600MAP](#)



CASCINA PINE
Raw Frame

1600x1600: [FORC/16001600CAS](#)
1800x1600: [FORC/18001600CAS](#)



BLACK PLY EDGE
Raw Frame

1600x1600: [FORC/16001600BLA/PE](#)
1800x1600: [FORC/18001600BLA/PE](#)



GRAPHITE PLY EDGE
Raw Frame

1600x1600: [FORC/16001600GRA/PE](#)
1800x1600: [FORC/18001600GRA/PE](#)



WHITE PLY EDGE
Raw Frame

1600x1600: [FORC/16001600WHI/PE](#)
1800x1600: [FORC/18001600WHI/PE](#)



CONCRETE
Raw Frame

1600x1600: [FORC/16001600CON](#)
1800x1600: [FORC/18001600CON](#)



FERRO BRONZE
Raw Frame

1600x1600: [FORC/16001600FER](#)
1800x1600: [FORC/18001600FER](#)

SEE PAGE 204
FOR OUR
RANGE OF
ACCESSORIES





CROMO

The shiny polished chrome masterpiece.

Our Cromo is based on the same tough, reliable system as the Advance; the three-stage leg system offers maximum height adjustability whilst maintaining a smooth, quiet operation.

Glamorous and chic, with optimum performance.



CROMO

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1150 - 1740mm

Height Range (Inc. 25mm Top)

625 - 1285mm (± 5mm)

Stroke

660mm

Side Bracket Depth

540mm

Foot Depth

690mm

Max Even Load Capacity

120kg

Total Frame Weight

29kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

40mm per second

Standby Power

<0.3 W

Max Operational Power

300W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

1200 x 700mm, 1200 x 800mm,

1400 x 700mm, 1400 x 800mm,

1600 x 700mm, 1600 x 800mm,

1800 x 800mm

PACKAGING

Frame

Size - 835 x 380 x 120mm

Weight - 32kg

Quantity - 1

Top (size dependent)

Size - (1300 - 1900) x 900 x 30mm

Weight - 20 - 30kg

Quantity - 1

INSTALLATION

Build Time (per unit)

20 - 30 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Cromo is a dual motor desk, finished with high quality chrome plated legs, feet and brackets. It features a durable telescopic beam system, allowing for desktop widths of 1200 – 1800mm.

This desk also features a quiet electronic system with an efficient standby power of less than 0.3w and allows the desk to raise and lower at a speed of 40mm/s. Highly customisable with over 20 compatible accessory and cable management options.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120kg



Dual Motor Desk

FRAME OPTIONS



Chrome
Polished Finish

SUSTAINABILITY



CROMO

CHROME FRAMES

POLISHED FINISH



BLACK

Chrome Frame

1200x800: [CRMS/1200800BLA](#)
 1400x800: [CRMS/1400800BLA](#)
 1600x800: [CRMS/1600800BLA](#)
 1800x800: [CRMS/1800800BLA](#)

1200x700: [CRMS/1200700BLA](#)
 1400x700: [CRMS/1400700BLA](#)
 1600x700: [CRMS/1600700BLA](#)



GRAPHITE

Chrome Frame

1200x800: [CRMS/1200800GRA](#)
 1400x800: [CRMS/1400800GRA](#)
 1600x800: [CRMS/1600800GRA](#)
 1800x800: [CRMS/1800800GRA](#)

1200x700: [CRMS/1200700GRA](#)
 1400x700: [CRMS/1400700GRA](#)
 1600x700: [CRMS/1600700GRA](#)



GREY

Chrome Frame

1200x800: [CRMS/1200800GRY](#)
 1400x800: [CRMS/1400800GRY](#)
 1600x800: [CRMS/1600800GRY](#)
 1800x800: [CRMS/1800800GRY](#)

1200x700: [CRMS/1200700GRY](#)
 1400x700: [CRMS/1400700GRY](#)
 1600x700: [CRMS/1600700GRY](#)



WHITE

Chrome Frame

1200x800: [CRMS/1200800WHI](#)
 1400x800: [CRMS/1400800WHI](#)
 1600x800: [CRMS/1600800WHI](#)
 1800x800: [CRMS/1800800WHI](#)

1200x700: [CRMS/1200700WHI](#)
 1400x700: [CRMS/1400700WHI](#)
 1600x700: [CRMS/1600700WHI](#)



WENGE

Chrome Frame

1200x800: [CRMS/1200800WEN](#)
 1400x800: [CRMS/1400800WEN](#)
 1600x800: [CRMS/1600800WEN](#)
 1800x800: [CRMS/1800800WEN](#)

1200x700: [CRMS/1200700WEN](#)
 1400x700: [CRMS/1400700WEN](#)
 1600x700: [CRMS/1600700WEN](#)



ANTHRACITE SHERMAN OAK

Chrome Frame

1200x800: [CRMS/1200800ASO](#)
 1400x800: [CRMS/1400800ASO](#)
 1600x800: [CRMS/1600800ASO](#)
 1800x800: [CRMS/1800800ASO](#)

1200x700: [CRMS/1200700ASO](#)
 1400x700: [CRMS/1400700ASO](#)
 1600x700: [CRMS/1600700ASO](#)



NATURAL DIJON WALNUT

Chrome Frame

1200x800: [CRMS/1200800NDW](#)
 1400x800: [CRMS/1400800NDW](#)
 1600x800: [CRMS/1600800NDW](#)
 1800x800: [CRMS/1800800NDW](#)

1200x700: [CRMS/1200700NDW](#)
 1400x700: [CRMS/1400700NDW](#)
 1600x700: [CRMS/1600700NDW](#)



TIMBER

Chrome Frame

1200x800: [CRMS/1200800TIM](#)
 1400x800: [CRMS/1400800TIM](#)
 1600x800: [CRMS/1600800TIM](#)
 1800x800: [CRMS/1800800TIM](#)

1200x700: [CRMS/1200700TIM](#)
 1400x700: [CRMS/1400700TIM](#)
 1600x700: [CRMS/1600700TIM](#)

**GREY NEBRASKA OAK**

Chrome Frame

1200x800: [CRMS/1200800GNO](#)1400x800: [CRMS/1400800GNO](#)1600x800: [CRMS/1600800GNO](#)1800x800: [CRMS/1800800GNO](#)1200x700: [CRMS/1200700GNO](#)1400x700: [CRMS/1400700GNO](#)1600x700: [CRMS/1600700GNO](#)**BEECH**

Chrome Frame

1200x800: [CRMS/1200800BEE](#)1400x800: [CRMS/1400800BEE](#)1600x800: [CRMS/1600800BEE](#)1800x800: [CRMS/1800800BEE](#)1200x700: [CRMS/1200700BEE](#)1400x700: [CRMS/1400700BEE](#)1600x700: [CRMS/1600700BEE](#)**OAK**

Chrome Frame

1200x800: [CRMS/1200800OAK](#)1400x800: [CRMS/1400800OAK](#)1600x800: [CRMS/1600800OAK](#)1800x800: [CRMS/1800800OAK](#)1200x700: [CRMS/1200700OAK](#)1400x700: [CRMS/1400700OAK](#)1600x700: [CRMS/1600700OAK](#)**MAPLE**

Chrome Frame

1200x800: [CRMS/1200800MAP](#)1400x800: [CRMS/1400800MAP](#)1600x800: [CRMS/1600800MAP](#)1800x800: [CRMS/1800800MAP](#)1200x700: [CRMS/1200700MAP](#)1400x700: [CRMS/1400700MAP](#)1600x700: [CRMS/1600700MAP](#)**CASCINA PINE**

Chrome Frame

1200x800: [CRMS/1200800CAS](#)1400x800: [CRMS/1400800CAS](#)1600x800: [CRMS/1600800CAS](#)1800x800: [CRMS/1800800CAS](#)1200x700: [CRMS/1200700CAS](#)1400x700: [CRMS/1400700CAS](#)1600x700: [CRMS/1600700CAS](#)**BLACK PLY EDGE**

Chrome Frame

1200x800: [CRMS/1200800BLA/PE](#)1400x800: [CRMS/1400800BLA/PE](#)1600x800: [CRMS/1600800BLA/PE](#)1800x800: [CRMS/1800800BLA/PE](#)1200x700: [CRMS/1200700BLA/PE](#)1400x700: [CRMS/1400700BLA/PE](#)1600x700: [CRMS/1600700BLA/PE](#)**GRAPHITE PLY EDGE**

Chrome Frame

1200x800: [CRMS/1200800GRA/PE](#)1400x800: [CRMS/1400800GRA/PE](#)1600x800: [CRMS/1600800GRA/PE](#)1800x800: [CRMS/1800800GRA/PE](#)1200x700: [CRMS/1200700GRA/PE](#)1400x700: [CRMS/1400700GRA/PE](#)1600x700: [CRMS/1600700GRA/PE](#)**WHITE PLY EDGE**

Chrome Frame

1200x800: [CRMS/1200800WHI/PE](#)1400x800: [CRMS/1400800WHI/PE](#)1600x800: [CRMS/1600800WHI/PE](#)1800x800: [CRMS/1800800WHI/PE](#)1200x700: [CRMS/1200700WHI/PE](#)1400x700: [CRMS/1400700WHI/PE](#)1600x700: [CRMS/1600700WHI/PE](#)**CONCRETE**

Chrome Frame

1200x800: [CRMS/1200800CON](#)1400x800: [CRMS/1400800CON](#)1600x800: [CRMS/1600800CON](#)1800x800: [CRMS/1800800CON](#)1200x700: [CRMS/1200700CON](#)1400x700: [CRMS/1400700CON](#)1600x700: [CRMS/1600700CON](#)**FERRO BRONZE**

Chrome Frame

1200x800: [CRMS/1200800FER](#)1400x800: [CRMS/1400800FER](#)1600x800: [CRMS/1600800FER](#)1800x800: [CRMS/1800800FER](#)1200x700: [CRMS/1200700FER](#)1400x700: [CRMS/1400700FER](#)1600x700: [CRMS/1600700FER](#)

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS





CROMO CORNER

Shiny, executive and built to last.

A triple motor 90° version of the popular Cromo desk, the Cromo Corner is an eye-catching chrome plated executive corner desk, with a high weight capacity to suit the most demanding of applications.

Creating a workplace wow factor.



CROMO CORNER

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1150 - 1740mm x 1545 - 2135mm

Height Range (Inc. 25mm Top)

625 - 1285mm (± 5mm)

Stroke

660mm

Side Bracket Depth

540mm

Foot Depth

690mm x 2, 490mm x 1 (Return)

Max Even Load Capacity

160kg

Total Frame Weight

45kg

Testing Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

40mm per second

Standby Power

<0.3 W

Max Operational Power

410W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

1600 x 1600mm

1800 x 1600mm

(2 piece tops)

PACKAGING

Frame

Size - 840 x 380 x 120mm

Weight - 49kg (total)

Quantity - 2 (total)

Top (size dependent)

Size - (1700 - 1900) x 900 x 30mm x1

1100 - 700 x 30mm x1

Weight - 34 - 36kg (total)

Quantity - 2 (total)

INSTALLATION

Build Time (per unit)

30 - 40 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Cromo Corner is a powerful triple motor desk, with the same high quality chrome plated finish as its dual motor counterpart, The Cromo. It has a telescopic beam system to facilitate a wide range of top sizes.

This desk will support an even load of 160kg, and comes with a sensitive anti-collision sensor. With a 5 year guarantee and a 40mm/s operational speed, the Cromo Corner desk allows space maximisation whilst maintaining an elegant, classy image.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 160kg



Triple Motor Desk

FRAME OPTIONS



Chrome
Polished Finish

SUSTAINABILITY



CROMO CORNER

CHROME FRAMES

POLISHED FINISH



BLACK

Chrome Frame

1600x1600: [CRMC/16001600BLA](#)

1800x1600: [CRMC/18001800BLA](#)



GRAPHITE

Chrome Frame

1600x1600: [CRMC/16001800GRA](#)

1800x1600: [CRMC/18001800GRA](#)



GREY

Chrome Frame

1600x1600: [CRMC/16001600GRY](#)

1800x1600: [CRMC/18001800GRY](#)



WHITE

Chrome Frame

1600x1600: [CRMC/16001600WHI](#)

1800x1600: [CRMC/18001800WHI](#)



WENGE

Chrome Frame

1600x1600: [CRMC/16001600WEN](#)

1800x1600: [CRMC/18001800WEN](#)



ANTHRACITE SHERMAN OAK

Chrome Frame

1600x1600: [CRMC/16001600ASO](#)

1800x1600: [CRMC/18001800ASO](#)



NATURAL DIJON WALNUT

Chrome Frame

1600x1600: [CRMC/16001600NDW](#)

1800x1600: [CRMC/18001800NDW](#)



TIMBER

Chrome Frame

1600x1600: [CRMC/16001600TIM](#)

1800x1600: [CRMC/18001800TIM](#)



GREY NEBRASKA OAK
Chrome Frame

1600x1600: [CRMC/16001600GNO](#)
1800x1600: [CRMC/18001800GNO](#)



BEECH
Chrome Frame

1600x1600: [CRMC/16001600BEE](#)
1800x1600: [CRMC/18001800BEE](#)



OAK
Chrome Frame

1600x1600: [CRMC/16001600OAK](#)
1800x1600: [CRMC/18001800OAK](#)



MAPLE
Chrome Frame

1600x1600: [CRMC/16001600MAP](#)
1800x1600: [CRMC/18001800MAP](#)



CASCINA PINE
Chrome Frame

1600x1600: [CRMC/16001600CAS](#)
1800x1600: [CRMC/18001800CAS](#)



BLACK PLY EDGE
Chrome Frame

1600x1600: [CRMC/16001600BLA/PE](#)
1800x1600: [CRMC/18001800BLA/PE](#)



GRAPHITE PLY EDGE
Chrome Frame

1600x1600: [CRMC/16001600GRA/PE](#)
1800x1600: [CRMC/18001800GRA/PE](#)



WHITE PLY EDGE
Chrome Frame

1600x1600: [CRMC/16001600WHI/PE](#)
1800x1600: [CRMC/18001800WHI/PE](#)



CONCRETE
Chrome Frame

1600x1600: [CRMC/16001600CON](#)
1800x1600: [CRMC/18001800CON](#)



FERRO BRONZE
Chrome Frame

1600x1600: [CRMC/16001600FER](#)
1800x1600: [CRMC/18001800FER](#)

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS





MINI

The powerful space-saving workstation.

Built with the same durable motor system as our larger desks, the Mini desk's compact footprint allows it to fit into the tightest of spaces. Available from stock in four frame colours and 18 décor combinations.

The home working and hot-desk solution.



MINI

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee	Operational Life	Anti-Collision
5yrs	10,000 cycles at full rated load	Yes
Frame Width	Voltage	Compliance
950mm	230V AC Input, 24V DC operation	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Operational Speed	Machine Directive 2006/42/EC
625 - 1285mm (± 5mm)	40mm per second	EMC Directive 2014/30EU
Stroke	Standby Power	Low Voltage Directive 2014/35/EC
660mm	<0.3 W	REACH, WEEE and RoHS 3 2015/863
Side Bracket Depth	Max Operational Power	EN 527-1:2011 Type A, EN 527-2:2016
540mm	300W	ISO 21016
Foot Depth	Programmable Min/Max Height	
590mm	Yes	
Max Even Load Capacity	Duty Cycle	
120kg	10% - 2mins on, 18mins off	
Total Frame Weight	Noise Level	
25kg	<42 dB	

DESKTOP

Guarantee	Edging	Stock sizes (mm)
5yrs	2mm ABS	1000 x 600mm
Material	Compliance	
25mm MFC	FSC Certified	

PACKAGING


Frame	Top
Size - 840 x 380 x 120mm x 1 1200 x 170 x 130mm x 1	Size - 1100 x 700 x 30mm
Weight - 27kg (total)	Weight - 12kg
Quantity - 2	Quantity - 1

INSTALLATION

Build Time (per unit)
20 - 30 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at
www.lavorodesign.com/samples 



The Mini is a heavy-duty dual motor desk, designed to fit perfectly into situations where space is at a premium. Using the same robust motors and electronic system as our flagship Advance desk, Mini is a real workhorse.

This desk has an impressive height range, from 625mm (perfect for wheelchair accessibility) to 1285mm (designed for users up to 7ft in height). It also features a single piece rigid cross beam, making it both easy to build, and one of the toughest, most elegant, compact desks on the market.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120kg



Dual Motor Desk

STOCK FRAME COLOURS




Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016

BESPOKE FRAME COLOURS



Bespoke RAL
Colours

SUSTAINABILITY



MINI

BLACK FRAMES

RAL 9005



BLACK
Black Frame

1000x600: [BMIN/1000600BLA](#)



GRAPHITE
Black Frame

1000x600: [BMIN/1000600GRA](#)



GREY
Black Frame

1000x600: [BMIN/1000600GRY](#)



WHITE
Black Frame

1000x600: [BMIN/1000600WHI](#)



WENGE
Black Frame

1000x600: [BMIN/1000600WEN](#)



ANTHRACITE SHERMAN OAK
Black Frame

1000x600: [BMIN/1000600ASO](#)



NATURAL DIJON WALNUT
Black Frame

1000x600: [BMIN/1000600NDW](#)



TIMBER
Black Frame

1000x600: [BMIN/1000600TIM](#)



GREY NEBRASKA OAK
Black Frame

1000x600: [BMIN/1000600GNO](#)



BEECH
Black Frame

1000x600: [BMIN/1000600BEE](#)



OAK
Black Frame

1000x600: [BMIN/1000600OAK](#)



MAPLE
Black Frame

1000x600: [BMIN/1000600MAP](#)



CASCINA PINE
Black Frame

1000x600: [BMIN/1000600CAS](#)



BLACK PLY EDGE
Black Frame

1000x600: [BMIN/1000600BLA/PE](#)



GRAPHITE PLY EDGE
Black Frame

1000x600: [BMIN/1000600GRA/PE](#)



WHITE PLY EDGE
Black Frame

1000x600: [BMIN/1000600WHI/PE](#)



CONCRETE
Black Frame

1000x600: [BMIN/1000600CON](#)



FERRO BRONZE
Black Frame

1000x600: [BMIN/1000600FER](#)

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

MINI

ANTHRACITE FRAMES

METALLIC



BLACK

Anthracite Frame

1000x600: [AMIN/1000600BLA](#)



GRAPHITE

Anthracite Frame

1000x600: [AMIN/1000600GRA](#)



GREY

Anthracite Frame

1000x600: [AMIN/1000600GRY](#)



WHITE

Anthracite Frame

1000x600: [AMIN/1000600WHI](#)



WENGE

Anthracite Frame

1000x600: [AMIN/1000600WEN](#)



ANTHRACITE SHERMAN OAK

Anthracite Frame

1000x600: [AMIN/1000600ASO](#)



NATURAL DIJON WALNUT

Anthracite Frame

1000x600: [AMIN/1000600NDW](#)



TIMBER

Anthracite Frame

1000x600: [AMIN/1000600TIM](#)



GREY NEBRASKA OAK

Anthracite Frame

1000x600: [AMIN/1000600GNO](#)

BEECH

Anthracite Frame

1000x600: [AMIN/1000600BEE](#)

OAK

Anthracite Frame

1000x600: [AMIN/1000600OAK](#)

MAPLE

Anthracite Frame

1000x600: [AMIN/1000600MAP](#)

CASCINA PINE

Anthracite Frame

1000x600: [AMIN/1000600CAS](#)

BLACK PLY EDGE

Anthracite Frame

1000x600: [AMIN/1000600BLA/PE](#)

GRAPHITE PLY EDGE

Anthracite Frame

1000x600: [AMIN/1000600GRA/PE](#)

WHITE PLY EDGE

Anthracite Frame

1000x600: [AMIN/1000600WHI/PE](#)

CONCRETE

Anthracite Frame

1000x600: [AMIN/1000600CON](#)

FERRO BRONZE

Anthracite Frame

1000x600: [AMIN/1000600FER](#)

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

MINI

SILVER FRAMES

RAL 9006



BLACK
Silver Frame

1000x600: [SMIN/1000600BLA](#)



GRAPHITE
Silver Frame

1000x600: [SMIN/1000600GRA](#)



GREY
Silver Frame

1000x600: [SMIN/1000600GRY](#)



WHITE
Silver Frame

1000x600: [SMIN/1000600WHI](#)



WENGE
Silver Frame

1000x600: [SMIN/1000600WEN](#)



ANTHRACITE SHERMAN OAK
Silver Frame

1000x600: [SMIN/1000600ASO](#)



NATURAL DIJON WALNUT
Silver Frame

1000x600: [SMIN/1000600NDW](#)



TIMBER
Silver Frame

1000x600: [SMIN/1000600TIM](#)



GREY NEBRASKA OAK
Silver Frame
1000x600: [SMIN/1000600GNO](#)



BEECH
Silver Frame
1000x600: [SMIN/1000600BEE](#)



OAK
Silver Frame
1000x600: [SMIN/1000600OAK](#)



MAPLE
Silver Frame
1000x600: [SMIN/1000600MAP](#)



CASCINA PINE
Silver Frame
1000x600: [SMIN/1000600CAS](#)



BLACK PLY EDGE
Silver Frame
1000x600: [SMIN/1000600BLA/PE](#)



GRAPHITE PLY EDGE
Silver Frame
1000x600: [SMIN/1000600GRA/PE](#)



WHITE PLY EDGE
Silver Frame
1000x600: [SMIN/1000600WHI/PE](#)



CONCRETE
Silver Frame
1000x600: [SMIN/1000600CON](#)



FERRO BRONZE
Silver Frame
1000x600: [SMIN/1000600FER](#)

SEE PAGE 210
FOR POWER
AND CHARGING

MINI

WHITE FRAMES

RAL 9016



BLACK
White Frame

1000x600: [WMIN/1000600BLA](#)



GRAPHITE
White Frame

1000x600: [WMIN/1000600GRA](#)



GREY
White Frame

1000x600: [WMIN/1000600GRY](#)



WHITE
White Frame

1000x600: [WMIN/1000600WHI](#)



WENGE
White Frame

1000x600: [WMIN/1000600WEN](#)



ANTHRACITE SHERMAN OAK
White Frame

1000x600: [WMIN/1000600ASO](#)



NATURAL DIJON WALNUT
White Frame

1000x600: [WMIN/1000600NDW](#)



TIMBER
White Frame

1000x600: [WMIN/1000600TIM](#)



GREY NEBRASKA OAK
White Frame

1000x600: [WMIN/1000600GNO](#)



BEECH
White Frame

1000x600: [WMIN/1000600BEE](#)



OAK
White Frame

1000x600: [WMIN/1000600OAK](#)



MAPLE
White Frame

1000x600: [WMIN/1000600MAP](#)



CASCINA PINE
White Frame

1000x600: [WMIN/1000600CAS](#)



BLACK PLY EDGE
White Frame

1000x600: [WMIN/1000600BLA/PE](#)



GRAPHITE PLY EDGE
White Frame

1000x600: [WMIN/1000600GRA/PE](#)



WHITE PLY EDGE
White Frame

1000x600: [WMIN/1000600WHI/PE](#)



CONCRETE
White Frame

1000x600: [WMIN/1000600CON](#)



FERRO BRONZE
White Frame

1000x600: [WMIN/1000600FER](#)

SEE PAGE 204
FOR OUR RANGE
OF ACCESSORIES





ZERO

The entry level dual motor work horse.

The Zero features a reliable two stage leg, and a straightforward, simple, minimalist design. Built on the same telescopic beam system as the Advance desk, giving it compatibility with all Lavoro accessories.

A great contract winner!



ZERO

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1150 - 1740mm

Height Range (Inc. 25mm Top)

700 - 1200mm (± 5mm)

Stroke

500mm

Side Bracket Depth

540mm

Foot Depth

690mm

Max Even Load Capacity

100kg

Total Frame Weight

25kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

32mm per second

Standby Power

<0.3 W

Max Operational Power

300W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

1200 x 700mm, 1200 x 800mm,

1400 x 700mm, 1400 x 800mm,

1600 x 700mm, 1600 x 800mm,

1800 x 800mm

PACKAGING

Frame

Size - 840 x 380 x 120mm

Weight - 27kg

Quantity - 1

Top (size dependent)

Size - (1300 - 1900) x 900 x 30mm

Weight - 16 - 26kg

Quantity - 1

INSTALLATION

Build Time (per unit)

20 - 30 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Zero is an ultra-stable dual motor desk with a single stage leg system, allowing it adjustability of 500mm, from 700 to 1200mm. Our entry level desk, with an impressive weight capacity of 100kg.

Compatibility with all the same accessories as our flagship Advance desk makes it a versatile and dependable height adjustable desk for projects of all sizes. It has a 5 year guarantee on all parts including motors, and is available in over 300 frame colour, top size and décor combinations.

FEATURES



Height Range: 700 - 1200mm



5 Year Guarantee



Speed: 32mm Per Second



Next Day Delivery




Load Capacity: 100kg



Dual Motor Desk

STOCK FRAME COLOURS



Black
RAL 9005



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



ZERO

BLACK FRAME

RAL 9005



BLACK
Black Frame

1200x800: [BZERS/1200800BLA](#)
1400x800: [BZERS/1400800BLA](#)
1600x800: [BZERS/1600800BLA](#)
1800x800: [BZERS/1800800BLA](#)

1200x700: [BZERS/1200700BLA](#)
1400x700: [BZERS/1400700BLA](#)
1600x700: [BZERS/1600700BLA](#)



GRAPHITE
Black Frame

1200x800: [BZERS/1200800GRA](#)
1400x800: [BZERS/1400800GRA](#)
1600x800: [BZERS/1600800GRA](#)
1800x800: [BZERS/1800800GRA](#)

1200x700: [BZERS/1200700GRA](#)
1400x700: [BZERS/1400700GRA](#)
1600x700: [BZERS/1600700GRA](#)



GREY
Black Frame

1200x800: [BZERS/1200800GRY](#)
1400x800: [BZERS/1400800GRY](#)
1600x800: [BZERS/1600800GRY](#)
1800x800: [BZERS/1800800GRY](#)

1200x700: [BZERS/1200700GRY](#)
1400x700: [BZERS/1400700GRY](#)
1600x700: [BZERS/1600700GRY](#)



WHITE
Black Frame

1200x800: [BZERS/1200800WHI](#)
1400x800: [BZERS/1400800WHI](#)
1600x800: [BZERS/1600800WHI](#)
1800x800: [BZERS/1800800WHI](#)

1200x700: [BZERS/1200700WHI](#)
1400x700: [BZERS/1400700WHI](#)
1600x700: [BZERS/1600700WHI](#)



WENGE
Black Frame

1200x800: [BZERS/1200800WEN](#)
1400x800: [BZERS/1400800WEN](#)
1600x800: [BZERS/1600800WEN](#)
1800x800: [BZERS/1800800WEN](#)

1200x700: [BZERS/1200700WEN](#)
1400x700: [BZERS/1400700WEN](#)
1600x700: [BZERS/1600700WEN](#)



ANTHRACITE SHERMAN OAK
Black Frame

1200x800: [BZERS/1200800ASO](#)
1400x800: [BZERS/1400800ASO](#)
1600x800: [BZERS/1600800ASO](#)
1800x800: [BZERS/1800800ASO](#)

1200x700: [BZERS/1200700ASO](#)
1400x700: [BZERS/1400700ASO](#)
1600x700: [BZERS/1600700ASO](#)



NATURAL DIJON WALNUT
Black Frame

1200x800: [BZERS/1200800NDW](#)
1400x800: [BZERS/1400800NDW](#)
1600x800: [BZERS/1600800NDW](#)
1800x800: [BZERS/1800800NDW](#)

1200x700: [BZERS/1200700NDW](#)
1400x700: [BZERS/1400700NDW](#)
1600x700: [BZERS/1600700NDW](#)



TIMBER
Black Frame

1200x800: [BZERS/1200800TIM](#)
1400x800: [BZERS/1400800TIM](#)
1600x800: [BZERS/1600800TIM](#)
1800x800: [BZERS/1800800TIM](#)

1200x700: [BZERS/1200700TIM](#)
1400x700: [BZERS/1400700TIM](#)
1600x700: [BZERS/1600700TIM](#)



GREY NEBRASKA OAK
Black Frame

1200x800:	BZERS/1200800GNO
1400x800:	BZERS/1400800GNO
1600x800:	BZERS/1600800GNO
1800x800:	BZERS/1800800GNO
1200x700:	BZERS/1200700GNO
1400x700:	BZERS/1400700GNO
1600x700:	BZERS/1600700GNO



BEECH
Black Frame

1200x800:	BZERS/1200800BEE
1400x800:	BZERS/1400800BEE
1600x800:	BZERS/1600800BEE
1800x800:	BZERS/1800800BEE
1200x700:	BZERS/1200700BEE
1400x700:	BZERS/1400700BEE
1600x700:	BZERS/1600700BEE



OAK
Black Frame

1200x800:	BZERS/1200800OAK
1400x800:	BZERS/1400800OAK
1600x800:	BZERS/1600800OAK
1800x800:	BZERS/1800800OAK
1200x700:	BZERS/1200700OAK
1400x700:	BZERS/1400700OAK
1600x700:	BZERS/1600700OAK



MAPLE
Black Frame

1200x800:	BZERS/1200800MAP
1400x800:	BZERS/1400800MAP
1600x800:	BZERS/1600800MAP
1800x800:	BZERS/1800800MAP
1200x700:	BZERS/1200700MAP
1400x700:	BZERS/1400700MAP
1600x700:	BZERS/1600700MAP



CASCINA PINE
Black Frame

1200x800:	BZERS/1200800CAS
1400x800:	BZERS/1400800CAS
1600x800:	BZERS/1600800CAS
1800x800:	BZERS/1800800CAS
1200x700:	BZERS/1200700CAS
1400x700:	BZERS/1400700CAS
1600x700:	BZERS/1600700CAS



BLACK PLY EDGE
Black Frame

1200x800:	BZERS/1200800BLA/PE
1400x800:	BZERS/1400800BLA/PE
1600x800:	BZERS/1600800BLA/PE
1800x800:	BZERS/1800800BLA/PE
1200x700:	BZERS/1200700BLA/PE
1400x700:	BZERS/1400700BLA/PE
1600x700:	BZERS/1600700BLA/PE



GRAPHITE PLY EDGE
Black Frame

1200x800:	BZERS/1200800GRA/PE
1400x800:	BZERS/1400800GRA/PE
1600x800:	BZERS/1600800GRA/PE
1800x800:	BZERS/1800800GRA/PE
1200x700:	BZERS/1200700GRA/PE
1400x700:	BZERS/1400700GRA/PE
1600x700:	BZERS/1600700GRA/PE



WHITE PLY EDGE
Black Frame

1200x800:	BZERS/1200800WHI/PE
1400x800:	BZERS/1400800WHI/PE
1600x800:	BZERS/1600800WHI/PE
1800x800:	BZERS/1800800WHI/PE
1200x700:	BZERS/1200700WHI/PE
1400x700:	BZERS/1400700WHI/PE
1600x700:	BZERS/1600700WHI/PE



CONCRETE
Black Frame

1200x800:	BZERS/1200800CON
1400x800:	BZERS/1400800CON
1600x800:	BZERS/1600800CON
1800x800:	BZERS/1800800CON
1200x700:	BZERS/1200700CON
1400x700:	BZERS/1400700CON
1600x700:	BZERS/1600700CON



FERRO BRONZE
Black Frame

1200x800:	BZERS/1200800FER
1400x800:	BZERS/1400800FER
1600x800:	BZERS/1600800FER
1800x800:	BZERS/1800800FER
1200x700:	BZERS/1200700FER
1400x700:	BZERS/1400700FER
1600x700:	BZERS/1600700FER

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

ZERO

SILVER FRAME

RAL 9006



BLACK
Silver Frame

1200x800: [SZERS/1200800BLA](#)
1400x800: [SZERS/1400800BLA](#)
1600x800: [SZERS/1600800BLA](#)
1800x800: [SZERS/1800800BLA](#)

1200x700: [SZERS/1200700BLA](#)
1400x700: [SZERS/1400700BLA](#)
1600x700: [SZERS/1600700BLA](#)



GRAPHITE
Silver Frame

1200x800: [SZERS/1200800GRA](#)
1400x800: [SZERS/1400800GRA](#)
1600x800: [SZERS/1600800GRA](#)
1800x800: [SZERS/1800800GRA](#)

1200x700: [SZERS/1200700GRA](#)
1400x700: [SZERS/1400700GRA](#)
1600x700: [SZERS/1600700GRA](#)



GREY
Silver Frame

1200x800: [SZERS/1200800GRY](#)
1400x800: [SZERS/1400800GRY](#)
1600x800: [SZERS/1600800GRY](#)
1800x800: [SZERS/1800800GRY](#)

1200x700: [SZERS/1200700GRY](#)
1400x700: [SZERS/1400700GRY](#)
1600x700: [SZERS/1600700GRY](#)



WHITE
Silver Frame

1200x800: [SZERS/1200800WHI](#)
1400x800: [SZERS/1400800WHI](#)
1600x800: [SZERS/1600800WHI](#)
1800x800: [SZERS/1800800WHI](#)

1200x700: [SZERS/1200700WHI](#)
1400x700: [SZERS/1400700WHI](#)
1600x700: [SZERS/1600700WHI](#)



WENGE
Silver Frame

1200x800: [SZERS/1200800WEN](#)
1400x800: [SZERS/1400800WEN](#)
1600x800: [SZERS/1600800WEN](#)
1800x800: [SZERS/1800800WEN](#)

1200x700: [SZERS/1200700WEN](#)
1400x700: [SZERS/1400700WEN](#)
1600x700: [SZERS/1600700WEN](#)



ANTHRACITE SHERMAN OAK
Silver Frame

1200x800: [SZERS/1200800ASO](#)
1400x800: [SZERS/1400800ASO](#)
1600x800: [SZERS/1600800ASO](#)
1800x800: [SZERS/1800800ASO](#)

1200x700: [SZERS/1200700ASO](#)
1400x700: [SZERS/1400700ASO](#)
1600x700: [SZERS/1600700ASO](#)



NATURAL DIJON WALNUT
Silver Frame

1200x800: [SZERS/1200800NDW](#)
1400x800: [SZERS/1400800NDW](#)
1600x800: [SZERS/1600800NDW](#)
1800x800: [SZERS/1800800NDW](#)

1200x700: [SZERS/1200700NDW](#)
1400x700: [SZERS/1400700NDW](#)
1600x700: [SZERS/1600700NDW](#)



TIMBER
Silver Frame

1200x800: [SZERS/1200800TIM](#)
1400x800: [SZERS/1400800TIM](#)
1600x800: [SZERS/1600800TIM](#)
1800x800: [SZERS/1800800TIM](#)

1200x700: [SZERS/1200700TIM](#)
1400x700: [SZERS/1400700TIM](#)
1600x700: [SZERS/1600700TIM](#)



GREY NEBRASKA OAK

Silver Frame

1200x800: [SZERS/1200800GNO](#)1400x800: [SZERS/1400800GNO](#)1600x800: [SZERS/1600800GNO](#)1800x800: [SZERS/1800800GNO](#)1200x700: [SZERS/1200700GNO](#)1400x700: [SZERS/1400700GNO](#)1600x700: [SZERS/1600700GNO](#)

BEECH

Silver Frame

1200x800: [SZERS/1200800BEE](#)1400x800: [SZERS/1400800BEE](#)1600x800: [SZERS/1600800BEE](#)1800x800: [SZERS/1800800BEE](#)1200x700: [SZERS/1200700BEE](#)1400x700: [SZERS/1400700BEE](#)1600x700: [SZERS/1600700BEE](#)

OAK

Silver Frame

1200x800: [SZERS/1200800OAK](#)1400x800: [SZERS/1400800OAK](#)1600x800: [SZERS/1600800OAK](#)1800x800: [SZERS/1800800OAK](#)1200x700: [SZERS/1200700OAK](#)1400x700: [SZERS/1400700OAK](#)1600x700: [SZERS/1600700OAK](#)

MAPLE

Silver Frame

1200x800: [SZERS/1200800MAP](#)1400x800: [SZERS/1400800MAP](#)1600x800: [SZERS/1600800MAP](#)1800x800: [SZERS/1800800MAP](#)1200x700: [SZERS/1200700MAP](#)1400x700: [SZERS/1400700MAP](#)1600x700: [SZERS/1600700MAP](#)

CASCINA PINE

Silver Frame

1200x800: [SZERS/1200800CAS](#)1400x800: [SZERS/1400800CAS](#)1600x800: [SZERS/1600800CAS](#)1800x800: [SZERS/1800800CAS](#)1200x700: [SZERS/1200700CAS](#)1400x700: [SZERS/1400700CAS](#)1600x700: [SZERS/1600700CAS](#)

BLACK PLY EDGE

Silver Frame

1200x800: [SZERS/1200800BLA/PE](#)1400x800: [SZERS/1400800BLA/PE](#)1600x800: [SZERS/1600800BLA/PE](#)1800x800: [SZERS/1800800BLA/PE](#)1200x700: [SZERS/1200700BLA/PE](#)1400x700: [SZERS/1400700BLA/PE](#)1600x700: [SZERS/1600700BLA/PE](#)

GRAPHITE PLY EDGE

Silver Frame

1200x800: [SZERS/1200800GRA/PE](#)1400x800: [SZERS/1400800GRA/PE](#)1600x800: [SZERS/1600800GRA/PE](#)1800x800: [SZERS/1800800GRA/PE](#)1200x700: [SZERS/1200700GRA/PE](#)1400x700: [SZERS/1400700GRA/PE](#)1600x700: [SZERS/1600700GRA/PE](#)

WHITE PLY EDGE

Silver Frame

1200x800: [SZERS/1200800WHI/PE](#)1400x800: [SZERS/1400800WHI/PE](#)1600x800: [SZERS/1600800WHI/PE](#)1800x800: [SZERS/1800800WHI/PE](#)1200x700: [SZERS/1200700WHI/PE](#)1400x700: [SZERS/1400700WHI/PE](#)1600x700: [SZERS/1600700WHI/PE](#)

CONCRETE

Silver Frame

1200x800: [SZERS/1200800CON](#)1400x800: [SZERS/1400800CON](#)1600x800: [SZERS/1600800CON](#)1800x800: [SZERS/1800800CON](#)1200x700: [SZERS/1200700CON](#)1400x700: [SZERS/1400700CON](#)1600x700: [SZERS/1600700CON](#)

FERRO BRONZE

Silver Frame

1200x800: [SZERS/1200800FER](#)1400x800: [SZERS/1400800FER](#)1600x800: [SZERS/1600800FER](#)1800x800: [SZERS/1800800FER](#)1200x700: [SZERS/1200700FER](#)1400x700: [SZERS/1400700FER](#)1600x700: [SZERS/1600700FER](#)

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

ZERO

WHITE FRAME

RAL 9016



BLACK
White Frame

1200x800: [WZERS/1200800BLA](#)
1400x800: [WZERS/1400800BLA](#)
1600x800: [WZERS/1600800BLA](#)
1800x800: [WZERS/1800800BLA](#)

1200x700: [WZERS/1200700BLA](#)
1400x700: [WZERS/1400700BLA](#)
1600x700: [WZERS/1600700BLA](#)



GRAPHITE
White Frame

1200x800: [WZERS/1200800GRA](#)
1400x800: [WZERS/1400800GRA](#)
1600x800: [WZERS/1600800GRA](#)
1800x800: [WZERS/1800800GRA](#)

1200x700: [WZERS/1200700GRA](#)
1400x700: [WZERS/1400700GRA](#)
1600x700: [WZERS/1600700GRA](#)



GREY
White Frame

1200x800: [WZERS/1200800GRY](#)
1400x800: [WZERS/1400800GRY](#)
1600x800: [WZERS/1600800GRY](#)
1800x800: [WZERS/1800800GRY](#)

1200x700: [WZERS/1200700GRY](#)
1400x700: [WZERS/1400700GRY](#)
1600x700: [WZERS/1600700GRY](#)



WHITE
White Frame

1200x800: [WZERS/1200800WHI](#)
1400x800: [WZERS/1400800WHI](#)
1600x800: [WZERS/1600800WHI](#)
1800x800: [WZERS/1800800WHI](#)

1200x700: [WZERS/1200700WHI](#)
1400x700: [WZERS/1400700WHI](#)
1600x700: [WZERS/1600700WHI](#)



WENGE
White Frame

1200x800: [WZERS/1200800WEN](#)
1400x800: [WZERS/1400800WEN](#)
1600x800: [WZERS/1600800WEN](#)
1800x800: [WZERS/1800800WEN](#)

1200x700: [WZERS/1200700WEN](#)
1400x700: [WZERS/1400700WEN](#)
1600x700: [WZERS/1600700WEN](#)



ANTHRACITE SHERMAN OAK
White Frame

1200x800: [WZERS/1200800ASO](#)
1400x800: [WZERS/1400800ASO](#)
1600x800: [WZERS/1600800ASO](#)
1800x800: [WZERS/1800800ASO](#)

1200x700: [WZERS/1200700ASO](#)
1400x700: [WZERS/1400700ASO](#)
1600x700: [WZERS/1600700ASO](#)



NATURAL DIJON WALNUT
White Frame

1200x800: [WZERS/1200800NDW](#)
1400x800: [WZERS/1400800NDW](#)
1600x800: [WZERS/1600800NDW](#)
1800x800: [WZERS/1800800NDW](#)

1200x700: [WZERS/1200700NDW](#)
1400x700: [WZERS/1400700NDW](#)
1600x700: [WZERS/1600700NDW](#)



TIMBER
White Frame

1200x800: [WZERS/1200800TIM](#)
1400x800: [SZERS/1400800WEN](#)
1600x800: [WZERS/1400800TIM](#)
1800x800: [WZERS/1600800TIM](#)

1200x700: [WZERS/1200700TIM](#)
1400x700: [WZERS/1400700TIM](#)
1600x700: [WZERS/1600700TIM](#)



GREY NEBRASKA OAK
White Frame

1200x800: [WZERS/1200800GNO](#)
1400x800: [WZERS/1400800GNO](#)
1600x800: [WZERS/1600800GNO](#)
1800x800: [WZERS/1800800GNO](#)

1200x700: [WZERS/1200700GNO](#)
1400x700: [WZERS/1400700GNO](#)
1600x700: [WZERS/1600700GNO](#)



BEECH
White Frame

1200x800: [WZERS/1200800BEE](#)
1400x800: [WZERS/1400800BEE](#)
1600x800: [WZERS/1600800BEE](#)
1800x800: [WZERS/1800800BEE](#)

1200x700: [WZERS/1200700BEE](#)
1400x700: [WZERS/1400700BEE](#)
1600x700: [WZERS/1600700BEE](#)



OAK
White Frame

1200x800: [WZERS/1200800OAK](#)
1400x800: [WZERS/1400800OAK](#)
1600x800: [WZERS/1600800OAK](#)
1800x800: [WZERS/1800800OAK](#)

1200x700: [WZERS/1200700OAK](#)
1400x700: [WZERS/1400700OAK](#)
1600x700: [WZERS/1600700OAK](#)



MAPLE
White Frame

1200x800: [WZERS/1200800MAP](#)
1400x800: [WZERS/1400800MAP](#)
1600x800: [WZERS/1600800MAP](#)
1800x800: [WZERS/1800800MAP](#)

1200x700: [WZERS/1200700MAP](#)
1400x700: [WZERS/1400700MAP](#)
1600x700: [WZERS/1600700MAP](#)



CASCINA PINE
White Frame

1200x800: [WZERS/1200800CAS](#)
1400x800: [WZERS/1400800CAS](#)
1600x800: [WZERS/1600800CAS](#)
1800x800: [WZERS/1800800CAS](#)

1200x700: [WZERS/1200700CAS](#)
1400x700: [WZERS/1400700CAS](#)
1600x700: [WZERS/1600700CAS](#)



BLACK PLY EDGE
White Frame

1200x800: [WZERS/1200800BLA/PE](#)
1400x800: [WZERS/1400800BLA/PE](#)
1600x800: [WZERS/1600800BLA/PE](#)
1800x800: [WZERS/1800800BLA/PE](#)

1200x700: [WZERS/1200700BLA/PE](#)
1400x700: [WZERS/1400700BLA/PE](#)
1600x700: [WZERS/1600700BLA/PE](#)



GRAPHITE PLY EDGE
White Frame

1200x800: [WZERS/1200800GRA/PE](#)
1400x800: [WZERS/1400800GRA/PE](#)
1600x800: [WZERS/1600800GRA/PE](#)
1800x800: [WZERS/1800800GRA/PE](#)

1200x700: [WZERS/1200700GRA/PE](#)
1400x700: [WZERS/1400700GRA/PE](#)
1600x700: [WZERS/1600700GRA/PE](#)



WHITE PLY EDGE
White Frame

1200x800: [WZERS/1200800WHI/PE](#)
1400x800: [WZERS/1400800WHI/PE](#)
1600x800: [WZERS/1600800WHI/PE](#)
1800x800: [WZERS/1800800WHI/PE](#)

1200x700: [WZERS/1200700WHI/PE](#)
1400x700: [WZERS/1400700WHI/PE](#)
1600x700: [WZERS/1600700WHI/PE](#)



CONCRETE
White Frame

1200x800: [WZERS/1200800CON](#)
1400x800: [WZERS/1400800CON](#)
1600x800: [WZERS/1600800CON](#)
1800x800: [WZERS/1800800CON](#)

1200x700: [WZERS/1200700CON](#)
1400x700: [WZERS/1400700CON](#)
1600x700: [WZERS/1600700CON](#)



FERRO BRONZE
White Frame

1200x800: [WZERS/1200800FER](#)
1400x800: [WZERS/1400800FER](#)
1600x800: [WZERS/1600800FER](#)
1800x800: [WZERS/1800800FER](#)

1200x700: [WZERS/1200700FER](#)
1400x700: [WZERS/1400700FER](#)
1600x700: [WZERS/1600700FER](#)

SEE PAGE 204
FOR OUR RANGE
OF ACCESSORIES





FIVE

Avant-garde industrial style design.

The Five desk is a stunning dual motor desk, with a unique pentagonal tapered leg and matte raw steel framework finish. Available in 18 top décors in our slimline 700mm depth range.

Adds a functional design twist to any project.



FIVE

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee	Testing Operational Life	Anti-Collision
5yrs	10,000 cycles at full rated load	Yes
Frame Width Adjustment	Voltage	Compliance
1150 - 1740mm	230V AC Input, 24V DC operation	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Operational Speed	Machine Directive 2006/42/EC
615 - 1275mm (± 5mm)	40mm per second	EMC Directive 2014/30EU
Stroke	Standby Power	Low Voltage Directive 2014/35/EC
660mm	<0.3 W	REACH, WEEE and RoHS 3 2015/863
Side Bracket Depth	Max Operational Power	EN 527-1:2011 Type A, EN 527-2:2016
575mm	300W	ISO 21016
Foot Depth	Programmable Min/Max Height	
590mm (front to back leg)	Yes	
Max Even Load Capacity	Duty Cycle	
100kg	10% - 2mins on, 18mins off	
Total Frame Weight	Noise Level	
29kg	<42 dB	

DESKTOP

Guarantee	Edging	Stock Sizes
5yrs	2mm ABS	1200 x 700mm
Material	Compliance	1400 x 700mm
25mm MFC	FSC Certified	1600 x 700mm

PACKAGING

Frame	Top (size dependent)
Size - 840 x 380 x 120mm x 1 160 x 160 x 100mm x 1	Size - (1300 - 1700) x 900 x 30mm
Weight - 31kg (total)	Weight - 16 - 21kg
Quantity - 2 (total)	Quantity - 1

INSTALLATION

Build Time (per unit)
20 - 30 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at
www.lavorodesign.com/samples 



The Five desk is a functional dual motor workstation, with an evocative design. It features a pentagonal tapered leg, and a matte finish lacquer that highlights the raw steel, welds and heat spots created in production.

This vintage-industrial style workstation is designed to work with our slimline 700mm deep tops and has a robust 2 stage leg system. This gives the Five desk a maximum height of 1275mm, and an operating speed of 40mm/s for fast and efficient working.

FEATURES



Height Range: 615 - 1275mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 100kg



Dual Motor Desk

FRAME OPTIONS



Raw Steel
Matte Finish

SUSTAINABILITY



FIVE

RAW STEEL FRAMES

MATTE FINISH



BLACK

Raw Steel Frame

1200x700: [FIVE/1200700BLA](#)

1400x700: [FIVE/1400700BLA](#)

1600x700: [FIVE/1600700BLA](#)



GRAPHITE

Raw Steel Frame

1200x700: [FIVE/1200700GRA](#)

1400x700: [FIVE/1400700GRA](#)

1600x700: [FIVE/1600700GRA](#)



GREY

Raw Steel Frame

1200x700: [FIVE/1200700GRY](#)

1400x700: [FIVE/1400700GRY](#)

1600x700: [FIVE/1600700GRY](#)



WHITE

Raw Steel Frame

1200x700: [FIVE/1200700WHI](#)

1400x700: [FIVE/1400700WHI](#)

1600x700: [FIVE/1600700WHI](#)



WENGE

Raw Steel Frame

1200x700: [FIVE/1200700WEN](#)

1400x700: [FIVE/1400700WEN](#)

1600x700: [FIVE/1600700WEN](#)



ANTHRACITE SHERMAN OAK

Raw Steel Frame

1200x700: [FIVE/1200700ASO](#)

1400x700: [FIVE/1400700ASO](#)

1600x700: [FIVE/1600700ASO](#)



NATURAL DIJON WALNUT

Raw Steel Frame

1200x700: [FIVE/1200700NDW](#)

1400x700: [FIVE/1400700NDW](#)

1600x700: [FIVE/1600700NDW](#)



TIMBER

Raw Steel Frame

1200x700: [FIVE/1200700TIM](#)

1400x700: [FIVE/1400700TIM](#)

1600x700: [FIVE/1600700TIM](#)



GREY NEBRASKA OAK
Raw Steel Frame

1200x700:	FIVE/1200700GNO
1400x700:	FIVE/1400700GNO
1600x700:	FIVE/1600700GNO



BEECH
Raw Steel Frame

1200x700:	FIVE/1200700BEE
1400x700:	FIVE/1400700BEE
1600x700:	FIVE/1600700BEE



OAK
Raw Steel Frame

1200x700:	FIVE/1200700OAK
1400x700:	FIVE/1400700OAK
1600x700:	FIVE/1600700OAK



MAPLE
Raw Steel Frame

1200x700:	FIVE/1200700MAP
1400x700:	FIVE/1400700MAP
1600x700:	FIVE/1600700MAP



CASCINA PINE
Raw Steel Frame

1200x700:	FIVE/1200700CAS
1400x700:	FIVE/1400700CAS
1600x700:	FIVE/1600700CAS



BLACK PLY EDGE
Raw Steel Frame

1200x700:	FIVE/1200700BLA/PE
1400x700:	FIVE/1400700BLA/PE
1600x700:	FIVE/1600700BLA/PE



GRAPHITE PLY EDGE
Raw Steel Frame

1200x700:	FIVE/1200700GRA/PE
1400x700:	FIVE/1400700GRA/PE
1600x700:	FIVE/1600700GRA/PE



WHITE PLY EDGE
Raw Steel Frame

1200x700:	FIVE/1200700WHI/PE
1400x700:	FIVE/1400700WHI/PE
1600x700:	FIVE/1600700WHI/PE



CONCRETE
Raw Steel Frame

1200x700:	FIVE/1200700CON
1400x700:	FIVE/1400700CON
1600x700:	FIVE/1600700CON



FERRO BRONZE
Raw Steel Frame

1200x700:	FIVE/1200700FER
1400x700:	FIVE/1400700FER
1600x700:	FIVE/1600700FER

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS





CROWN

Sturdy, versatile and executive workstation.

The Crown is a heavy-duty multipurpose workstation, suitable for use as an executive desk or a meeting table. Featuring an innovative dual motor system on a robust four leg framework, built to stand the test of time.

A stand-out desk with a plethora of applications.



CROWN

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1300 - 1800mm

Height Range (Inc. 25mm Top)

680 - 1180mm

Stroke

500mm

Frame Depth

795mm

Leg Profile

50mm

Max Even Load Capacity

100kg

Total Frame Weight

36kg

Testing Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

30mm per second

Standby Power

<0.3 W

Max Operational Power

300W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

1400 x 800mm

1600 x 800mm

1800 x 800mm

PACKAGING

Frame

Size - 820 x 670 x 310mm

Weight - 40kg

Quantity - 1

Top (size dependent)

Size - (1500 - 1900) x 900 x 30mm

Weight - 22 - 26kg

Quantity - 1

INSTALLATION

Build Time (per unit)

20 - 30 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Crown workstation is an executive four-legged table system, with dual motors capable of carrying an even load of 100kg, and reliable European electronics.

This workstation is available in over 150 frame colour, size and top décor combinations, making it perfect for executive use, or as a versatile meeting table. With a height adjustment range of 680 to 1180mm, the Crown offers optimum working height for the discerning user.

FEATURES



Height Range: 680 - 1180mm



5 Year Guarantee



Speed: 30mm Per Second



Next Day Delivery




Load Capacity: 100kg



Dual Motor Desk


FRAME OPTIONS



Black
RAL 9005



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



CROWN

BLACK FRAME

RAL 9005



BLACK

Black Frame

1400x800: [BCRO/1400800BLA](#)

1600x800: [BCRO/1600800BLA](#)

1800x800: [BCRO/1800800BLA](#)



GRAPHITE

Black Frame

1400x800: [BCRO/1400800GRA](#)

1600x800: [BCRO/1600800GRA](#)

1800x800: [BCRO/1800800GRA](#)



GREY

Black Frame

1400x800: [BCRO/1400800GRY](#)

1600x800: [BCRO/1600800GRY](#)

1800x800: [BCRO/1800800GRY](#)



WHITE

Black Frame

1400x800: [BCRO/1400800WHI](#)

1600x800: [BCRO/1600800WHI](#)

1800x800: [BCRO/1800800WHI](#)



WENGE

Black Frame

1400x800: [BCRO/1400800WEN](#)

1600x800: [BCRO/1600800WEN](#)

1800x800: [BCRO/1800800WEN](#)



ANTHRACITE SHERMAN OAK

Black Frame

1400x800: [BCRO/1400800ASO](#)

1600x800: [BCRO/1600800ASO](#)

1800x800: [BCRO/1800800ASO](#)



NATURAL DIJON WALNUT

Black Frame

1400x800: [BCRO/1400800NDW](#)

1600x800: [BCRO/1600800NDW](#)

1800x800: [BCRO/1800800NDW](#)



TIMBER

Black Frame

1400x800: [BCRO/1400800TIM](#)

1600x800: [BCRO/1600800TIM](#)

1800x800: [BCRO/1800800TIM](#)



GREY NEBRASKA OAK
Black Frame

1400x800:	BCRO/1400800GNO
1600x800:	BCRO/1600800GNO
1800x800:	BCRO/1800800GNO



BEECH
Black Frame

1400x800:	BCRO/1400800BEE
1600x800:	BCRO/1600800BEE
1800x800:	BCRO/1800800BEE



OAK
Black Frame

1400x800:	BCRO/1400800OAK
1600x800:	BCRO/1600800OAK
1800x800:	BCRO/1800800OAK



MAPLE
Black Frame

1400x800:	BCRO/1400800MAP
1600x800:	BCRO/1600800MAP
1800x800:	BCRO/1800800MAP



CASCINA PINE
Black Frame

1400x800:	BCRO/1400800CAS
1600x800:	BCRO/1600800CAS
1800x800:	BCRO/1800800CAS



BLACK PLY EDGE
Black Frame

1400x800:	BCRO/1400800BLA/PE
1600x800:	BCRO/1600800BLA/PE
1800x800:	BCRO/1800800BLA/PE



GRAPHITE PLY EDGE
Black Frame

1400x800:	BCRO/1400800GRA/PE
1600x800:	BCRO/1600800GRA/PE
1800x800:	BCRO/1800800GRA/PE



WHITE PLY EDGE
Black Frame

1400x800:	BCRO/1400800WHI/PE
1600x800:	BCRO/1600800WHI/PE
1800x800:	BCRO/1800800WHI/PE



CONCRETE
Black Frame

1400x800:	BCRO/1400800CON
1600x800:	BCRO/1600800CON
1800x800:	BCRO/1800800CON



FERRO BRONZE
Black Frame

1400x800:	BCRO/1400800FER
1600x800:	BCRO/1600800FER
1800x800:	BCRO/1800800FER

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

CROWN

SILVER FRAME

RAL 9006



BLACK

Silver Frame

1400x800: [SCRO/1400800BLA](#)1600x800: [SCRO/1600800BLA](#)1800x800: [SCRO/1800800BLA](#)

GRAPHITE

Silver Frame

1400x800: [SCRO/1400800GRA](#)1600x800: [SCRO/1600800GRA](#)1800x800: [SCRO/1800800GRA](#)

GREY

Silver Frame

1400x800: [SCRO/1400800GRY](#)1600x800: [SCRO/1600800GRY](#)1800x800: [SCRO/1800800GRY](#)

WHITE

Silver Frame

1400x800: [SCRO/1400800WHI](#)1600x800: [SCRO/1600800WHI](#)1800x800: [SCRO/1800800WHI](#)

WENGE

Silver Frame

1400x800: [SCRO/1400800WEN](#)1600x800: [SCRO/1600800WEN](#)1800x800: [SCRO/1800800WEN](#)

ANTHRACITE SHERMAN OAK

Silver Frame

1400x800: [SCRO/1400800ASO](#)1600x800: [SCRO/1600800ASO](#)1800x800: [SCRO/1800800ASO](#)

NATURAL DIJON WALNUT

Silver Frame

1400x800: [SCRO/1400800NDW](#)1600x800: [SCRO/1600800NDW](#)1800x800: [SCRO/1800800NDW](#)

TIMBER

Silver Frame

1400x800: [SCRO/1400800TIM](#)1600x800: [SCRO/1600800TIM](#)1800x800: [SCRO/1800800TIM](#)



GREY NEBRASKA OAK

Silver Frame

1400x800: [SCRO/1400800GNO](#)1600x800: [SCRO/1600800GNO](#)1800x800: [SCRO/1800800GNO](#)

BEECH

Silver Frame

1400x800: [SCRO/1400800BEE](#)1600x800: [SCRO/1600800BEE](#)1800x800: [SCRO/1800800BEE](#)

OAK

Silver Frame

1400x800: [SCRO/1400800OAK](#)1600x800: [SCRO/1600800OAK](#)1800x800: [SCRO/1800800OAK](#)

MAPLE

Silver Frame

1400x800: [SCRO/1400800MAP](#)1600x800: [SCRO/1600800MAP](#)1800x800: [SCRO/1800800MAP](#)

CASCINA PINE

Silver Frame

1400x800: [SCRO/1400800CAS](#)1600x800: [SCRO/1600800CAS](#)1800x800: [SCRO/1800800CAS](#)

BLACK PLY EDGE

Silver Frame

1400x800: [SCRO/1400800BLA/PE](#)1600x800: [SCRO/1600800BLA/PE](#)1800x800: [SCRO/1800800BLA/PE](#)

GRAPHITE PLY EDGE

Silver Frame

1400x800: [SCRO/1400800GRA/PE](#)1600x800: [SCRO/1600800GRA/PE](#)1800x800: [SCRO/1800800GRA/PE](#)

WHITE PLY EDGE

Silver Frame

1400x800: [SCRO/1400800WHI/PE](#)1600x800: [SCRO/1600800WHI/PE](#)1800x800: [SCRO/1800800WHI/PE](#)

CONCRETE

Silver Frame

1400x800: [SCRO/1400800CON](#)1600x800: [SCRO/1600800CON](#)1800x800: [SCRO/1800800CON](#)

FERRO BRONZE

Silver Frame

1400x800: [SCRO/1400800FER](#)1600x800: [SCRO/1600800FER](#)1800x800: [SCRO/1800800FER](#)

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

CROWN

WHITE FRAME

RAL 9016



BLACK

White Frame

1400x800: [WCRO/1400800BLA](#)
 1600x800: [WCRO/1600800BLA](#)
 1800x800: [WCRO/1800800BLA](#)



GRAPHITE

White Frame

1400x800: [WCRO/1400800GRA](#)
 1600x800: [WCRO/1600800GRA](#)
 1800x800: [WCRO/1800800GRA](#)



GREY

White Frame

1400x800: [WCRO/1400800GRY](#)
 1600x800: [WCRO/1600800GRY](#)
 1800x800: [WCRO/1800800GRY](#)



WHITE

White Frame

1400x800: [WCRO/1400800WHI](#)
 1600x800: [WCRO/1600800WHI](#)
 1800x800: [WCRO/1800800WHI](#)



WENGE

White Frame

1400x800: [WCRO/1400800WEN](#)
 1600x800: [WCRO/1600800WEN](#)
 1800x800: [WCRO/1800800WEN](#)



ANTHRACITE SHERMAN OAK

White Frame

1400x800: [WCRO/1400800ASO](#)
 1600x800: [WCRO/1600800ASO](#)
 1800x800: [WCRO/1800800ASO](#)



NATURAL DIJON WALNUT

White Frame

1400x800: [WCRO/1400800NDW](#)
 1600x800: [WCRO/1600800NDW](#)
 1800x800: [WCRO/1800800NDW](#)



TIMBER

White Frame

1400x800: [WCRO/1400800TIM](#)
 1600x800: [WCRO/1600800TIM](#)
 1800x800: [WCRO/1800800TIM](#)



GREY NEBRASKA OAK
White Frame

1400x800:	WCRO/1400800GNO
1600x800:	WCRO/1600800GNO
1800x800:	WCRO/1800800GNO

BEECH
White Frame

1400x800:	WCRO/1400800BEE
1600x800:	WCRO/1600800BEE
1800x800:	WCRO/1800800BEE

OAK
White Frame

1400x800:	WCRO/1400800OAK
1600x800:	WCRO/1600800OAK
1800x800:	WCRO/1800800OAK

MAPLE
White Frame

1400x800:	WCRO/1400800MAP
1600x800:	WCRO/1600800MAP
1800x800:	WCRO/1800800MAP



CASCINA PINE
White Frame

1400x800:	WCRO/1400800CAS
1600x800:	WCRO/1600800CAS
1800x800:	WCRO/1800800CAS

BLACK PLY EDGE
White Frame

1400x800:	WCRO/1400800BLA/PE
1600x800:	WCRO/1600800BLA/PE
1800x800:	WCRO/1800800BLA/PE

GRAPHITE PLY EDGE
White Frame

1400x800:	WCRO/1400800GRA/PE
1600x800:	WCRO/1600800GRA/PE
1800x800:	WCRO/1800800GRA/PE

WHITE PLY EDGE
White Frame

1400x800:	WCRO/1400800WHI/PE
1600x800:	WCRO/1600800WHI/PE
1800x800:	WCRO/1800800WHI/PE



CONCRETE
White Frame

1400x800:	WCRO/1400800CON
1600x800:	WCRO/1600800CON
1800x800:	WCRO/1800800CON

FERRO BRONZE
White Frame

1400x800:	WCRO/1400800FER
1600x800:	WCRO/1600800FER
1800x800:	WCRO/1800800FER

SEE PAGE 210
FOR POWER
AND CHARGING





SOLO

Simplistic, manual hand-crank desk.

The Solo desk is a minimalist design manually operated desk, removing the need for a power supply, and allowing flexibility of location and application. Available in 3 frame colours and 18 stock top décors.

The entry-level all rounder.



SOLO

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee	Operational Life	Anti-Collision
5yrs	N/A	N/A
Frame Width Adjustment	Voltage	Compliance
1150 - 1550mm	N/A	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Operational Speed	
715 - 1215mm	N/A	
Stroke	Standby Power	
500mm	N/A	
Side Bracket Depth	Max Operational Power	
450mm	N/A	
Foot Depth	Programmable Min/Max Height	
690mm	N/A	
Max Even Load Capacity	Duty Cycle	
80kg	N/A	
Total Frame Weight	Noise Level	
23kg	N/A	

DESKTOP

Guarantee	Edging	Stock Sizes
5yrs	2mm ABS	1200 x 700mm, 1200 x 800mm,
Material	Compliance	1400 x 700mm, 1400 x 800mm,
25mm MFC	FSC Certified	1600 x 700mm, 1600 x 800mm

PACKAGING

Frame	Top (size dependent)
Size - 870 x 360 x 110mm	Size - (1300 - 1700) x 900 x 30mm
Weight - 25kg	Weight - 16 - 24kg
Quantity - 1	Quantity - 1


INSTALLATION

Build Time (per unit)
30 - 40 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Solo is our manual hand-operated desk and uses a simple winder mechanism to allow for active working where there is limited access to power. It operates at a user determined rate of around 10mm/s.

This desk features a slimline single stage leg system, and offers a height adjustment range of 500mm. Available from stock in over 300 frame colour, top size and décor options. The Solo is also available with castors, for a flexible and ergonomic solution.

FEATURES



Height Range: 715 - 1215mm



5 Year Guarantee



Load Capacity: 80kg



Next Day Delivery

FRAME OPTIONS



Black
RAL 9005



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



SOLO

BLACK FRAME

RAL 9005



BLACK
Black Frame

1200x800:	BSOLO/1200800BLA
1400x800:	BSOLO/1400800BLA
1600x800:	BSOLO/1600800BLA
1200x700:	BSOLO/1200700BLA
1400x700:	BSOLO/1400700BLA
1600x700:	BSOLO/1600700BLA



GRAPHITE
Black Frame

1200x800:	BSOLO/1200800GRA
1400x800:	BSOLO/1400800GRA
1600x800:	BSOLO/1600800GRA
1200x700:	BSOLO/1200700GRA
1400x700:	BSOLO/1400700GRA
1600x700:	BSOLO/1600700GRA



GREY
Black Frame

1200x800:	BSOLO/1200800GRY
1400x800:	BSOLO/1400800GRY
1600x800:	BSOLO/1600800GRY
1200x700:	BSOLO/1200700GRY
1400x700:	BSOLO/1400700GRY
1600x700:	BSOLO/1600700GRY



WHITE
Black Frame

1200x800:	BSOLO/1200800WHI
1400x800:	BSOLO/1400800WHI
1600x800:	BSOLO/1600800WHI
1200x700:	BSOLO/1200700WHI
1400x700:	BSOLO/1400700WHI
1600x700:	BSOLO/1600700WHI



WENGE
Black Frame

1200x800:	BSOLO/1200800WEN
1400x800:	BSOLO/1400800WEN
1600x800:	BSOLO/1600800WEN
1200x700:	BSOLO/1200700WEN
1400x700:	BSOLO/1400700WEN
1600x700:	BSOLO/1600700WEN



ANTHRACITE SHERMAN OAK
Black Frame

1200x800:	BSOLO/1200800ASO
1400x800:	BSOLO/1400800ASO
1600x800:	BSOLO/1600800ASO
1200x700:	BSOLO/1200700ASO
1400x700:	BSOLO/1400700ASO
1600x700:	BSOLO/1600700ASO



NATURAL DIJON WALNUT
Black Frame

1200x800:	BSOLO/1200800NDW
1400x800:	BSOLO/1400800NDW
1600x800:	BSOLO/1600800NDW
1200x700:	BSOLO/1200700NDW
1400x700:	BSOLO/1400700NDW
1600x700:	BSOLO/1600700NDW



TIMBER
Black Frame

1200x800:	BSOLO/1200800TIM
1400x800:	BSOLO/1400800TIM
1600x800:	BSOLO/1600800TIM
1200x700:	BSOLO/1200700TIM
1400x700:	BSOLO/1400700TIM
1600x700:	BSOLO/1600700TIM



GREY NEBRASKA OAK

Black Frame

1200x800: [BSOLO/1200800GNO](#)
 1400x800: [BSOLO/1400800GNO](#)
 1600x800: [BSOLO/1600800GNO](#)

1200x700: [BSOLO/1200700GNO](#)
 1400x700: [BSOLO/1400700GNO](#)
 1600x700: [BSOLO/1600700GNO](#)



BEECH

Black Frame

1200x800: [BSOLO/1200800BEE](#)
 1400x800: [BSOLO/1400800BEE](#)
 1600x800: [BSOLO/1600800BEE](#)

1200x700: [BSOLO/1200700BEE](#)
 1400x700: [BSOLO/1400700BEE](#)
 1600x700: [BSOLO/1600700BEE](#)



OAK

Black Frame

1200x800: [BSOLO/1200800OAK](#)
 1400x800: [BSOLO/1400800OAK](#)
 1600x800: [BSOLO/1600800OAK](#)

1200x700: [BSOLO/1200700OAK](#)
 1400x700: [BSOLO/1400700OAK](#)
 1600x700: [BSOLO/1600700OAK](#)



MAPLE

Black Frame

1200x800: [BSOLO/1200800MAP](#)
 1400x800: [BSOLO/1400800MAP](#)
 1600x800: [BSOLO/1600800MAP](#)

1200x700: [BSOLO/1200700MAP](#)
 1400x700: [BSOLO/1400700MAP](#)
 1600x700: [BSOLO/1600700MAP](#)



CASCINA PINE

Black Frame

1200x800: [BSOLO/1200800CAS](#)
 1400x800: [BSOLO/1400800CAS](#)
 1600x800: [BSOLO/1600800CAS](#)

1200x700: [BSOLO/1200700CAS](#)
 1400x700: [BSOLO/1400700CAS](#)
 1600x700: [BSOLO/1600700CAS](#)



BLACK PLY EDGE

Black Frame

1200x800: [BSOLO/1200800BLA/PE](#)
 1400x800: [BSOLO/1400800BLA/PE](#)
 1600x800: [BSOLO/1600800BLA/PE](#)

1200x700: [BSOLO/1200700BLA/PE](#)
 1400x700: [BSOLO/1400700BLA/PE](#)
 1600x700: [BSOLO/1600700BLA/PE](#)



GRAPHITE PLY EDGE

Black Frame

1200x800: [BSOLO/1200800GRA/PE](#)
 1400x800: [BSOLO/1400800GRA/PE](#)
 1600x800: [BSOLO/1600800GRA/PE](#)

1200x700: [BSOLO/1200700GRA/PE](#)
 1400x700: [BSOLO/1400700GRA/PE](#)
 1600x700: [BSOLO/1600700GRA/PE](#)



WHITE PLY EDGE

Black Frame

1200x800: [BSOLO/1200800WHI/PE](#)
 1400x800: [BSOLO/1400800WHI/PE](#)
 1600x800: [BSOLO/1600800WHI/PE](#)

1200x700: [BSOLO/1200700WHI/PE](#)
 1400x700: [BSOLO/1400700WHI/PE](#)
 1600x700: [BSOLO/1600700WHI/PE](#)



CONCRETE

Black Frame

1200x800: [BSOLO/1200800CON](#)
 1400x800: [BSOLO/1400800CON](#)
 1600x800: [BSOLO/1600800CON](#)

1200x700: [BSOLO/1200700CON](#)
 1400x700: [BSOLO/1400700CON](#)
 1600x700: [BSOLO/1600700CON](#)



FERRO BRONZE

Black Frame

1200x800: [BSOLO/1200800FER](#)
 1400x800: [BSOLO/1400800FER](#)
 1600x800: [BSOLO/1600800FER](#)

1200x700: [BSOLO/1200700FER](#)
 1400x700: [BSOLO/1400700FER](#)
 1600x700: [BSOLO/1600700FER](#)

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

SOLO

SILVER FRAME

RAL 9006



BLACK

Silver Frame

1200x800: [SSOLO/1200800BLA](#)
 1400x800: [SSOLO/1400800BLA](#)
 1600x800: [SSOLO/1600800BLA](#)

1200x700: [SSOLO/1200700BLA](#)
 1400x700: [SSOLO/1400700BLA](#)
 1600x700: [SSOLO/1600700BLA](#)



GRAPHITE

Silver Frame

1200x800: [SSOLO/1200800GRA](#)
 1400x800: [SSOLO/1400800GRA](#)
 1600x800: [SSOLO/1600800GRA](#)

1200x700: [SSOLO/1200700GRA](#)
 1400x700: [SSOLO/1400700GRA](#)
 1600x700: [SSOLO/1600700GRA](#)



GREY

Silver Frame

1200x800: [SSOLO/1200800GRY](#)
 1400x800: [SSOLO/1400800GRY](#)
 1600x800: [SSOLO/1600800GRY](#)

1200x700: [SSOLO/1200700GRY](#)
 1400x700: [SSOLO/1400700GRY](#)
 1600x700: [SSOLO/1600700GRY](#)



WHITE

Silver Frame

1200x800: [SSOLO/1200800WHI](#)
 1400x800: [SSOLO/1400800WHI](#)
 1600x800: [SSOLO/1600800WHI](#)

1200x700: [SSOLO/1200700WHI](#)
 1400x700: [SSOLO/1400700WHI](#)
 1600x700: [SSOLO/1600700WHI](#)



WENGE

Silver Frame

1200x800: [SSOLO/1200800WEN](#)
 1400x800: [SSOLO/1400800WEN](#)
 1600x800: [SSOLO/1600800WEN](#)

1200x700: [SSOLO/1200700WEN](#)
 1400x700: [SSOLO/1400700WEN](#)
 1600x700: [SSOLO/1600700WEN](#)



ANTHRACITE SHERMAN OAK

Silver Frame

1200x800: [SSOLO/1200800ASO](#)
 1400x800: [SSOLO/1400800ASO](#)
 1600x800: [SSOLO/1600800ASO](#)

1200x700: [SSOLO/1200700ASO](#)
 1400x700: [SSOLO/1400700ASO](#)
 1600x700: [SSOLO/1600700ASO](#)



NATURAL DIJON WALNUT

Silver Frame

1200x800: [SSOLO/1200800NDW](#)
 1400x800: [SSOLO/1400800NDW](#)
 1600x800: [SSOLO/1600800NDW](#)

1200x700: [SSOLO/1200700NDW](#)
 1400x700: [SSOLO/1400700NDW](#)
 1600x700: [SSOLO/1600700NDW](#)



TIMBER

Silver Frame

1200x800: [SSOLO/1200800TIM](#)
 1400x800: [SSOLO/1400800TIM](#)
 1600x800: [SSOLO/1600800TIM](#)

1200x700: [SSOLO/1200700TIM](#)
 1400x700: [SSOLO/1400700TIM](#)
 1600x700: [SSOLO/1600700TIM](#)



GREY NEBRASKA OAK

Silver Frame

1200x800:	SSOLO/1200800GNO
1400x800:	SSOLO/1400800GNO
1600x800:	SSOLO/1600800GNO

1200x700:	SSOLO/1200700GNO
1400x700:	SSOLO/1400700GNO
1600x700:	SSOLO/1600700GNO



BEECH

Silver Frame

1200x800:	SSOLO/1200800BEE
1400x800:	SSOLO/1400800BEE
1600x800:	SSOLO/1600800BEE

1200x700:	SSOLO/1200700BEE
1400x700:	SSOLO/1400700BEE
1600x700:	SSOLO/1600700BEE



OAK

Silver Frame

1200x800:	SSOLO/1200800OAK
1400x800:	SSOLO/1400800OAK
1600x800:	SSOLO/1600800OAK

1200x700:	SSOLO/1200700OAK
1400x700:	SSOLO/1400700OAK
1600x700:	SSOLO/1600700OAK



MAPLE

Silver Frame

1200x800:	SSOLO/1200800MAP
1400x800:	SSOLO/1400800MAP
1600x800:	SSOLO/1600800MAP

1200x700:	SSOLO/1200700MAP
1400x700:	SSOLO/1400700MAP
1600x700:	SSOLO/1600700MAP



CASCINA PINE

Silver Frame

1200x800:	SSOLO/1200800CAS
1400x800:	SSOLO/1400800CAS
1600x800:	SSOLO/1600800CAS

1200x700:	SSOLO/1200700CAS
1400x700:	SSOLO/1400700CAS
1600x700:	SSOLO/1600700CAS



BLACK PLY EDGE

Silver Frame

1200x800:	SSOLO/1200800BLA/PE
1400x800:	SSOLO/1400800BLA/PE
1600x800:	SSOLO/1600800BLA/PE

1200x700:	SSOLO/1200700BLA/PE
1400x700:	SSOLO/1400700BLA/PE
1600x700:	SSOLO/1600700BLA/PE



GRAPHITE PLY EDGE

Silver Frame

1200x800:	SSOLO/1200800GRA/PE
1400x800:	SSOLO/1400800GRA/PE
1600x800:	SSOLO/1600800GRA/PE

1200x700:	SSOLO/1200700GRA/PE
1400x700:	SSOLO/1400700GRA/PE
1600x700:	SSOLO/1600700GRA/PE



WHITE PLY EDGE

Silver Frame

1200x800:	SSOLO/1200800WHI/PE
1400x800:	SSOLO/1400800WHI/PE
1600x800:	SSOLO/1600800WHI/PE

1200x700:	SSOLO/1200700WHI/PE
1400x700:	SSOLO/1400700WHI/PE
1600x700:	SSOLO/1600700WHI/PE



CONCRETE

Silver Frame

1200x800:	SSOLO/1200800CON
1400x800:	SSOLO/1400800CON
1600x800:	SSOLO/1600800CON

1200x700:	SSOLO/1200700CON
1400x700:	SSOLO/1400700CON
1600x700:	SSOLO/1600700CON



FERRO BRONZE

Silver Frame

1200x800:	SSOLO/1200800FER
1400x800:	SSOLO/1400800FER
1600x800:	SSOLO/1600800FER

1200x700:	SSOLO/1200700FER
1400x700:	SSOLO/1400700FER
1600x700:	SSOLO/1600700FER

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

SOLO

WHITE FRAME

RAL 9016



BLACK

White Frame

1200x800: [WSOLO/1200800BLA](#)
 1400x800: [WSOLO/1400800BLA](#)
 1600x800: [WSOLO/1600800BLA](#)

1200x700: [WSOLO/1200700BLA](#)
 1400x700: [WSOLO/1400700BLA](#)
 1600x700: [WSOLO/1600700BLA](#)



GRAPHITE

White Frame

1200x800: [WSOLO/1200800GRA](#)
 1400x800: [WSOLO/1400800GRA](#)
 1600x800: [WSOLO/1600800GRA](#)

1200x700: [WSOLO/1200700GRA](#)
 1400x700: [WSOLO/1400700GRA](#)
 1600x700: [WSOLO/1600700GRA](#)



GREY

White Frame

1200x800: [WSOLO/1200800GRY](#)
 1400x800: [WSOLO/1400800GRY](#)
 1600x800: [WSOLO/1600800GRY](#)

1200x700: [WSOLO/1200700GRY](#)
 1400x700: [WSOLO/1400700GRY](#)
 1600x700: [WSOLO/1600700GRY](#)



WHITE

White Frame

1200x800: [WSOLO/1200800WHI](#)
 1400x800: [WSOLO/1400800WHI](#)
 1600x800: [WSOLO/1600800WHI](#)

1200x700: [WSOLO/1200700WHI](#)
 1400x700: [WSOLO/1400700WHI](#)
 1600x700: [WSOLO/1600700WHI](#)



WENGE

White Frame

1200x800: [WSOLO/1200800WEN](#)
 1400x800: [WSOLO/1400800WEN](#)
 1600x800: [WSOLO/1600800WEN](#)

1200x700: [WSOLO/1200700WEN](#)
 1400x700: [WSOLO/1400700WEN](#)
 1600x700: [WSOLO/1600700WEN](#)



ANTHRACITE SHERMAN OAK

White Frame

1200x800: [WSOLO/1200800ASO](#)
 1400x800: [WSOLO/1400800ASO](#)
 1600x800: [WSOLO/1600800ASO](#)

1200x700: [WSOLO/1200700ASO](#)
 1400x700: [WSOLO/1400700ASO](#)
 1600x700: [WSOLO/1600700ASO](#)



NATURAL DIJON WALNUT

White Frame

1200x800: [WSOLO/1200800NDW](#)
 1400x800: [WSOLO/1400800NDW](#)
 1600x800: [WSOLO/1600800NDW](#)

1200x700: [WSOLO/1200700NDW](#)
 1400x700: [WSOLO/1400700NDW](#)
 1600x700: [WSOLO/1600700NDW](#)



TIMBER

White Frame

1200x800: [WSOLO/1200800TIM](#)
 1400x800: [WSOLO/1400800TIM](#)
 1600x800: [WSOLO/1600800TIM](#)

1200x700: [WSOLO/1200700TIM](#)
 1400x700: [WSOLO/1400700TIM](#)
 1600x700: [WSOLO/1600700TIM](#)



GREY NEBRASKA OAK

White Frame

1200x800: [WSOLO/1200800GNO](#)
 1400x800: [WSOLO/1400800GNO](#)
 1600x800: [WSOLO/1600800GNO](#)

1200x700: [WSOLO/1200700GNO](#)
 1400x700: [WSOLO/1400700GNO](#)
 1600x700: [WSOLO/1600700GNO](#)



BEECH

White Frame

1200x800: [WSOLO/1200800BEE](#)
 1400x800: [WSOLO/1400800BEE](#)
 1600x800: [WSOLO/1600800BEE](#)

1200x700: [WSOLO/1200700BEE](#)
 1400x700: [WSOLO/1400700BEE](#)
 1600x700: [WSOLO/1600700BEE](#)



OAK

White Frame

1200x800: [WSOLO/1200800OAK](#)
 1400x800: [WSOLO/1400800OAK](#)
 1600x800: [WSOLO/1600800OAK](#)

1200x700: [WSOLO/1200700OAK](#)
 1400x700: [WSOLO/1400700OAK](#)
 1600x700: [WSOLO/1600700OAK](#)



MAPLE

White Frame

1200x800: [WSOLO/1200800MAP](#)
 1400x800: [WSOLO/1400800MAP](#)
 1600x800: [WSOLO/1600800MAP](#)

1200x700: [WSOLO/1200700MAP](#)
 1400x700: [WSOLO/1400700MAP](#)
 1600x700: [WSOLO/1600700MAP](#)



CASCINA PINE

White Frame

1200x800: [WSOLO/1200800CAS](#)
 1400x800: [WSOLO/1400800CAS](#)
 1600x800: [WSOLO/1600800CAS](#)

1200x700: [WSOLO/1200700CAS](#)
 1400x700: [WSOLO/1400700CAS](#)
 1600x700: [WSOLO/1600700CAS](#)



BLACK PLY EDGE

White Frame

1200x800: [WSOLO/1200800BLA/PE](#)
 1400x800: [WSOLO/1400800BLA/PE](#)
 1600x800: [WSOLO/1600800BLA/PE](#)

1200x700: [WSOLO/1200700BLA/PE](#)
 1400x700: [WSOLO/1400700BLA/PE](#)
 1600x700: [WSOLO/1600700BLA/PE](#)



GRAPHITE PLY EDGE

White Frame

1200x800: [WSOLO/1200800GRA/PE](#)
 1400x800: [WSOLO/1400800GRA/PE](#)
 1600x800: [WSOLO/1600800GRA/PE](#)

1200x700: [WSOLO/1200700GRA/PE](#)
 1400x700: [WSOLO/1400700GRA/PE](#)
 1600x700: [WSOLO/1600700GRA/PE](#)



WHITE PLY EDGE

White Frame

1200x800: [WSOLO/1200800WHI/PE](#)
 1400x800: [WSOLO/1400800WHI/PE](#)
 1600x800: [WSOLO/1600800WHI/PE](#)

1200x700: [WSOLO/1200700WHI/PE](#)
 1400x700: [WSOLO/1400700WHI/PE](#)
 1600x700: [WSOLO/1600700WHI/PE](#)



CONCRETE

White Frame

1200x800: [WSOLO/1200800CON](#)
 1400x800: [WSOLO/1400800CON](#)
 1600x800: [WSOLO/1600800CON](#)

1200x700: [WSOLO/1200700CON](#)
 1400x700: [WSOLO/1400700CON](#)
 1600x700: [WSOLO/1600700CON](#)



FERRO BRONZE

White Frame

1200x800: [WSOLO/1200800FER](#)
 1400x800: [WSOLO/1400800FER](#)
 1600x800: [WSOLO/1600800FER](#)

1200x700: [WSOLO/1200700FER](#)
 1400x700: [WSOLO/1400700FER](#)
 1600x700: [WSOLO/1600700FER](#)

SEE PAGE 210
FOR POWER
AND CHARGING





FLEX

The ultra-flexible multi-use workstation.

The Flex has a 660mm height range, and is available in over 100 décor, size and frame colour options, making it an adaptable must-have for breakout areas, meeting rooms and occasional use situations.

A sleek design compact desk, with maximum adjustability.



FLEX

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee	Operational Life	Anti-Collision
5yrs	10,000 cycles at full rated load	Yes
Frame Width	Voltage	Compliance
590mm	230V AC Input, 24V DC operation	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Operational Speed	Machine Directive 2006/42/EC
695 - 1355mm (± 5mm)	36mm per second	EMC Directive 2014/30EU
Stroke	Standby Power	Low Voltage Directive 2014/35/EC
660mm	<0.3 W	REACH, WEEE and RoHS 3 2015/863
Side Bracket Depth	Max Operational Power	EN 527-1:2011 Type A, EN 527-2:2016
540mm	300W	ISO 21016
Foot Depth/Width	Programmable Min/Max Height	
540/795mm	Yes	
Max Even Load Capacity	Duty Cycle	
60kg	10% - 1min on, 9mins off	
Total Frame Weight	Noise Level	
21kg	<42 dB	

DESKTOP

Guarantee	Edging	Stock Sizes
5yrs	2mm ABS	800 x 600mm
Material	Compliance	900 x 600mm
25mm MFC	FSC Certified	

PACKAGING


Frame	Top (size dependant)
Size - 820 x 580 x 150mm	Size - 1100 x 700 x 30mm
Weight - 24kg	Weight - 10 - 11kg
Quantity - 1	Quantity - 1

INSTALLATION

Build Time (per unit)
15 - 20 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at
www.lavorodesign.com/samples 



The Flex height adjustable table is a single leg solution for a multitude of applications. It features a tapered base for ease of access and can carry a 60kg even load. It comes with interchangeable castors and adjustable feet.

Available in multiple size options, in our complete range of desk top décors.

FEATURES



Height Range: 695 - 1355mm



5 Year Guarantee



Speed: 36mm Per Second



Next Day Delivery




Load Capacity: 60kg



Single Motor Desk


FRAME OPTIONS



Black
RAL 9005



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



FLEX

BLACK FRAMES

RAL 9005



BLACK

Black Frame

800x600: [BFLX4/800600BLA](#)
900x600: [BFLX4/900600BLA](#)



GRAPHITE

Black Frame

800x600: [BFLX4/800600GRA](#)
900x600: [BFLX4/900600GRA](#)



GREY

Black Frame

800x600: [BFLX4/800600GRY](#)
900x600: [BFLX4/900600GRY](#)



WHITE

Black Frame

800x600: [BFLX4/800600WHI](#)
900x600: [BFLX4/900600WHI](#)



WENGE

Black Frame

800x600: [BFLX4/800600WEN](#)
900x600: [BFLX4/900600WEN](#)



ANTHRACITE SHERMAN OAK

Black Frame

800x600: [BFLX4/800600ASO](#)
900x600: [BFLX4/900600ASO](#)



NATURAL DIJON WALNUT

Black Frame

800x600: [BFLX4/800600NDW](#)
900x600: [BFLX4/900600NDW](#)



TIMBER

Black Frame

800x600: [BFLX4/800600TIM](#)
900x600: [BFLX4/900600TIM](#)



GREY NEBRASKA OAK
Black Frame

800x600: [BFLX4/800600GNO](#)
900x600: [BFLX4/900600GNO](#)



BEECH
Black Frame

800x600: [BFLX4/800600BEE](#)
900x600: [BFLX4/900600BEE](#)



OAK
Black Frame

800x600: [BFLX4/800600OAK](#)
900x600: [BFLX4/900600OAK](#)



MAPLE
Black Frame

800x600: [BFLX4/800600MAP](#)
900x600: [BFLX4/900600MAP](#)



CASCINA PINE
Black Frame

800x600: [BFLX4/800600CAS](#)
900x600: [BFLX4/900600CAS](#)



BLACK PLY EDGE
Black Frame

800x600: [BFLX4/800600BLA/PE](#)
900x600: [BFLX4/900600BLA/PE](#)



GRAPHITE PLY EDGE
Black Frame

800x600: [BFLX4/800600GRA/PE](#)
900x600: [BFLX4/900600GRA/PE](#)



WHITE PLY EDGE
Black Frame

800x600: [BFLX4/800600WHI/PE](#)
900x600: [BFLX4/900600WHI/PE](#)



CONCRETE
Black Frame

800x600: [BFLX4/800600CON](#)
900x600: [BFLX4/900600CON](#)



FERRO BRONZE
Black Frame

800x600: [BFLX4/800600FER](#)
900x600: [BFLX4/900600FER](#)

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

FLEX

SILVER FRAMES

RAL 9006



BLACK

Silver Frame

800x600: [SFLX4/800600BLA](#)900x600: [SFLX4/900600BLA](#)

GRAPHITE

Silver Frame

800x600: [SFLX4/800600GRA](#)900x600: [SFLX4/900600GRA](#)

GREY

Silver Frame

800x600: [SFLX4/800600GRY](#)900x600: [SFLX4/900600GRY](#)

WHITE

Silver Frame

800x600: [SFLX4/800600WHI](#)900x600: [SFLX4/900600WHI](#)

WENGE

Silver Frame

800x600: [SFLX4/800600WEN](#)900x600: [SFLX4/900600WEN](#)

ANTHRACITE SHERMAN OAK

Silver Frame

800x600: [SFLX4/800600ASO](#)900x600: [SFLX4/900600ASO](#)

NATURAL DIJON WALNUT

Silver Frame

800x600: [SFLX4/800600NDW](#)900x600: [SFLX4/900600NDW](#)

TIMBER

Silver Frame

800x600: [SFLX4/800600TIM](#)900x600: [SFLX4/900600TIM](#)



GREY NEBRASKA OAK
Silver Frame

800x600:	SFLX4/800600GNO
900x600:	SFLX4/900600GNO



BEECH
Silver Frame

800x600:	SFLX4/800600BEE
900x600:	SFLX4/900600BEE



OAK
Silver Frame

800x600:	SFLX4/800600OAK
900x600:	SFLX4/900600OAK



MAPLE
Silver Frame

800x600:	SFLX4/800600MAP
900x600:	SFLX4/900600MAP



CASCINA PINE
Silver Frame

800x600:	SFLX4/800600CAS
900x600:	SFLX4/900600CAS



BLACK PLY EDGE
Silver Frame

800x600:	SFLX4/800600BLA/PE
900x600:	SFLX4/900600BLA/PE



GRAPHITE PLY EDGE
Silver Frame

800x600:	SFLX4/800600GRA/PE
900x600:	SFLX4/900600GRA/PE



WHITE PLY EDGE
Silver Frame

800x600:	SFLX4/800600WHI/PE
900x600:	SFLX4/900600WHI/PE



CONCRETE
Silver Frame

800x600:	SFLX4/800600CON
900x600:	SFLX4/900600CON



FERRO BRONZE
Silver Frame

800x600:	SFLX4/800600FER
900x600:	SFLX4/900600FER

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

FLEX

WHITE FRAMES

RAL 9016



BLACK

White Frame

800x600: [WFLX4/800600BLA](#)900x600: [WFLX4/900600BLA](#)

GRAPHITE

White Frame

800x600: [WFLX4/800600GRA](#)900x600: [WFLX4/900600GRA](#)

GREY

White Frame

800x600: [WFLX4/800600GRY](#)900x600: [WFLX4/900600GRY](#)

WHITE

White Frame

800x600: [WFLX4/800600WHI](#)900x600: [WFLX4/900600WHI](#)

WENGE

White Frame

800x600: [WFLX4/800600WEN](#)900x600: [WFLX4/900600WEN](#)

ANTHRACITE SHERMAN OAK

White Frame

800x600: [WFLX4/800600ASO](#)900x600: [WFLX4/900600ASO](#)

NATURAL DIJON WALNUT

White Frame

800x600: [WFLX4/800600NDW](#)900x600: [WFLX4/900600NDW](#)

TIMBER

White Frame

800x600: [WFLX4/800600TIM](#)900x600: [WFLX4/900600TIM](#)



GREY NEBRASKA OAK
White Frame

800x600: [WFLX4/800600GNO](#)
900x600: [WFLX4/900600GNO](#)



BEECH
White Frame

800x600: [WFLX4/800600BEE](#)
900x600: [WFLX4/900600BEE](#)



OAK
White Frame

800x600: [WFLX4/800600OAK](#)
900x600: [WFLX4/900600OAK](#)



MAPLE
White Frame

800x600: [WFLX4/800600MAP](#)
900x600: [WFLX4/900600MAP](#)



CASCINA PINE
White Frame

800x600: [WFLX4/800600CAS](#)
900x600: [WFLX4/900600CAS](#)



BLACK PLY EDGE
White Frame

800x600: [WFLX4/800600BLA/PE](#)
900x600: [WFLX4/900600BLA/PE](#)



GRAPHITE PLY EDGE
White Frame

800x600: [WFLX4/800600GRA/PE](#)
900x600: [WFLX4/900600GRA/PE](#)



WHITE PLY EDGE
White Frame

800x600: [WFLX4/800600WHI/PE](#)
900x600: [WFLX4/900600WHI/PE](#)



CONCRETE
White Frame

800x600: [WFLX4/800600CON](#)
900x600: [WFLX4/900600CON](#)



FERRO BRONZE
White Frame

800x600: [WFLX4/800600FER](#)
900x600: [WFLX4/900600FER](#)

SEE PAGE 210
FOR POWER
AND CHARGING





DUO

The back-to-back bench champion.

The Duo desk allows the most effective installation and cable management for the maximum number of users in any given space, making this back-to-back desk the best selling workstation on larger projects.

The versatile answer to space efficiency.



DUO

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1150 – 1740mm

Height Range (Inc. 25mm Top)

615 – 1275mm (± 5mm)

Side Bracket Depth

540mm

Frame Depth

880mm

Max Even Load Capacity

120kg Each Work Station

Total Frame Weight

59kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

40mm per second

Standby Power

<0.3 W

Max Operational Power

300W Each Work Station

Overload Protection

Yes

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

1200 x 700mm, 1200 x 800mm,

1400 x 700mm, 1400 x 800mm,

1600 x 700mm, 1600 x 800mm,

1800 x 800mm

PACKAGING

Frame

Size - 840 x 380 x 120mm

Weight - 61kg (total)

Quantity - 2 (total)

Top (size dependent)

Size - (1300 - 1900) x 900 x 30mm x 2

Weight - 32 - 53kg

Quantity - 2 (total)

INSTALLATION

Build Time (per unit)

40 - 60 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Duo is our contract winning back-to-back benching system. It offers high-performance dual motor workstations and ingenious flexible cable management options - with a fully supported 5 year guarantee on all components.

This desk is available from stock in over 500 frame colour, top size and décor options. With an extensive opportunity for screens, custom sizing and a weight capacity of 120kg per workstation (240kg per unit), the Duo is adaptable for any maximising the functionality of any commercial environment.

FEATURES



Height Range: 615 - 1275mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120kg (x2)



Dual Motor Desk (x2)

STOCK FRAME COLOURS



Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016

BESPOKE FRAME COLOURS



Bespoke RAL
Colours

SUSTAINABILITY



DUO

BLACK FRAMES

RAL 9005



BLACK
Black Frame

1200x800:	BDUO/1200800BLA
1400x800:	BDUO/1400800BLA
1600x800:	BDUO/1600800BLA
1800x800:	BDUO/1800800BLA
1200x700:	BDUO/1200700BLA
1400x700:	BDUO/1400700BLA
1600x700:	BDUO/1600700BLA



GRAPHITE
Black Frame

1200x800:	BDUO/1200800GRA
1400x800:	BDUO/1400800GRA
1600x800:	BDUO/1600800GRA
1800x800:	BDUO/1800800GRA
1200x700:	BDUO/1200700GRA
1400x700:	BDUO/1400700GRA
1600x700:	BDUO/1600700GRA



GREY
Black Frame

1200x800:	BDUO/1200800GRY
1400x800:	BDUO/1400800GRY
1600x800:	BDUO/1600800GRY
1800x800:	BDUO/1800800GRY
1200x700:	BDUO/1200700GRY
1400x700:	BDUO/1400700GRY
1600x700:	BDUO/1600700GRY



WHITE
Black Frame

1200x800:	BDUO/1200800WHI
1400x800:	BDUO/1400800WHI
1600x800:	BDUO/1600800WHI
1800x800:	BDUO/1800800WHI
1200x700:	BDUO/1200700WHI
1400x700:	BDUO/1400700WHI
1600x700:	BDUO/1600700WHI



WENGE
Black Frame

1200x800:	BDUO/1200800WEN
1400x800:	BDUO/1400800WEN
1600x800:	BDUO/1600800WEN
1800x800:	BDUO/1800800WEN
1200x700:	BDUO/1200700WEN
1400x700:	BDUO/1400700WEN
1600x700:	BDUO/1600700WEN



ANTHRACITE SHERMAN OAK
Black Frame

1200x800:	BDUO/1200800ASO
1400x800:	BDUO/1400800ASO
1600x800:	BDUO/1600800ASO
1800x800:	BDUO/1800800ASO
1200x700:	BDUO/1200700ASO
1400x700:	BDUO/1400700ASO
1600x700:	BDUO/1600700ASO



NATURAL DIJON WALNUT
Black Frame

1200x800:	BDUO/1200800NDW
1400x800:	BDUO/1400800NDW
1600x800:	BDUO/1600800NDW
1800x800:	BDUO/1800800NDW
1200x700:	BDUO/1200700NDW
1400x700:	BDUO/1400700NDW
1600x700:	BDUO/1600700NDW



TIMBER
Black Frame

1200x800:	BDUO/1200800TIM
1400x800:	BDUO/1400800TIM
1600x800:	BDUO/1600800TIM
1800x800:	BDUO/1800800TIM
1200x700:	BDUO/1200700TIM
1400x700:	BDUO/1400700TIM
1600x700:	BDUO/1600700TIM



GREY NEBRASKA OAK

Black Frame

1200x800: [BDUO/1200800GNO](#)1400x800: [BDUO/1400800GNO](#)1600x800: [BDUO/1600800GNO](#)1800x800: [BDUO/1800800GNO](#)1200x700: [BDUO/1200700GNO](#)1400x700: [BDUO/1400700GNO](#)1600x700: [BDUO/1600700GNO](#)

BEECH

Black Frame

1200x800: [BDUO/1200800BEE](#)1400x800: [BDUO/1400800BEE](#)1600x800: [BDUO/1600800BEE](#)1800x800: [BDUO/1800800BEE](#)1200x700: [BDUO/1200700BEE](#)1400x700: [BDUO/1400700BEE](#)1600x700: [BDUO/1600700BEE](#)

OAK

Black Frame

1200x800: [BDUO/1200800OAK](#)1400x800: [BDUO/1400800OAK](#)1600x800: [BDUO/1600800OAK](#)1800x800: [BDUO/1800800OAK](#)1200x700: [BDUO/1200700OAK](#)1400x700: [BDUO/1400700OAK](#)1600x700: [BDUO/1600700OAK](#)

MAPLE

Black Frame

1200x800: [BDUO/1200800MAP](#)1400x800: [BDUO/1400800MAP](#)1600x800: [BDUO/1600800MAP](#)1800x800: [BDUO/1800800MAP](#)1200x700: [BDUO/1200700MAP](#)1400x700: [BDUO/1400700MAP](#)1600x700: [BDUO/1600700MAP](#)

CASCINA PINE

Black Frame

1200x800: [BDUO/1200800CAS](#)1400x800: [BDUO/1400800CAS](#)1600x800: [BDUO/1600800CAS](#)1800x800: [BDUO/1800800CAS](#)1200x700: [BDUO/1200700CAS](#)1400x700: [BDUO/1400700CAS](#)1600x700: [BDUO/1600700CAS](#)

BLACK PLY EDGE

Black Frame

1200x800: [BDUO/1200800BLA/PE](#)1400x800: [BDUO/1400800BLA/PE](#)1600x800: [BDUO/1600800BLA/PE](#)1800x800: [BDUO/1800800BLA/PE](#)1200x700: [BDUO/1200700BLA/PE](#)1400x700: [BDUO/1400700BLA/PE](#)1600x700: [BDUO/1600700BLA/PE](#)

GRAPHITE PLY EDGE

Black Frame

1200x800: [BDUO/1200800GRA/PE](#)1400x800: [BDUO/1400800GRA/PE](#)1600x800: [BDUO/1600800GRA/PE](#)1800x800: [BDUO/1800800GRA/PE](#)1200x700: [BDUO/1200700GRA/PE](#)1400x700: [BDUO/1400700GRA/PE](#)1600x700: [BDUO/1600700GRA/PE](#)

WHITE PLY EDGE

Black Frame

1200x800: [BDUO/1200800WHI/PE](#)1400x800: [BDUO/1400800WHI/PE](#)1600x800: [BDUO/1600800WHI/PE](#)1800x800: [BDUO/1800800WHI/PE](#)1200x700: [BDUO/1200700WHI/PE](#)1400x700: [BDUO/1400700WHI/PE](#)1600x700: [BDUO/1600700WHI/PE](#)

CONCRETE

Black Frame

1200x800: [BDUO/1200800CON](#)1400x800: [BDUO/1400800CON](#)1600x800: [BDUO/1600800CON](#)1800x800: [BDUO/1800800CON](#)1200x700: [BDUO/1200700CON](#)1400x700: [BDUO/1400700CON](#)1600x700: [BDUO/1600700CON](#)

FERRO BRONZE

Black Frame

1200x800: [BDUO/1200800FER](#)1400x800: [BDUO/1400800FER](#)1600x800: [BDUO/1600800FER](#)1800x800: [BDUO/1800800FER](#)1200x700: [BDUO/1200700FER](#)1400x700: [BDUO/1400700FER](#)1600x700: [BDUO/1600700FER](#)

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS

DUO

SILVER FRAMES

RAL 9006



BLACK

Silver Frame

1200x800: [SDUO/1200800BLA](#)
 1400x800: [SDUO/1400800BLA](#)
 1600x800: [SDUO/1600800BLA](#)
 1800x800: [SDUO/1800800BLA](#)

1200x700: [SDUO/1200700BLA](#)
 1400x700: [SDUO/1400700BLA](#)
 1600x700: [SDUO/1600700BLA](#)



GRAPHITE

Silver Frame

1200x800: [SDUO/1200800GRA](#)
 1400x800: [SDUO/1400800GRA](#)
 1600x800: [SDUO/1600800GRA](#)
 1800x800: [SDUO/1800800GRA](#)

1200x700: [SDUO/1200700GRA](#)
 1400x700: [SDUO/1400700GRA](#)
 1600x700: [SDUO/1600700GRA](#)



GREY

Silver Frame

1200x800: [SDUO/1200800GRY](#)
 1400x800: [SDUO/1400800GRY](#)
 1600x800: [SDUO/1600800GRY](#)
 1800x800: [SDUO/1800800GRY](#)

1200x700: [SDUO/1200700GRY](#)
 1400x700: [SDUO/1400700GRY](#)
 1600x700: [SDUO/1600700GRY](#)



WHITE

Silver Frame

1200x800: [SDUO/1200800WHI](#)
 1400x800: [SDUO/1400800WHI](#)
 1600x800: [SDUO/1600800WHI](#)
 1800x800: [SDUO/1800800WHI](#)

1200x700: [SDUO/1200700WHI](#)
 1400x700: [SDUO/1400700WHI](#)
 1600x700: [SDUO/1600700WHI](#)



WENGE

Silver Frame

1200x800: [SDUO/1200800WEN](#)
 1400x800: [SDUO/1400800WEN](#)
 1600x800: [SDUO/1600800WEN](#)
 1800x800: [SDUO/1800800WEN](#)

1200x700: [SDUO/1200700WEN](#)
 1400x700: [SDUO/1400700WEN](#)
 1600x700: [SDUO/1600700WEN](#)



ANTHRACITE SHERMAN OAK

Silver Frame

1200x800: [SDUO/1200800ASO](#)
 1400x800: [SDUO/1400800ASO](#)
 1600x800: [SDUO/1600800ASO](#)
 1800x800: [SDUO/1800800ASO](#)

1200x700: [SDUO/1200700ASO](#)
 1400x700: [SDUO/1400700ASO](#)
 1600x700: [SDUO/1600700ASO](#)



NATURAL DIJON WALNUT

Silver Frame

1200x800: [SDUO/1200800NDW](#)
 1400x800: [SDUO/1400800NDW](#)
 1600x800: [SDUO/1600800NDW](#)
 1800x800: [SDUO/1800800NDW](#)

1200x700: [SDUO/1200700NDW](#)
 1400x700: [SDUO/1400700NDW](#)
 1600x700: [SDUO/1600700NDW](#)



TIMBER

Silver Frame

1200x800: [SDUO/1200800TIM](#)
 1400x800: [SDUO/1400800TIM](#)
 1600x800: [SDUO/1600800TIM](#)
 1800x800: [SDUO/1800800TIM](#)

1200x700: [SDUO/1200700TIM](#)
 1400x700: [SDUO/1400700TIM](#)
 1600x700: [SDUO/1600700TIM](#)



GREY NEBRASKA OAK

Silver Frame

1200x800: [SDUO/1200800GNO](#)1400x800: [SDUO/1400800GNO](#)1600x800: [SDUO/1600800GNO](#)1800x800: [SDUO/1800800GNO](#)1200x700: [SDUO/1200700GNO](#)1400x700: [SDUO/1400700GNO](#)1600x700: [SDUO/1600700GNO](#)

BEECH

Silver Frame

1200x800: [SDUO/1200800BEE](#)1400x800: [SDUO/1400800BEE](#)1600x800: [SDUO/1600800BEE](#)1800x800: [SDUO/1800800BEE](#)1200x700: [SDUO/1200700BEE](#)1400x700: [SDUO/1400700BEE](#)1600x700: [SDUO/1600700BEE](#)

OAK

Silver Frame

1200x800: [SDUO/1200800OAK](#)1400x800: [SDUO/1400800OAK](#)1600x800: [SDUO/1600800OAK](#)1800x800: [SDUO/1800800OAK](#)1200x700: [SDUO/1200700OAK](#)1400x700: [SDUO/1400700OAK](#)1600x700: [SDUO/1600700OAK](#)

MAPLE

Silver Frame

1200x800: [SDUO/1200800MAP](#)1400x800: [SDUO/1400800MAP](#)1600x800: [SDUO/1600800MAP](#)1800x800: [SDUO/1800800MAP](#)1200x700: [SDUO/1200700MAP](#)1400x700: [SDUO/1400700MAP](#)1600x700: [SDUO/1600700MAP](#)

CASCINA PINE

Silver Frame

1200x800: [SDUO/1200800CAS](#)1400x800: [SDUO/1400800CAS](#)1600x800: [SDUO/1600800CAS](#)1800x800: [SDUO/1800800CAS](#)1200x700: [SDUO/1200700CAS](#)1400x700: [SDUO/1400700CAS](#)1600x700: [SDUO/1600700CAS](#)

BLACK PLY EDGE

Silver Frame

1200x800: [SDUO/1200800BLA/PE](#)1400x800: [SDUO/1400800BLA/PE](#)1600x800: [SDUO/1600800BLA/PE](#)1800x800: [SDUO/1800800BLA/PE](#)1200x700: [SDUO/1200700BLA/PE](#)1400x700: [SDUO/1400700BLA/PE](#)1600x700: [SDUO/1600700BLA/PE](#)

GRAPHITE PLY EDGE

Silver Frame

1200x800: [SDUO/1200800GRA/PE](#)1400x800: [SDUO/1400800GRA/PE](#)1600x800: [SDUO/1600800GRA/PE](#)1800x800: [SDUO/1800800GRA/PE](#)1200x700: [SDUO/1200700GRA/PE](#)1400x700: [SDUO/1400700GRA/PE](#)1600x700: [SDUO/1600700GRA/PE](#)

WHITE PLY EDGE

Silver Frame

1200x800: [SDUO/1200800WHI/PE](#)1400x800: [SDUO/1400800WHI/PE](#)1600x800: [SDUO/1600800WHI/PE](#)1800x800: [SDUO/1800800WHI/PE](#)1200x700: [SDUO/1200700WHI/PE](#)1400x700: [SDUO/1400700WHI/PE](#)1600x700: [SDUO/1600700WHI/PE](#)

CONCRETE

Silver Frame

1200x800: [SDUO/1200800CON](#)1400x800: [SDUO/1400800CON](#)1600x800: [SDUO/1600800CON](#)1800x800: [SDUO/1800800CON](#)1200x700: [SDUO/1200700CON](#)1400x700: [SDUO/1400700CON](#)1600x700: [SDUO/1600700CON](#)

FERRO BRONZE

Silver Frame

1200x800: [SDUO/1200800FER](#)1400x800: [SDUO/1400800FER](#)1600x800: [SDUO/1600800FER](#)1800x800: [SDUO/1800800FER](#)1200x700: [SDUO/1200700FER](#)1400x700: [SDUO/1400700FER](#)1600x700: [SDUO/1600700FER](#)

SEE PAGE 224
FOR FRAME
COLOUR DETAILS

DUO

WHITE FRAMES

RAL 9016



BLACK

White Frame

1200x800: [WDUO/1200800BLA](#)1400x800: [WDUO/1400800BLA](#)1600x800: [WDUO/1600800BLA](#)1800x800: [WDUO/1800800BLA](#)1200x700: [WDUO/1200700BLA](#)1400x700: [WDUO/1400700BLA](#)1600x700: [WDUO/1600700BLA](#)

GRAPHITE

White Frame

1200x800: [WDUO/1200800GRA](#)1400x800: [WDUO/1400800GRA](#)1600x800: [WDUO/1600800GRA](#)1800x800: [WDUO/1800800GRA](#)1200x700: [WDUO/1200700GRA](#)1400x700: [WDUO/1400700GRA](#)1600x700: [WDUO/1600700GRA](#)

GREY

White Frame

1200x800: [WDUO/1200800GRY](#)1400x800: [WDUO/1400800GRY](#)1600x800: [WDUO/1600800GRY](#)1800x800: [WDUO/1800800GRY](#)1200x700: [WDUO/1200700GRY](#)1400x700: [WDUO/1400700GRY](#)1600x700: [WDUO/1600700GRY](#)

WHITE

White Frame

1200x800: [WDUO/1200800WHI](#)1400x800: [WDUO/1400800WHI](#)1600x800: [WDUO/1600800WHI](#)1800x800: [WDUO/1800800WHI](#)1200x700: [WDUO/1200700WHI](#)1400x700: [WDUO/1400700WHI](#)1600x700: [WDUO/1600700WHI](#)

WENGE

White Frame

1200x800: [WDUO/1200800WEN](#)1400x800: [WDUO/1400800WEN](#)1600x800: [WDUO/1600800WEN](#)1800x800: [WDUO/1800800WEN](#)1200x700: [WDUO/1200700WEN](#)1400x700: [WDUO/1400700WEN](#)1600x700: [WDUO/1600700WEN](#)

ANTHRACITE SHERMAN OAK

White Frame

1200x800: [WDUO/1200800ASO](#)1400x800: [WDUO/1400800ASO](#)1600x800: [WDUO/1600800ASO](#)1800x800: [WDUO/1800800ASO](#)1200x700: [WDUO/1200700ASO](#)1400x700: [WDUO/1400700ASO](#)1600x700: [WDUO/1600700ASO](#)

NATURAL DIJON WALNUT

White Frame

1200x800: [WDUO/1200800NDW](#)1400x800: [WDUO/1400800NDW](#)1600x800: [WDUO/1600800NDW](#)1800x800: [WDUO/1800800NDW](#)1200x700: [WDUO/1200700NDW](#)1400x700: [WDUO/1400700NDW](#)1600x700: [WDUO/1600700NDW](#)

TIMBER

White Frame

1200x800: [WDUO/1200800TIM](#)1400x800: [WDUO/1400800TIM](#)1600x800: [WDUO/1600800TIM](#)1800x800: [WDUO/1800800TIM](#)1200x700: [WDUO/1200700TIM](#)1400x700: [WDUO/1400700TIM](#)1600x700: [WDUO/1600700TIM](#)



GREY NEBRASKA OAK

White Frame

1200x800: [WDUO/1200800GNO](#)1400x800: [WDUO/1400800GNO](#)1600x800: [WDUO/1600800GNO](#)1800x800: [WDUO/1800800GNO](#)1200x700: [WDUO/1200700GNO](#)1400x700: [WDUO/1400700GNO](#)1600x700: [WDUO/1600700GNO](#)

BEECH

White Frame

1200x800: [WDUO/1200800BEE](#)1400x800: [WDUO/1400800BEE](#)1600x800: [WDUO/1600800BEE](#)1800x800: [WDUO/1800800BEE](#)1200x700: [WDUO/1200700BEE](#)1400x700: [WDUO/1400700BEE](#)1600x700: [WDUO/1600700BEE](#)

OAK

White Frame

1200x800: [WDUO/1200800OAK](#)1400x800: [WDUO/1400800OAK](#)1600x800: [WDUO/1600800OAK](#)1800x800: [WDUO/1800800OAK](#)1200x700: [WDUO/1200700OAK](#)1400x700: [WDUO/1400700OAK](#)1600x700: [WDUO/1600700OAK](#)

MAPLE

White Frame

1200x800: [WDUO/1200800MAP](#)1400x800: [WDUO/1400800MAP](#)1600x800: [WDUO/1600800MAP](#)1800x800: [WDUO/1800800MAP](#)1200x700: [WDUO/1200700MAP](#)1400x700: [WDUO/1400700MAP](#)1600x700: [WDUO/1600700MAP](#)

CASCINA PINE

White Frame

1200x800: [WDUO/1200800CAS](#)1400x800: [WDUO/1400800CAS](#)1600x800: [WDUO/1600800CAS](#)1800x800: [WDUO/1800800CAS](#)1200x700: [WDUO/1200700CAS](#)1400x700: [WDUO/1400700CAS](#)1600x700: [WDUO/1600700CAS](#)

BLACK PLY EDGE

White Frame

1200x800: [WDUO/1200800BLA/PE](#)1400x800: [WDUO/1400800BLA/PE](#)1600x800: [WDUO/1600800BLA/PE](#)1800x800: [WDUO/1800800BLA/PE](#)1200x700: [WDUO/1200700BLA/PE](#)1400x700: [WDUO/1400700BLA/PE](#)1600x700: [WDUO/1600700BLA/PE](#)

GRAPHITE PLY EDGE

White Frame

1200x800: [WDUO/1200800GRA/PE](#)1400x800: [WDUO/1400800GRA/PE](#)1600x800: [WDUO/1600800GRA/PE](#)1800x800: [WDUO/1800800GRA/PE](#)1200x700: [WDUO/1200700GRA/PE](#)1400x700: [WDUO/1400700GRA/PE](#)1600x700: [WDUO/1600700GRA/PE](#)

WHITE PLY EDGE

White Frame

1200x800: [WDUO/1200800WHI/PE](#)1400x800: [WDUO/1400800WHI/PE](#)1600x800: [WDUO/1600800WHI/PE](#)1800x800: [WDUO/1800800WHI/PE](#)1200x700: [WDUO/1200700WHI/PE](#)1400x700: [WDUO/1400700WHI/PE](#)1600x700: [WDUO/1600700WHI/PE](#)

CONCRETE

White Frame

1200x800: [WDUO/1200800CON](#)1400x800: [WDUO/1400800CON](#)1600x800: [WDUO/1600800CON](#)1800x800: [WDUO/1800800CON](#)1200x700: [WDUO/1200700CON](#)1400x700: [WDUO/1400700CON](#)1600x700: [WDUO/1600700CON](#)

FERRO BRONZE

White Frame

1200x800: [WDUO/1200800FER](#)1400x800: [WDUO/1400800FER](#)1600x800: [WDUO/1600800FER](#)1800x800: [WDUO/1800800FER](#)1200x700: [WDUO/1200700FER](#)1400x700: [WDUO/1400700FER](#)1600x700: [WDUO/1600700FER](#)

SEE PAGE 210
FOR POWER
AND CHARGING





SYNERGI

The all-embracing modular meeting table.

The Synergi is an aesthetic and practical asset to a dynamic team, with options to cater for any scale of teamwork.

Specify the modular meeting table from a wealth of possibilities, including desktop shapes and sizes, leg options and desktop-integrated power and access solutions.

Optimising the individual's contribution.



SYNERGI

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee	
5yrs	
Frame Width	
Double Leg	1150 - 1750mm
Double Leg +	2100 - 2600mm
Triple Leg	2295 - 3495mm
Quadruple Leg	3435 - 5235mm
Height Range (Inc. 25mm Top)	
635 - 1135mm (± 5mm)	
Stroke	
500mm	
Side Bracket Depth	
720mm	
Foot Depth	
700mm or 900mm	
Max Even Load Capacity	
Double Leg	120kg
Double Leg +	120kg
Triple Leg	160kg
Quadruple Leg	200kg

Frame Weight	
Double Leg	46kg
Double Leg +	51kg
Triple Leg	75kg
Quadruple Leg	104kg
Operational Life	
10,000 cycles at full rated load	
Voltage	
230V AC Input, 24V DC Operation	
Speed	
40mm Per Second	
Max Operational Power	
300 - 600W	
Programmable Min/Max Height	
Yes	
Duty Cycle	
10% - 2mins on, 18mins off	
Noise Level	
<42 dB	

Compliance
UKCA and CE Conformity
Machine Directive 2006/42/EC
EMC Directive 2014/30EU
Low Voltage Directive 2014/35/EC
REACH, WEEE and RoHS 3 2015/863
EN 527-1:2011 Type A, EN 527-2:2016
ISO 21016

DESKTOP

Bespoke Sizes (Made To Order)

	Foot Size	Width	Depth
2 Leg	700mm	1210 - 2250mm	800 - 1200mm
	900mm	1210 - 2250mm	1200 - 1500mm
2 Leg +	700mm	2160 - 3100mm	800 - 1200mm
	900mm	2160 - 3100mm	1200 - 1500mm
3 Leg	700mm	2355 - 4000mm	800 - 1200mm
	900mm	2355 - 4000mm	1200 - 1500mm
4 Leg	700mm	3495 - 5750mm	800 - 1200mm
	900mm	3495 - 5750mm	1200 - 1500mm

INSTALLATION

Build Time (per unit)

30 - 60 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Synergi is a modular meeting table, supporting tops from around 1.2 to 6 metres in length. Invigorating and productive meetings are facilitated by this all-embracing table, which features central cable management in a modular system that can be configured with a variety of options for integrated power and storage.

Available with 4 leg options, 2 feet sizes and a wealth of desktop possibilities. Have a quick catch-up with a colleague or host a conference with this modular meeting table.

FEATURES



Height Range: 615 - 1115mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120 - 200kg



2 - 4 Motor Desk

STOCK FRAME COLOURS




Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016

BESPOKE FRAME COLOURS



Raw Steel
Gloss Finish



Bespoke RAL
Colours

SUSTAINABILITY



SYNERGI 2

FRAME OPTIONS

Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016



Raw Steel
Gloss Finish



All RAL
Colours



Frame Width

1150 - 1750mm

Foot Size

700mm or 900mm

Desktop Width Capacity

1160 - 2250mm

Desktop Depth Capacity

800 - 1500mm



BLACK

700mm feet [BSYN2/700](#)

900mm feet [BSYN2/900](#)



ANTHRACITE

700mm feet [ASYN2/700](#)

900mm feet [ASYN2/900](#)



SILVER

700mm feet	SSYN2/700
900mm feet	SSYN2/900



WHITE

700mm feet	WSYN2/700
900mm feet	WSYN2/900



FORGE RAW STEEL

700mm feet	FSYN2/700
900mm feet	FSYN2/900

Bespoke frame finish.



RAL COLOURS

700mm feet	XSYN2/700
900mm feet	XSYN2/900

Bespoke frame finish.

Example shown in RAL 3015: Hellrosa Pink.



SYNERGI 2+

FRAME OPTIONS

Black RAL 9005	Anthracite Metallic	Silver RAL 9006	White RAL 9016	Raw Steel Gloss Finish	All RAL Colours
					

Frame Width	Foot Size	Desktop Width Capacity	Desktop Depth Capacity
2100 - 2600mm	700mm or 900mm	2110 - 3100mm	800 - 1500mm



BLACK
700mm feet BSYN2+/700
900mm feet BSYN2+/900



ANTHRACITE
700mm feet ASYN2+/700
900mm feet ASYN2+/900



SILVER

700mm feet	SSYN2+/700
900mm feet	SSYN2+/900



WHITE

700mm feet	WSYN2+/700
900mm feet	WSYN2+/900



FORGE RAW STEEL

700mm feet	FSYN2+/700
900mm feet	FSYN2+/900


Bespoke frame finish.



RAL COLOURS

700mm feet	XSYN2+/700
900mm feet	XSYN2+/900

Bespoke frame finish.
Example shown in RAL 3015: Hellrosa Pink.



SYNERGI 3

FRAME OPTIONS

Black RAL 9005	Anthracite Metallic	Silver RAL 9006	White RAL 9016	Raw Steel Gloss Finish	All RAL Colours
					

Frame Width	Foot Size	Desktop Width Capacity	Desktop Depth Capacity
2295 - 3495mm	700mm or 900mm	2300 - 4000mm	800 - 1500mm



BLACK	
700mm feet	BSYN3/700
900mm feet	BSYN3/900



ANTHRACITE	
700mm feet	ASYN3/700
900mm feet	ASYN3/900



SILVER

700mm feet	SSYN3/700
900mm feet	SSYN3/900



WHITE

700mm feet	WSYN3/700
900mm feet	WSYN3/900



FORGE RAW STEEL

700mm feet	FSYN3/700
900mm feet	FSYN3/900

Bespoke frame finish.



RAL COLOURS

700mm feet	XSYN3/700
900mm feet	XSYN3/900

Bespoke frame finish.

Example shown in RAL 3015: Hellrosa Pink.



SYNERGI 4

FRAME OPTIONS

Black RAL 9005	Anthracite Metallic	Silver RAL 9006	White RAL 9016	Raw Steel Gloss Finish	All RAL Colours
					

Frame Width	Foot Size	Desktop Width Capacity	Desktop Depth Capacity
3435 - 5235mm	700mm or 900mm	3450 - 5750mm	800 - 1500mm



BLACK	
700mm feet	BSYN4/700
900mm feet	BSYN4/900



ANTHRACITE	
700mm feet	ASYN4/700
900mm feet	ASYN4/900



SILVER

700mm feet	SSYN4/700
900mm feet	SSYN4/900



WHITE

700mm feet	WSYN4/700
900mm feet	WSYN4/900



FORGE RAW STEEL

700mm feet	FSYN4/700
900mm feet	FSYN4/900

Bespoke frame finish.



RAL COLOURS

700mm feet	XSYN4/700
900mm feet	XSYN4/900

Bespoke frame finish.
Example shown in RAL 3015: Hellrosa Pink.







COLLABORATE TRIGON

Bringing teams together in a flexible way.

The Collaborate Trigon sit-stand table is a compact 3 motor solution to enrich today's dynamic meeting styles in a healthy way. A unique, stylish desktop design allows 3 members to collaborate at equidistance whilst facing each other, optimising effectiveness. Also with fast and quiet height adjustment, this table is a powerful asset for small meetings.

Forming dynamic collaboration.



COLLABORATE TRIGON

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width

Small: 1053mm

Medium: 1288mm

Height Range (Inc. 25mm Top)

680 – 1200mm (± 5mm)

Stroke

520mm

Frame Depth

Small: 1053mm

Medium: 1288mm

Leg Profile

50mm

Max Even Load Capacity

120kg

Frame Weight

Small: 33kg

Medium: 34kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Speed

30mm per second

Standby Power

<0.3 W

Max Operational Power

410W

Programmable Min/Max Height

N/A

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Sizes (Made To Order)

Bespoke

PACKAGING

Small Frame

Size - 780 x 310 x 310mm x 2

Weight - 36kg (total)

Quantity - 2 (total)

Medium Frame

Size - 780 x 310 x 310mm x 2

950 x 100 x 55mm x 1

Weight - 36kg (total)

Quantity - 2 (total)

INSTALLATION

Build Time (per unit)

30 - 45 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Collaborate Trigon sit-stand table features 3 heavy-duty motors in a unique, angular frame design, with a textured laquer finish to complete the appearance. Specify a plectrum-shaped top to advance a small collaboration session by allowing face-to-face interaction between 3 people at equidistance, catering for today's dynamic collaboration and meeting styles.

Available in 2 frame sizes, 2 frame colours with a premium textured coating, and thousands of bespoke table top options from all major decor producers.

FEATURES



Height Range: 680 - 1200mm



5 Year Guarantee



Speed: 30mm Per Second



Next Day Delivery




Load Capacity: 120kg



Triple Motor Desk

FRAME OPTIONS



Black
RAL 9005



White
RAL 9016

SUSTAINABILITY



COLLABORATE TRIGON

FRAME OPTIONS

Black
RAL 9005



White
RAL 9016



Medium Frame


Width: 1053mm

Large Frame

Width: 1288mm



FRAME – STOCK



Frame Width (Medium) - 1053mm
Frame Width (Large) - 1288mm

TOPS – BESPOKE



Recommended Plectrum Shape Top
Top Diameter (Medium Frame) - 1400mm
Top Diameter (Large Frame) - 1650mm

COLLABORATE TRIGON
MEDIUM
Black BCOLTRI/MED



COLLABORATE TRIGON
MEDIUM
White WCOLTRI/MED



COLLABORATE TRIGON
LARGE
Black BCOLTRI/LRG



COLLABORATE TRIGON
LARGE
White WCOLTRI/LRG







COLLABORATE MINI

Bringing teams together in an active way.

The Collaborate Mini sit-stand table is a compact 4 motor solution to inspire healthy and effective collaboration between up to 4 team members. Fast and quiet height adjustment plus a clean, understated design equals a striking small meeting asset for today's hybrid working environment.

Forming powerful collaboration.



COLLABORATE MINI

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee	Operational Life	Anti-Collision
5yrs	10,000 cycles at full rated load	Yes
Frame Width	Voltage	Compliance
1090mm	230V AC Input, 24V DC operation	UKCA and CE Conformity
Height Range (Inc. 25mm Top)	Speed	Machine Directive 2006/42/EC
680 - 1200mm (± 5mm)	30mm per second	EMC Directive 2014/30EU
Stroke	Standby Power	Low Voltage Directive 2014/35/EC
520mm	<0.3 W	REACH, WEEE and RoHS 3 2015/863
Frame Depth	Max Operational Power	EN 527-1:2011 Type A, EN 527-2:2016
1090mm	600W	ISO 21016
Leg Profile	Programmable Min/Max Height	
50mm	N/A	
Max Even Load Capacity	Duty Cycle	
120kg	10% - 2mins on, 18mins off	
Frame Weight	Noise Level	
43kg	<42 dB	

DESKTOP

Guarantee	Edging	Sizes (Made To Order)
5yrs	2mm ABS	Bespoke
Material	Compliance	Width - 1100mm
25mm MFC	FSC Certified	Depth - 1100mm

PACKAGING


Frame
Size - 780 x 310 x 310mm x 2
Weight - 46kg (total)
Quantity - 2 (total)

INSTALLATION

Build Time (per unit)
30 - 45 mins
Suitable for self-assembly
Yes

SAMPLES

Order free desktop décor samples at
www.lavorodesign.com/samples 



The Collaborate Mini sit-stand table disguises 4 heavy-duty, concealed motors in a compact, understated design. This prestigious designer meeting table caters for types of collaboration such as small meetings, brainstorming and joint projects, adapting to modern meeting styles.

Available in 2 frame colours with a premium textured coating, and thousands of bespoke table top options from all major decor producers for a truly unique and memorable meeting experience.

FEATURES



Height Range: 680 - 1200mm



5 Year Guarantee



Speed: 30mm Per Second



Next Day Delivery




Load Capacity: 120kg



Quadruple Motor Desk

FRAME OPTIONS



Black
RAL 9005



White
RAL 9016

SUSTAINABILITY



COLLABORATE MINI

FRAME OPTIONS


Black
RAL 9005



White
RAL 9016




FRAME – STOCK



Frame Width - 1090mm
Frame Width - 1090mm

TOPS – BESPOKE



Top Width - 1100mm
Top Depth - 1100mm

COLLABORATE MINI

Black Frame

BCOLMIN



COLLABORATE MINI

White Frame

WCOLMIN







COLLABORATE

Bringing teams together in a healthy way.

The Collaborate meeting table is a robust 4 motor solution to creating an active working environment, increasing creativity and productivity. A magnificent centrepiece for any progressive meeting space.

Forming constructive collaboration.



COLLABORATE

PRODUCT DETAILS

[VIEW ONLINE](#) 
[Web page](#)
[Images](#)
[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width

2390mm

Height Range (Inc. 25mm Top)

680 - 1170mm (± 5mm)

Stroke

490mm

Frame Depth

1190mm

Leg Profile

50mm

Max Even Load Capacity

160kg

Frame Weight

47kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Speed

30mm per second

Standby Power

<0.3 W

Max Operational Power

600W

Programmable Min/Max Height

N/A

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Sizes (Made To Order)

Bespoke

Width - 2400mm

Depth - 1200mm

PACKAGING

Frame

Size - 780 x 310 x 310mm x 2

2100 x 150 x 150mm x 1

Weight - 53kg (total)

Quantity - 3 (total)

INSTALLATION

Build Time (per unit)

40 - 60 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Collaborate height adjustable table is a unique system featuring 4 heavy duty concealed motors with soft touch switching. This prestigious designer meeting and conference table gives an opportunity for endless applications from board meetings to events.

Available in 3 frame colours and highly customisable top solutions for a truly unique meeting experience.

FEATURES



Height Range: 680 - 1170mm



5 Year Guarantee



Speed: 30mm Per Second



Next Day Delivery




Load Capacity: 160kg




Quadruple Motor Desk

FRAME OPTIONS



Black
RAL 9005



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



COLLABORATE

FRAME OPTIONS

RAL 9005




RAL 9006



RAL 9016



FRAME – STOCK



Frame Width - 1190mm

Frame Width - 2390mm

TOPS – BESPOKE



Top Width - 2400mm

Top Depth - 1200mm

COLLABORATE

Black Frame


BCOL



COLLABORATE

Silver Frame


SCOL



COLLABORATE

White Frame

WCOL







TEAM

The opportunity for true distinction.

The Team height adjustable table offers endless opportunity for creating a unique, bespoke stamp on all meeting areas, with made-to-order surfaces in an unlimited number of shapes, styles, textures and sizes.

Dream big, we have it covered.



TEAM

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

2350 - 3530mm

Height Range (Inc. 25mm Top)

625 - 1285mm (± 5mm)

Stroke

660mm

Side Bracket Depth

740mm

Foot Depth

890mm

Max Even Load Capacity

160kg

Total Frame Weight

48kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

40mm per second

Standby Power

<0.3 W

Max Operational Power

410W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Sizes (Made to Order)

Bespoke

Width - 2400 - 5000mm

Depth - 900 - 1500mm

PACKAGING

Frame

Size - 840 x 380 x 120mm x 2

1000 x 200 x 200mm x 1

Weight - 54kg (total)

Quantity - 3 (total)

INSTALLATION

Build Time (per unit)

40 - 60 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Team meeting and conference table is a versatile triple motor frame system, easily adjustable to allow the fitting of tops from 2 to 5 metres in length. The table will transform any meeting facility.

Available in 4 frame colours with the option of a large range of customisable top decors.

FEATURES



Height Range: 625 - 1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 160kg




Triple Motor Desk

STOCK FRAME COLOURS



Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



TEAM

FRAME OPTIONS

RAL 9005




RAL 9006



RAL 9016



FRAME - STOCK



Frame Minimum Width - 2350mm
Frame Maximum Width - 3530mm

TOPS - BESPOKE



Top Minimum Width - 2400mm
Top Maximum Width - 5000mm
Top Minimum Depth - 900mm
Top Maximum Depth - 1500mm

TEAM

Black Frame

BTEA



TEAM

Silver Frame

STEA



TEAM

White Frame

WTEA







ADVANCE MEETING TABLE

The height adjustable, agile,
networking table.

As an ally to progressive, forward thinking companies, the Advance height adjustable meeting tables are a functional solution to transform traditional mediocrity into thriving, energetic and healthy collaboration. The answer to agile, dynamic meetings.

Suitable for all users.



ADVANCE MEETING TABLE

PRODUCT DETAILS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

FRAME

Guarantee

5yrs

Frame Width Adjustment

1150-1740mm

Height Range (Inc. 25mm Top)

625mm - 1285mm (± 5mm)

Stroke

660mm

Side Bracket Depth

540mm

Foot Depth

690mm

Max Even Load Capacity

120kg

Total Frame Weight

29kg

Operational Life

10,000 cycles at full rated load

Voltage

230V AC Input, 24V DC operation

Operational Speed

40mm per second

Standby Power

<0.3 W

Max Operational Power

300W

Programmable Min/Max Height

Yes

Duty Cycle

10% - 2mins on, 18mins off

Noise Level

<42 dB

Anti-Collision

Yes

Compliance

UKCA and CE Conformity

Machine Directive 2006/42/EC

EMC Directive 2014/30EU

Low Voltage Directive 2014/35/EC

REACH, WEEE and RoHS 3 2015/863

EN 527-1:2011 Type A, EN 527-2:2016

ISO 21016

UL 962 ETL Listed

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

2400 x 1000mm D-End

2400 x 1000mm Barrel Style

PACKAGING

Frame

Size - 840 x 380 x 120mm

Weight - 31kg

Quantity - 1

Top (size dependent)

Size - 2500 x 1100 x 30mm

Weight - 37kg

Quantity - 1

INSTALLATION

Build Time (per unit)

20 - 30 mins


Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Advance Meeting Table is a versatile two-legged twin motor meeting table for smaller boardrooms and collaborative areas where standing up for meetings provides a lively atmosphere.

Available with 2.4 x 1.0 metre Barrel style and D-End shape tops in our full range of décor options and 4 frame colours.

FEATURES



Height Range: 625mm-1285mm



5 Year Guarantee



Speed: 40mm Per Second



Next Day Delivery



Load Capacity: 120kg




Dual Motor Desk

STOCK FRAME COLOURS




Black
RAL 9005



Anthracite
Metallic



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



ADVANCE MEETING TABLE

D-END AND BARREL STYLE

RAL 9005



BLACK FRAME

EXAMPLE: BLACK FRAME
WITH D-END BEECH TOP



RAL 9006



SILVER FRAME

EXAMPLE: SILVER FRAME
WITH BARREL OAK TOP



RAL 9016



WHITE FRAME

EXAMPLE: WHITE FRAME
WITH D-END WALNUT TOP



D-END



Stock size 2400 x 1000mm

	Black frame	Silver frame	White frame
BLACK	BADVM/D24001000BLA	SADVM/D24001000BLA	WADVM/D24001000BLA
GRAPHITE	BADVM/D24001000GRA	SADVM/D24001000GRA	WADVM/D24001000GRA
GREY	BADVM/D24001000GRY	SADVM/D24001000GRY	WADVM/D24001000GRY
WHITE	BADVM/D24001000WHI	SADVM/D24001000WHI	WADVM/D24001000WHI
WENGE	BADVM/D24001000WEN	SADVM/D24001000WEN	WADVM/D24001000WEN
ANTHRACITE SHERMAN OAK	BADVM/D24001000ASO	SADVM/D24001000ASO	WADVM/D24001000ASO
NATURAL DIJON WALNUT	BADVM/D24001000NDW	SADVM/D24001000NDW	WADVM/D24001000NDW
TIMBER	BADVM/D24001000TIM	SADVM/D24001000TIM	WADVM/D24001000TIM
GREY NEBRASKA OAK	BADVM/D24001000GNO	SADVM/D24001000GNO	WADVM/D24001000GNO
BEECH	BADVM/D24001000BEE	SADVM/D24001000BEE	WADVM/D24001000BEE
OAK	BADVM/D24001000OAK	SADVM/D24001000OAK	WADVM/D24001000OAK
MAPLE	BADVM/D24001000MAP	SADVM/D24001000MAP	WADVM/D24001000MAP
CASCINA PINE	BADVM/D24001000CAS	SADVM/D24001000CAS	WADVM/D24001000CAS
BLACK PLY EDGE	BADVM/D24001000BLA/PE	SADVM/D24001000BLA/PE	WADVM/D24001000BLA/PE
GRAPHITE PLY EDGE	BADVM/D24001000GRA/PE	SADVM/D24001000GRA/PE	WADVM/D24001000GRA/PE
WHITE PLY EDGE	BADVM/D24001000WHI/PE	SADVM/D24001000WHI/PE	WADVM/D24001000WHI/PE
CONCRETE	BADVM/D24001000CON	SADVM/D24001000CON	WADVM/D24001000CON
FERRO BRONZE	BADVM/D24001000FER	SADVM/D24001000FER	WADVM/D24001000FER


BARREL




Stock size 2400 x 1000mm

	Black frame	Silver frame	White frame
BLACK	BADVM/B24001000BLA	SADVM/B24001000BLA	WADVM/B24001000BLA
GRAPHITE	BADVM/B24001000GRA	SADVM/B24001000GRA	WADVM/B24001000GRA
GREY	BADVM/B24001000GRY	SADVM/B24001000GRY	WADVM/B24001000GRY
WHITE	BADVM/B24001000WHI	SADVM/B24001000WHI	WADVM/B24001000WHI
WENGE	BADVM/B24001000WEN	SADVM/B24001000WEN	WADVM/B24001000WEN
ANTHRACITE SHERMAN OAK	BADVM/B24001000ASO	SADVM/B24001000ASO	WADVM/B24001000ASO
NATURAL DIJON WALNUT	BADVM/B24001000NDW	SADVM/B24001000NDW	WADVM/B24001000NDW
TIMBER	BADVM/B24001000TIM	SADVM/B24001000TIM	WADVM/B24001000TIM
GREY NEBRASKA OAK	BADVM/B24001000GNO	SADVM/B24001000GNO	WADVM/B24001000GNO
BEECH	BADVM/B24001000BEE	SADVM/B24001000BEE	WADVM/B24001000BEE
OAK	BADVM/B24001000OAK	SADVM/B24001000OAK	WADVM/B24001000OAK
MAPLE	BADVM/B24001000MAP	SADVM/B24001000MAP	WADVM/B24001000MAP
CASCINA PINE	BADVM/B24001000CAS	SADVM/B24001000CAS	WADVM/B24001000CAS
BLACK PLY EDGE	BADVM/B24001000BLA/PE	SADVM/B24001000BLA/PE	WADVM/B24001000BLA/PE
GRAPHITE PLY EDGE	BADVM/B24001000GRA/PE	SADVM/B24001000GRA/PE	WADVM/B24001000GRA/PE
WHITE PLY EDGE	BADVM/B24001000WHI/PE	SADVM/B24001000WHI/PE	WADVM/B24001000WHI/PE
CONCRETE	BADVM/B24001000CON	SADVM/B24001000CON	WADVM/B24001000CON
FERRO BRONZE	BADVM/B24001000FER	SADVM/B24001000FER	WADVM/B24001000FER

SEE PAGE 224
FOR DESKTOP
DÉCOR DETAILS





BOOST

The high-quality gas-lift table.

The Boost is a neat occasional table with an efficient and easy to use gas-lift operation. A practical way of combatting sedentary living, and provides a flexible solution for breakout areas, receptions, and offices.

The simple and power-free agile table.



BOOST

PRODUCT DETAILS

[VIEW ONLINE](#) [Web page](#)[Images](#)[Case Studies](#)

FRAME

Guarantee

5yrs

Height Range (Inc. 25mm Top)

630 - 1080mm (± 5mm)

Stroke

450mm

Base Footprint

540 x 540mm Standard (round/square top)**640 x 450mm Rectangle**

Total Frame Weight

12kg Standard**14kg Rectangle**

Voltage

N/A

Operational Speed

N/A

Standby Power

N/A

Max Operational Power

N/A

Duty Cycle

N/A

Noise Level

N/A

Compliance

UKCA and CE Conformity

DESKTOP

Guarantee

5yrs

Material

25mm MFC

Edging

2mm ABS

Compliance

FSC Certified

Stock Sizes

Round - 700 Diameter**Square - 700 x 700mm****Rectangle - 900 x 600mm**

PACKAGING

Frame

Size - 700 x 300 x 300mm x 1**700 x 500 x 100mm x 1****Weight - 14 - 16kg (total)****Quantity - 2 (total)**

Top (size dependent)

Size - (1100 - 1200) x 800 x 30mm**Weight - 8 - 11kg****Quantity - 1**

INSTALLATION

Build Time (per unit)

15 - 20 mins

Suitable for self-assembly

Yes

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 



The Boost is a single column gas lift height adjustable table for use in breakout areas, canteens, and in any situation where an easily portable solution is required.

Available with a circular, square or rectangular top in 3 frame colours and our full range of décors.

FEATURES



Height Range: 630 - 1080mm



5 Year Guarantee




Speed: 40mm Per Second (Gas)




Next Day Delivery

STOCK FRAME COLOURS



Black
RAL 9005



Silver
RAL 9006



White
RAL 9016

SUSTAINABILITY



BOOST

STANDARD & RECTANGLE

RAL 9005



BLACK FRAME

EXAMPLE: BLACK STANDARD FRAME
WITH ROUND WHITE TOP



RAL 9006



SILVER FRAME

EXAMPLE: SILVER STANDARD FRAME
WITH SQUARE GREY NEBRASKA OAK TOP



RAL 9016



WHITE FRAME

EXAMPLE: WHITE RECTANGLE FRAME
WITH RECTANGLE GRAPHITE TOP



BOOST STANDARD  Round top 700mm diameter

	Black frame	Silver frame	White frame
BLACK	BBOOS/700DBLA	SBOOS/700DBLA	WBOOS/700DBLA
GRAPHITE	BBOOS/700DGRA	SBOOS/700DGRA	WBOOS/700DGRA
GREY	BBOOS/700DGRY	SBOOS/700DGRY	WBOOS/700DGRY
WHITE	BBOOS/700DWHI	SBOOS/700DWHI	WBOOS/700DWHI
WENGÉ	BBOOS/700DWEN	SBOOS/700DWEN	WBOOS/700DWEN
ANTHRACITE SHERMAN OAK	BBOOS/700DASO	SBOOS/700DASO	WBOOS/700DASO
NATURAL DIJON WALNUT	BBOOS/700DNDW	SBOOS/700DNDW	WBOOS/700DNDW
TIMBER	BBOOS/700DTIM	SBOOS/700DTIM	WBOOS/700DTIM
GREY NEBRASKA OAK	BBOOS/700DGNO	SBOOS/700DGNO	WBOOS/700DGNO
BEECH	BBOOS/700DBEE	SBOOS/700DBEE	WBOOS/700DBEE
OAK	BBOOS/700DOAK	SBOOS/700DOAK	WBOOS/700DOAK
MAPLE	BBOOS/700DMAP	SBOOS/700DMAP	WBOOS/700DMAP
CASCINA PINE	BBOOS/700DCAS	SBOOS/700DCAS	WBOOS/700DCAS
BLACK PLY EDGE	BBOOS/700DBLA/PE	SBOOS/700DBLA/PE	WBOOS/700DBLA/PE
GRAPHITE PLY EDGE	BBOOS/700DGRA/PE	SBOOS/700DGRA/PE	WBOOS/700DGRA/PE
WHITE PLY EDGE	BBOOS/700DWHI/PE	SBOOS/700DWHI/PE	WBOOS/700DWHI/PE
CONCRETE	BBOOS/700DCON	SBOOS/700DCON	WBOOS/700DCON
FERRO BRONZE	BBOOS/700DFER	SBOOS/700DFER	WBOOS/700DFER

BOOST STANDARD  Square top 700 x 700mm

	Black frame	Silver frame	White frame
BLACK	BBOOS/700700BLA	SBOOS/700700BLA	WBOOS/700700BLA
GRAPHITE	BBOOS/700700GRA	SBOOS/700700GRA	WBOOS/700700GRA
GREY	BBOOS/700700GRY	SBOOS/700700GRY	WBOOS/700700GRY
WHITE	BBOOS/700700WHI	SBOOS/700700WHI	WBOOS/700700WHI
WENGÉ	BBOOS/700700WEN	SBOOS/700700WEN	WBOOS/700700WEN
ANTHRACITE SHERMAN OAK	BBOOS/700700ASO	SBOOS/700700ASO	WBOOS/700700ASO
NATURAL DIJON WALNUT	BBOOS/700700NDW	SBOOS/700700NDW	WBOOS/700700NDW
TIMBER	BBOOS/700700TIM	SBOOS/700700TIM	WBOOS/700700TIM
GREY NEBRASKA OAK	BBOOS/700700GNO	SBOOS/700700GNO	WBOOS/700700GNO
BEECH	BBOOS/700700BEE	SBOOS/700700BEE	WBOOS/700700BEE
OAK	BBOOS/700700OAK	SBOOS/700700OAK	WBOOS/700700OAK
MAPLE	BBOOS/700700MAP	SBOOS/700700MAP	WBOOS/700700MAP
CASCINA PINE	BBOOS/700700CAS	SBOOS/700700CAS	WBOOS/700700CAS
BLACK PLY EDGE	BBOOS/700700BLA/PE	SBOOS/700700BLA/PE	WBOOS/700700BLA/PE
GRAPHITE PLY EDGE	BBOOS/700700GRA/PE	SBOOS/700700GRA/PE	WBOOS/700700GRA/PE
WHITE PLY EDGE	BBOOS/700700WHI/PE	SBOOS/700700WHI/PE	WBOOS/700700WHI/PE
CONCRETE	BBOOS/700700CON	SBOOS/700700CON	WBOOS/700700CON
FERRO BRONZE	BBOOS/700700FER	SBOOS/700700FER	WBOOS/700700FER

BOOST RECTANGLE  Rectangle top 900 x 600mm

	Black frame	Silver frame	White frame
BLACK	BBOOR/900600BLA	SBOOR/900600BLA	WBOOR/900600BLA
GRAPHITE	BBOOR/900600GRA	SBOOR/900600GRA	WBOOR/900600GRA
GREY	BBOOR/900600GRY	SBOOR/900600GRY	WBOOR/900600GRY
WHITE	BBOOR/900600WHI	SBOOR/900600WHI	WBOOR/900600WHI
WENGÉ	BBOOR/900600WEN	SBOOR/900600WEN	WBOOR/900600WEN
ANTHRACITE SHERMAN OAK	BBOOR/900600ASO	SBOOR/900600ASO	WBOOR/900600ASO
NATURAL DIJON WALNUT	BBOOR/900600NDW	SBOOR/900600NDW	WBOOR/900600NDW
TIMBER	BBOOR/900600TIM	SBOOR/900600TIM	WBOOR/900600TIM
GREY NEBRASKA OAK	BBOOR/900600GNO	SBOOR/900600GNO	WBOOR/900600GNO
BEECH	BBOOR/900600BEE	SBOOR/900600BEE	WBOOR/900600BEE
OAK	BBOOR/900600OAK	SBOOR/900600OAK	WBOOR/900600OAK
MAPLE	BBOOR/900600MAP	SBOOR/900600MAP	WBOOR/900600MAP
CASCINA PINE	BBOOR/900600CAS	SBOOR/900600CAS	WBOOR/900600CAS
BLACK PLY EDGE	BBOOR/900600BLA/PE	SBOOR/900600BLA/PE	WBOOR/900600BL/PE
GRAPHITE PLY EDGE	BBOOR/900600GRA/PE	SBOOR/900600GRA/PE	WBOOR/900600GRA/PE
WHITE PLY EDGE	BBOOR/900600WHI/PE	SBOOR/900600WHI/PE	WBOOR/900600WHI/PE
CONCRETE	BBOOR/900600CON	SBOOR/900600CON	WBOOR/900600CON
FERRO BRONZE	BBOOR/900600FER	SBOOR/900600FER	WBOOR/900600FER





DESKTOPS

Inspired surfaces for maximum impact.

From our large premium range of stock desktops through to an endless bespoke offering, we have every work surface covered. Intelligent surfaces, bold textures and elegant woodgrains that add character and functionality to any working environment.

Get creative.




STOCK DESKTOPS

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)



Our stock range of desktops is manufactured using the highest grade MFC from the Egger® and Kronospan® décor portfolio.

Lavoro offer 18 inspiring stock décors covering all popular sizes. Woodgrains, solid colours, innovative textures and Scandinavian style ply edge profile options make up a comprehensive and unrivalled offering.

PRODUCT DETAILS

Guarantee

5 yrs

Material

25mm MFC

Edging

2mm ABS

Weight (size dependant)

6 - 37kg

Compliance

FSC Certified

PACKAGING

Top (size dependant)

Size - (1100 - 2500) x (700 - 1200) x 30mm

Weight - 8 - 42kg

Quantity - 1

SAMPLES

Order free desktop décor samples at

www.lavorodesign.com/samples 

FEATURES




5 Year Guarantee



Next Day Delivery

SUSTAINABILITY





RECTANGLE

Stock sizes

800 x 600mm	800600XXX
900 x 600mm	900600XXX
1000 x 600mm	1000600XXX
1200 x 700mm	1200700XXX
1200 x 800mm	1200800XXX
1400 x 700mm	1400700XXX
1400 x 800mm	1400800XXX
1600 x 700mm	1600700XXX
1600 x 800mm	1600800XXX
1800 x 800mm	1800800XXX

XXX = Décor code



SQUARE

Stock sizes

700 x 700mm	700700XXX
-------------	-----------



ROUND

Stock sizes


700 diameter	700DXXX
--------------	---------



BARREL

Stock size

2400 x 1000mm	B24001000XXX
---------------	--------------



D-END

Stock size

2400 x 1000mm	D24001000XXX
---------------	--------------

XXX = Décor code

STOCK DÉCOR

BLACK EGGER U999	BLA
GRAPHITE KRONOSPAN 0162	GRA
GREY EGGER U708 ST2	GRY
WHITE EGGER W980 ST2	WHI
WENGE EGGER H1137	WEN
ANTHRACITE SHERMAN OAK EGGER H1346	ASO
NATURAL DIJON WALNUT EGGER H3734	NDW
TIMBER EGGER H1487	TIM
GREY NEBRASKA OAK EGGER H3332	GNO
BEECH KRONOSPAN D381	BEE
OAK EGGER H1334	OAK
MAPLE KRONOSPAN D375	MAP
CASCINA PINE EGGER H1401	CAS
CONCRETE EGGER F186	CON
FERRO BRONZE EGGER F302	FER
BLACK PLY EDGE KRONOSPAN U999	BLA/PE
GRAPHITE PLY EDGE KRONOSPAN 0162	GRA/PE
WHITE PLY EDGE KRONOSPAN K101	WHI/PE

PREMIUM STOCK DESKTOPS

FENIX®

The latest in work surface innovation. Fenix® NTM high-tech laminate is a smart material with anti-fingerprint and thermal healing of superficial micro-scratches. Combine this with the aesthetically pleasing soft-touch matt finish and you get visually comforting desktop with very low light reflectivity.

Built on a 25mm MDF core structure with laser applied ABS edging for a precision finish.

Available from stock in 3 colours; Bianco Kos, Grigio Antrim and Nero Ingo. Other colours in the Fenix® range are available to order.

NERO INGO - BLACK

600 x 800mm	L/600800FEN-NI
1000 x 600mm	L/1000600FEN-NI
1200 x 700mm	L/1200700FEN-NI
1200 x 800mm	L/1200800FEN-NI
1400 x 700mm	L/1400700FEN-NI
1400 x 800mm	L/1400800FEN-NI
1600 x 700mm	L/1600700FEN-NI
1600 x 800mm	L/1600800FEN-NI
1800 x 800mm	L/1800800FEN-NI



GRIGIO ANTRIM - GREY

600 x 800mm	L/600800FEN-GA
1000 x 600mm	L/1000600FEN-GA
1200 x 700mm	L/1200700FEN-GA
1200 x 800mm	L/1200800FEN-GA
1400 x 700mm	L/1400700FEN-GA
1400 x 800mm	L/1400800FEN-GA
1600 x 700mm	L/1600700FEN-GA
1600 x 800mm	L/1600800FEN-GA
1800 x 800mm	L/1800800FEN-GA



BIANCO KOS - WHITE

600 x 800mm	L/600800FEN-BK
1000 x 600mm	L/1000600FEN-BK
1200 x 700mm	L/1200700FEN-BK
1200 x 800mm	L/1200800FEN-BK
1400 x 700mm	L/1400700FEN-BK
1400 x 800mm	L/1400800FEN-BK
1600 x 700mm	L/1600700FEN-BK
1600 x 800mm	L/1600800FEN-BK
1800 x 800mm	L/1800800FEN-BK



[VIEW ONLINE](#) 

[Web page](#) [Images](#) [Case Studies](#)

REAL WOOD VENEER

Bringing to you the warmth of real wood. These engineered desktops are finished in 3 different wood veneers that each bring an authentic tone to your desk. Finished with matt lacquer for a smooth durable surface.

Available in natural Ash, prime Oak and rich Walnut.

Built on a 25mm MDF core structure with matching real wood edging.

ASH

600 x 800mm	V/600800ASH
1000 x 600mm	V/1000600ASH
1200 x 700mm	V/1200700ASH
1200 x 800mm	V/1200800ASH
1400 x 700mm	V/1400700ASH
1400 x 800mm	V/1400800ASH
1600 x 700mm	V/1600700ASH
1600 x 800mm	V/1600800ASH
1800 x 800mm	V/1800800ASH



OAK

600 x 800mm	V/600800OAK
1000 x 600mm	V/1000600OAK
1200 x 700mm	V/1200700OAK
1200 x 800mm	V/1200800OAK
1400 x 700mm	V/1400700OAK
1400 x 800mm	V/1400800OAK
1600 x 700mm	V/1600700OAK
1600 x 800mm	V/1600800OAK
1800 x 800mm	V/1800800OAK



WALNUT

600 x 800mm	V/600800WAL
1000 x 600mm	V/1000600WAL
1200 x 700mm	V/1200700WAL
1200 x 800mm	V/1200800WAL
1400 x 700mm	V/1400700WAL
1400 x 800mm	V/1400800WAL
1600 x 700mm	V/1600700WAL
1600 x 800mm	V/1600800WAL
1800 x 800mm	V/1800800WAL



PREMIUM STOCK DESKTOPS

RECLAIMED SCAFFOLD BOARD

The unique vintage look. Using Reclaimed Scaffold Board planks, these timber tops are expertly finished to give a truly authentic look. Featuring natural knots with wear and tear marks, each top is planed and sanded to give a smooth-to-touch surface with a matt lacquer finish whilst preserving unique features.

Solid 33mm (+/-) thickness with natural finished edges. Inset metal batons on the underside of the desktop give structural strength to the natural planked wood.

600 x 800mm	S/600800SCA
1000 x 600mm	S/1000600SCA
1200 x 700mm	S/1200700SCA
1200 x 800mm	S/1200800SCA
1400 x 700mm	S/1400700SCA
1400 x 800mm	S/1400800SCA
1600 x 700mm	S/1600700SCA
1600 x 800mm	S/1600800SCA
1800 x 800mm	S/1800800SCA



SOLID CHARACTER OAK

For the real wood purist. Solid Oak with huge character featuring natural knots and full depth of grain variation from multiple planks. Expertly finished with matt lacquer for a smooth refined touch.

Solid 25mm (+/-) thickness with natural finished edges. Inset metal batons on underside of desktop give structural strength to the natural planked wood.

600 x 800mm	S/600800OAK
1000 x 600mm	S/1000600OAK
1200 x 700mm	S/1200700OAK
1200 x 800mm	S/1200800OAK
1400 x 700mm	S/1400700OAK
1400 x 800mm	S/1400800OAK
1600 x 700mm	S/1600700OAK
1600 x 800mm	S/1600800OAK
1800 x 800mm	S/1800800OAK



BESPOKE DESKTOPS

WE CAN REALISE YOUR VISION.

With in-house CNC machinery and design technology, we are able to design and manufacture desktops to suit any application whether led by function or design.

Our in-house research and design team can work with your needs and requirements.

STRUCTURE & SURFACES

We can work with a vast range of materials to match your brief including;

- > Laminates
- > Linoleum
- > Ply Core
- > Solid Woods
- > Engineered Wood Veneers



CUSTOM FORMWORK

To meet design, safety and practical aspects we can deliver desktops with custom shape work including;

- > Scallops
- > Radius Corners
- > Chamfered Edges
- > Built-down Edges
- > Radial Tops

DÉCORS & FINISHES

For inspiration on colours and finishes we recommend you visit the websites of our primary décor partners.



www.egger.com



www.kronospan-express.com



www.fenixforinteriors.com





VAULT

Concealed, effective secure storage.

The Vault is a creative resolution of the storage challenge facing all workstation users. A lockable drawer, designed to take personal belongings, laptops, keys and stationery. Available in multiple size and colour options.

For a discreet, organised workstation.



VAULT


UNDER DESK DRAWER

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)



The Vault is designed to complement the agile office. With its lockable drawer and smooth runner glide system, this is perfect for storing phones, keys, tablets and wallets in a hot desk environment.

Available in 3 décors and suitable for fitting to most Lavoro desks.

PRODUCT DETAILS

Guarantee

5yrs

Material

DC01 Epoxy Powder Coated Steel

Weight

2kg

Depth (external / internal)

Medium 265 / 250mm

Large 315 / 300mm

Height

45mm

Width (external / internal)

Medium 500 / 435mm

Large 700 / 635mm

Colour Options

White, Silver, Black

Lockable

Yes

Compatibility

Advance, Advance Corner, Forge, Forge Corner, Cromo, Cromo Corner, Zero, Five, Solo, Duo

* Large only compatible with 800mm desktops

PACKAGING

Drawer

Size - 700 x 400 x 70mm

Weight - 3 - 4kg

Quantity - 1

INSTALLATION

Build Time (per unit)

5 mins

Suitable for self-assembly

Yes

FEATURES



5 Year Guarantee



Next Day Delivery

VAULT - BLACK

Medium	VAU500/BLA
Large	VAU700/BLA

RAL 9005



VAULT - SILVER

Medium	VAU500/SIL
Large	VAU700/SIL

RAL 9006



VAULT - WHITE

Medium	VAU500/WHI
Large	VAU700/WHI

RAL 9016







FORM

The precision engineered pedestal.

The Form features soft-close glides and super smooth operation. Available in traditional and slimline sizes and designed specifically for use with height adjustable desks without the risk of framework collision.

Solid, quality and durable.



FORM


UNDER DESK DRAWER

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)



The Form is a high quality Italian manufactured pedestal, designed to sit seamlessly below all height adjustable desks without danger of collision when lowered. With soft close, lockable drawers, anti-tilt mechanism and a ball bearing runner system for a smooth, safe operation.

Available with 2 or 3 drawers, 2 widths and 3 colours. Fitted with lockable castors, an internal stationery tray and a durable surface finish.

PRODUCT DETAILS

Guarantee

5yrs

Material

DC01 Epoxy Powder Coated Steel

Weight

23kg (3 Drawer) 21.5kg (2 Drawer)

Depth

542mm

Height

535mm

Width

422mm / Slimline 322mm

Colour Options

White, Silver, Black

Lockable

Yes

Compatibility

All Desks

PACKAGING

Pedestal

Size - 700 x 600 x 600mm

Weight - 26kg

Quantity - 1

INSTALLATION

Build Time (per unit)

10 mins

Suitable for self-assembly

Yes

FEATURES



5 Year Guarantee



Next Day Delivery

FORM – BLACK

2 Drawer	2FRM/BLA
3 Drawer	3FRM/BLA
3 Drawer Slimline	S3FRM/BLA

RAL 9005



FORM – SILVER

2 Drawer	2FRM/SIL
3 Drawer	3FRM/SIL
3 Drawer Slimline	S3FRM/SIL

RAL 9006



FORM – WHITE

2 Drawer	2FRM/WHI
3 Drawer	3FRM/WHI
3 Drawer Slimline	S3FRM/WHI

RAL 9016



CABLE MANAGEMENT

[VIEW ONLINE](#)

[Web page](#) [Images](#) [Case Studies](#)

CABLE TRAYS

The Lavoro range of cable trays and baskets is designed to keep the working area tidy and clutter free.

CABLE MANAGEMENT TRAY

This can be fitted directly to the frame of the Advance, Zero, Cromo, Forge, Mini and Duo or top fixed to all other desk ranges. Telescopically adjustable in length, this Cable Tray is manufactured from heavy gauge steel and is hinged to enable easy access to wiring and sockets. Optional End caps are available to ensure a neat finish when the desk is placed at the end of a run.



PRODUCT DETAILS

Dimensions	L 980-1715mm W (internal) 130mm D (internal) 90mm
Telescopic to suit all desks	Yes
Fixes directly to frame	Yes
Suitable for all Advance and Duo desks	Yes

CABLE MANAGEMENT TRAY

Anthracite	ACT
End Covers	ACTC



CABLE MANAGEMENT TRAY

Black	BCT
End Covers	BCTC



CABLE MANAGEMENT TRAY

Silver	SCT
End Covers	SCTC



CABLE MANAGEMENT TRAY

White	WCT
End Covers	WCTC



CABLE MANAGEMENT TRAY

Raw Steel	FCT
End Covers	FCTC



CABLE MANAGEMENT

WIRE CABLE TRAY


Available to fit all Lavoro desks, this one-piece wire Cable Tray is easily fixed directly to the desktop with woodscrews through the integral brackets.

PRODUCT DETAILS

Dimensions	L 930mm W 130mm D 115mm
Fixes directly into underside of desk top	Yes
Suitable for all Lavoro desks	Yes



WIRE CABLE TRAY
Black BWCT



WIRE CABLE TRAY
White WWCT



WIRE CABLE TRAY
Silver SWCT



CABLE SPINES

An added aid to maintaining tidiness and the sharp appearance of the desk, these Cable Spines are fully adjustable to accommodate to any height adjustable desk of up to 1300mm, with removable segments to accommodate any desk height. With a weighted base, this spine will stay in place under all conditions.



CABLE SPINE
Black BCS/PRO
Silver SCS/PRO
White WCS/PRO



CABLE MANAGEMENT

[VIEW ONLINE](#) 

[Web page](#) [Images](#) [Case Studies](#)

CABLE PORTS

Cable Ports are a great option to manage cable routing and access through the desktop. Specified to the client's needs, these can be situated in any position within the desktop and are CNC drilled in our factory.

EXECUTIVE CABLE PORTS

Achieve a premium appearance and feel to the desktop surface with our Executive Cable Ports, manufactured from high grade, powder-coated steel. Available in a Matt Black or Brushed Nickel finish.



EXECUTIVE CABLE PORT
Matt Black [ECP/MBLA](#)



EXECUTIVE CABLE PORT
Brushed Nickel [ECP/BNIC](#)



CABLE TIDY PORTS & CLIPS

Cable Tidy Ports are manufactured in ABS for durability, with a sliding cover to enhance appearance.

Cable Clips are an excellent way of keeping excess wiring tidy, and are easily fitted to the underside of the desktop with adhesive pads.

CABLE TIDY PORT
Black [CP/BLA](#)
Grey [CP/GRY](#)
White [CP/WHI](#)

CABLE CLIPS (4 PACK)
[DCC](#)



RECTANGULAR CABLE PORTS

Rectangular steel cable ports feature a stylish long, thin design for managing multiple cables. Best placed centrally in width at the back of the desktop.

RECTANGULAR CABLE PORT
Black [DCT/BLA](#)
Silver [DCT/SIL](#)



DESK OPERATION

4 WAY MEMORY CONTROL

Our 4 Way Memory Controller is an attractive addition for customers requiring specific height memory settings. With its blue LCD display, this Controller will enhance the look of the desk and allow 4 settings to be stored for convenience.

Dimensions	120 x 20mm
Guarantee	5 Yrs
LCD display	Yes
Height settable	Yes
Height settings	4
Compatibility	All desk models
Code	CON4



STANDARD HAND CONTROL

All electrically adjustable desks are supplied with a soft touch up/down switch as standard.

Dimensions	55 x 30mm
Compatibility	All desk models
Code	CONS



BLUETOOTH OPERATION

Bluetooth technology allows the user to operate their desk with an app on their smartphone, using features that provide enhanced functionality and health benefits. The desk can be configured for Bluetooth operation on its own or in conjunction with a hand control using the splitter cable included.

BLUETOOTH CONTROL DONGLE

Compatibility	All desk models
App availability	Android, iOS
Height memory settings	2
Sit-stand cycle programs	Yes
Activity tracking	Yes
Code	CON/BT



POWER & CHARGING

[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

WIRELESS CHARGERS

Desktop-integrated wireless chargers allow the user to simply and quickly charge their Qi enabled device. Integration into CNC drilled portholes and a slim profile make these both aesthetic and functional.

80MM WIRELESS CHARGER

Fitting into an 80mm industry standard cut-out, these chargers are a statement piece in a desktop with a gloss surface, and provide seamless and efficient charging. Powered by a 3-pin UK plug with micro USB connection.

80MM WIRELESS CHARGER

Matt Black [WC/MBLA](#)

Matt White [WC/MWHI](#)



60MM PREMIUM WIRELESS CHARGER

The 60mm Premium Wireless Charger is a compact charger, powered using Wieland connections for an exceptional charging speed. 3 outer finishing rings in different colours are included.

60MM PREMIUM WIRELESS CHARGER

Matt Black with 3 Finishing Rings [WC/PRE](#)



POWER & CHARGING

POWER MODULES

In desk and under desk power units provide an organised and efficient power source, minimising loose cables and making for organised power distribution to the user.

IN DESK POWER MODULES

Available as 13A three pin socket only or in combination with USB A and C smart charge and power outlets, these units fit neatly into a standard 80mm cable port desktop cut-out. Fitted with a spare 13A fuse and integral blue LED lighting indicating power to the unit, these are a neat addition to any desk.



POWER MODULE WITH 3 PIN UK SOCKET

IN DESK POWER

Black

PM1S/BLA



IN DESK POWER

White

PM1S/WHI



POWER MODULE WITH 3 PIN UK SOCKET AND TWIN USB SMART CHARGE

IN DESK POWER (USB)

Black

PM1USB/BLA



IN DESK POWER (USB)

White

PM1USB/WHI



UNDER DESK POWER

Extension Blocks, Power and Connector Leads are a convenient method of neatly bringing power to the desk for distribution to monitors, laptops and other on-desk equipment. Extension Blocks have 4 outlets and compatible Connector Leads in a number of lengths. Power Cables are the safest way to bring electrical power to the desk, avoiding a profusion of trailing cables.



4 GANG EXTENSION BLOCK

UPM4

CONNECTOR LEAD

0.5m

WCC500

1m

WCC1000

2m

WCC2000



POWER CABLE

2m

WSC2000

3m

WSC3000

5m

WSC5000



MONITOR ARMS

[VIEW ONLINE](#)

[Web page](#) [Images](#) [Case Studies](#)

SINGLE & TWIN ARM

Lavoro Monitor Arms are an essential accessory for all desk users. With extensive height, tilt and swivel adjustment, these Monitor Arms will enable the employer to comply with Display Screen Equipment regulations. Fitted with VESA compatible plates for both 75 and 100mm fixing plates.

Available in both single and double arm configurations, these are supplied with both through desk and clamp fixing options

PRODUCT DETAILS

Weight capacity	Single – 20Kg Twin – 26Kg (13Kg Per Arm)
Adjustable height	Yes
Vesa plate fixing	Universal 75mm & 100mm
Top clamp fix	Yes
Through desk fix	Yes
Pole height	455mm
Maximum arm reach	410mm
Integrated cable management	Yes
Screen size	17 - 30"
Tilt range	+80 to - 80°
Swivel range	+100 to - 100°
Rotation	360°



SINGLE MONITOR ARM

Black MA1/BLA



TWIN MONITOR ARM

Black MA2/SIL




SINGLE MONITOR ARM

Silver MA1/SIL



TWIN MONITOR ARM

Silver MA2/SIL



SINGLE MONITOR ARM

White MA1/WHI



TWIN MONITOR ARM

White MA2/WHI

CPU HOLDERS, CASTORS & MATS

CPU HOLDERS

The Lavoro CPU Holder is a safe and secure method of housing a Computer Processing Unit out of harm's way but easily accessible.

With quick release height and width adjustment this CPU holder is easily fixed to the desktop in minutes. Can be fitted to any Lavoro desk.

PRODUCT DETAILS

Dimensions	((300-540)mm x (60-230)mm
Weight	2.7kg



CPU HOLDER

Black	BCPU
Silver	SCPU
White	WCPU



CASTORS

Castors are compatible with our desks, increasing workplace flexibility.

HEAVY DUTY CASTORS

Black	CAS/M8
-------	--------



STANDING DESK MATS

Available in two stock sizes, this mat will greatly enhance user comfort during the working day. Those who stand for long periods at a time will appreciate reduced pressure on the back and increased blood circulation, which will boost the benefits of using a height adjustable desk. With bevelled edges on all sides, castors will easily traverse the mat and give increased aesthetic appeal.



PRODUCT DETAILS

Available sizes	450 x 750mm/600 x 900mm
Profile	Bevelled edge
Anti-fungal	Yes
Anti-microbial	Yes
Material	Rubber

STANDING DESK MAT - BLACK

450 x 700mm	SM450700
600 x 900mm	SM600900

MODESTY PANELS

[VIEW ONLINE](#)
[Web page](#)
[Images](#)
[Case Studies](#)

PANELS

A comprehensive range of Modesty Panels is available in matching décors to all of our stock desk tops. These are supplied with brackets in black, white and silver to match frame colours and styles.

Available in 18 and 25mm thicknesses dependent on décors.



BLACK	1000 x 400 x 18 mm	MP1000400BLA/18
BLACK	1200 x 400 x 18 mm	MP1200400BLA/18
BLACK	1400 x 400 x 18 mm	MP1400400BLA/18
BLACK	1600 x 400 x 18 mm	MP1600400BLA/18
BLACK	1800 x 400 x 18 mm	MP1800400BLA/18
GRAPHITE	1000 x 400 x 18 mm	MP1000400GRA/18
GRAPHITE	1200 x 400 x 18 mm	MP1200400GRA/18
GRAPHITE	1400 x 400 x 18 mm	MP1400400GRA/18
GRAPHITE	1600 x 400 x 18 mm	MP1600400GRA/18
GRAPHITE	1800 x 400 x 18 mm	MP1800400GRA/18
GREY	1000 x 400 x 18 mm	MP1000400GRY/18
GREY	1200 x 400 x 18 mm	MP1200400GRY/18
GREY	1400 x 400 x 18 mm	MP1400400GRY/18
GREY	1600 x 400 x 18 mm	MP1600400GRY/18
GREY	1800 x 400 x 18 mm	MP1800400GRY/18
WHITE	1000 x 400 x 18 mm	MP1000400WHI/18
WHITE	1200 x 400 x 18 mm	MP1200400WHI/18
WHITE	1400 x 400 x 18 mm	MP1400400WHI/18
WHITE	1600 x 400 x 18 mm	MP1600400WHI/18
WHITE	1800 x 400 x 18 mm	MP1800400WHI/18
WENGÉ	1000 x 400 x 18 mm	MP1000400WEN/18
WENGÉ	1200 x 400 x 18 mm	MP1200400WEN/18
WENGÉ	1400 x 400 x 18 mm	MP1400400WEN/18
WENGÉ	1600 x 400 x 18 mm	MP1600400WEN/18
WENGÉ	1800 x 400 x 18 mm	MP1800400WEN/18
ANTHRACITE SHERMAN OAK	1000 x 400 x 25 mm	MP1000400ASO/25
ANTHRACITE SHERMAN OAK	1200 x 400 x 25 mm	MP1200400ASO/25
ANTHRACITE SHERMAN OAK	1400 x 400 x 25 mm	MP1400400ASO/25
ANTHRACITE SHERMAN OAK	1600 x 400 x 25 mm	MP1600400ASO/25
ANTHRACITE SHERMAN OAK	1800 x 400 x 25 mm	MP1800400ASO/25
NATURAL DIJON WALNUT	1000 x 400 x 25 mm	MP1000400NDW/25
NATURAL DIJON WALNUT	1200 x 400 x 25 mm	MP1200400NDW/25
NATURAL DIJON WALNUT	1400 x 400 x 25 mm	MP1400400NDW/25
NATURAL DIJON WALNUT	1600 x 400 x 25 mm	MP1600400NDW/25
NATURAL DIJON WALNUT	1800 x 400 x 25 mm	MP1800400NDW/25
TIMBER	1000 x 400 x 25 mm	MP1000400TIM/25
TIMBER	1200 x 400 x 25 mm	MP1200400TIM/25
TIMBER	1400 x 400 x 25 mm	MP1400400TIM/25
TIMBER	1600 x 400 x 25 mm	MP1600400TIM/25
TIMBER	1800 x 400 x 25 mm	MP1800400TIM/25
GREY NEBRASKA OAK	1000 x 400 x 18 mm	MP1000400GNO/18
GREY NEBRASKA OAK	1200 x 400 x 18 mm	MP1200400GNO/18
GREY NEBRASKA OAK	1400 x 400 x 18 mm	MP1400400GNO/18
GREY NEBRASKA OAK	1600 x 400 x 18 mm	MP1600400GNO/18
GREY NEBRASKA OAK	1800 x 400 x 18 mm	MP1800400GNO/18
BEECH	1000 x 400 x 18 mm	MP1000400BEE/18
BEECH	1200 x 400 x 18 mm	MP1200400BEE/18
BEECH	1400 x 400 x 18 mm	MP1400400BEE/18
BEECH	1600 x 400 x 18 mm	MP1600400BEE/18
BEECH	1800 x 400 x 18 mm	MP1800400BEE/18

OAK	1000 x 400 x 18 mm	MP1000400OAK/18
OAK	1200 x 400 x 18 mm	MP1200400OAK/18
OAK	1400 x 400 x 18 mm	MP1400400OAK/18
OAK	1600 x 400 x 18 mm	MP1600400OAK/18
OAK	1800 x 400 x 18 mm	MP1800400OAK/18
MAPLE	1000 x 400 x 18 mm	MP1000400MAP/18
MAPLE	1200 x 400 x 18 mm	MP1200400MAP/18
MAPLE	1400 x 400 x 18 mm	MP1400400MAP/18
MAPLE	1600 x 400 x 18 mm	MP1600400MAP/18
MAPLE	1800 x 400 x 18 mm	MP1800400MAP/18
CASCINA PINE	1000 x 400 x 25 mm	MP1000400CAS/25
CASCINA PINE	1200 x 400 x 25 mm	MP1200400CAS/25
CASCINA PINE	1400 x 400 x 25 mm	MP1400400CAS/25
CASCINA PINE	1600 x 400 x 25 mm	MP1600400CAS/25
CASCINA PINE	1800 x 400 x 25 mm	MP1800400CAS/25
BLACK PLY EDGE	1000 x 400 x 25 mm	MP1000400BLA/PE/25
BLACK PLY EDGE	1200 x 400 x 25 mm	MP1200400BLA/PE/25
BLACK PLY EDGE	1400 x 400 x 25 mm	MP1400400BLA/PE/25
BLACK PLY EDGE	1600 x 400 x 25 mm	MP1600400BLA/PE/25
BLACK PLY EDGE	1800 x 400 x 25 mm	MP1800400BLA/PE/25
GRAPHITE PLY EDGE	1000 x 400 x 25 mm	MP1000400GRA/PE/25
GRAPHITE PLY EDGE	1200 x 400 x 25 mm	MP1200400GRA/PE/25
GRAPHITE PLY EDGE	1400 x 400 x 25 mm	MP1400400GRA/PE/25
GRAPHITE PLY EDGE	1600 x 400 x 25 mm	MP1600400GRA/PE/25
GRAPHITE PLY EDGE	1800 x 400 x 25 mm	MP1800400GRA/PE/25
WHITE PLY EDGE	1000 x 400 x 25 mm	MP1000400WHI/PE/25
WHITE PLY EDGE	1200 x 400 x 25 mm	MP1200400WHI/PE/25
WHITE PLY EDGE	1400 x 400 x 25 mm	MP1400400WHI/PE/25
WHITE PLY EDGE	1600 x 400 x 25 mm	MP1600400WHI/PE/25
WHITE PLY EDGE	1800 x 400 x 25 mm	MP1800400WHI/PE/25
CONCRETE	1000 x 400 x 25 mm	MP1000400CON/25
CONCRETE	1200 x 400 x 25 mm	MP1200400CON/25
CONCRETE	1400 x 400 x 25 mm	MP1400400CON/25
CONCRETE	1600 x 400 x 25 mm	MP1600400CON/25
CONCRETE	1800 x 400 x 25 mm	MP1800400CON/25
FERRO BRONZE	1000 x 400 x 25 mm	MP1000400FER/25
FERRO BRONZE	1200 x 400 x 25 mm	MP1200400FER/25
FERRO BRONZE	1400 x 400 x 25 mm	MP1400400FER/25
FERRO BRONZE	1600 x 400 x 25 mm	MP1600400FER/25
FERRO BRONZE	1800 x 400 x 25 mm	MP1800400FER/25

BRACKETS

Black	MPBB
Silver	MPBS
White	MPBW



SCREENS

We provide high quality acoustic screens to compliment all desk ranges and configurations.

These are made to order to clients' exact specifications, and our capable internal sales team are equipped to assist with this process.

All screens are provided with the appropriate fixing brackets.

camira

Lavoro recommend Camira Fabrics. To view the Camira fabric range, please visit camirafabrics.com. Any other fabric can be provided on request.



A one-piece Screen and Modesty Panel can be achieved using Modesty Panel Brackets.



For the Duo, the screen is attached with specific brackets on the central frame beams that allow individual workstations to be adjusted in height, separate to the screen.



DUO ACCESSORIES

[VIEW ONLINE](#)

[Web page](#) [Images](#) [Case Studies](#)

A range of accessories specific to the Duo workstation can be specified to maximise its functionality. These are made from the same premium European steel as the frames and match most frame colours.

Options for cable management and secure storage allow the individual user to effectively organise their resources.



DUO UPPER CABLE TRAY

Anthracite	ACT
Black	BCT
Silver	SCT
White	WCT



DUO LOWER CABLE TRAY

Anthracite	LCT/ADUO
Black	LCT/BDUO
Silver	LCT/SDUO
White	LCT/WDUO



DUO CABLE CHAIN


Black	BCC/DUO
-------	-------------------------



DUO ACCESSORIES

DUO CONNECTING LINK BAR

Anthracite	LNKBAR/ADUO
Black	LNKBAR/BDUO
Silver	LNKBAR/SDUO
White	LNKBAR/WDUO



DUO SCREEN BRACKETS (PAIR)

Anthracite	BRK/ADUO
Black	BRK/BDUO
Silver	BRK/SDUO
White	BRK/WDUO



SYNERGI ACCESSORIES

[VIEW ONLINE](#)
[Web page](#)
[Images](#)
[Case Studies](#)

Configure the Synergi meeting table from a range of central cable management, storage and access options.

A deep cable tray design caters for all scales of technological requirements. Made from high-grade European steel, this system includes side covers to keep cables out of sight, along with a variety of surface plates for different power and storage options. The Magnetic Cable spine runs cables neatly beside the frame leg.




SYNERGI CABLE TRAY 400

Black

[BCT400/SYN](#)

White

[WCT400/SYN](#)



SYNERGI CABLE TRAY 800

Black

[BCT800/SYN](#)

White

[WCT800/SYN](#)




SYNERGI CABLE TRAY SIDE COVER

Black

[BCTC/SYN](#)

White

[WCTC/SYN](#)



SYNERGI ACCESSORIES

SYNERGI MAGNETIC CABLE SPINE

Black

BCC/SYN



SYNERGI SURFACE COVER 260

Black

BSC260/SYN

White

WSC260/SYN



SYNERGI SURFACE COVER 260H

Black

BSC260H/SYN

White

WSC260H/SYN



SYNERGI SURFACE COVER 780H

Black

BSC780H/SYN

White

WSC780H/SYN



DELIVERY

We use reputable and trusted delivery partners to ensure that your desks arrive in perfect condition.

For our dropship service, this is mostly via courier network. For larger orders we partner with a national next day pallet network provider offering a kerbside delivery service. Finally, on large workspace projects, we use a dedicated service suited to the delivery requirements.

Deliveries can be shipped with customers' own paperwork, part of our white glove service offering.

NEXT DAY DELIVERY

This is our standard delivery service for all drop shipped and small to medium size project orders unless otherwise specified.

Orders placed up to 3pm will be despatched the same day on a next working day service.

Applies to mainland UK (excluding Highlands & Islands).

SPECIFIED DELIVERY

Goods can be delivered on a specified day or within a time slot. Our dedicated customer service team can assist you in meeting deadlines.

Use the following codes at time of order.

Pre-10AM Delivery **10AMDEL**

AM Delivery **AMDEL**

Saturday Delivery **SATDEL**

Note - availability and pricing may vary based on location.

DEDICATED DELIVERY

To meet deadlines on large project installations we will ship via a dedicated delivery service ensuring that critical timelines will be met.

Please liaise in advance with your account manager in order to set up dedicated delivery.

INSTALLATION

If required, we provide an installation service throughout the UK and Europe. This is carried out by highly trained, experienced and insured fitters to ensure a smooth and efficient installation.

We can offer rapid turnaround to meet project deadlines and create a dedicated plan tailored to the installation requirements.

From single desk to multi-workstation fit-outs, we have an installation service to suit. This can include attendance on site by one of our dedicated account managers to oversee installation and commission.



GOLD SERVICE

Our advisors will work with you to determine the ideal installation date.

We will send a team of qualified and insured installers, who will deliver, build, and commission the furniture, and take away all packaging.

CODE - **INS/GOL**



PLATINUM SERVICE

One of our experienced account managers will oversee the delivery, installation, and commissioning of the furniture. This will include attendance on-site to initiate install and ensure customer satisfaction.

All installers are qualified and insured. Packaging will be removed upon completion.

CODE - **INS/PLA**

TERMS & CONDITIONS

1. Interpretation

1.1 The definitions and rules of interpretation in this condition apply in these conditions. Business Day: a day (other than a Saturday, Sunday or public holiday) when banks in London are open for business; Buyer: the person, firm or company who purchases the Goods from the Supplier; Supplier: Lavoro Design Limited having its principal office at Unit 38 Mochdre Industrial Estate, Newtown, Powys SY16 4LE; Contract: any contract between the Supplier and the Buyer for the sale and purchase of the Goods; Delivery Point: the place where delivery of the Goods is to take place under condition 4; Goods: any goods agreed in the Contract to be supplied to the Buyer by the Supplier (including any part(s) of them); Limit of Indemnity: currently the maximum amount of £2,000,000 for all occurrences during any one period of insurance; VAT: value added tax chargeable under English law for the time being and any similar additional tax. Reference to a law is reference to it as it is in force for the time being taking account of any amendment, extension, application, or re-enactment and includes any subordinate legislation for the time being in force made under it. Words in the singular include the plural and vice versa. Reference to one gender includes reference to the other. Condition headings do not affect the interpretation of these conditions.

2. Application of Terms

2.1 Subject to any variation under condition 2.3 the Contract shall be on these conditions to the exclusion of all other terms and conditions (including any terms or conditions which the Buyer purports to apply under any purchase order, confirmation of order, specification or other document).

2.2 No terms or conditions endorsed on, delivered with or contained in the Buyer's purchase order, confirmation of order, specification or other document shall form part of the Contract as a result of such document being referred to in the Contract.

2.3 These conditions apply to all the Supplier's sales and any variation to these conditions and representations about the Goods shall have no effect unless expressly agreed in writing and signed by a partner of the Supplier. The Supplier's sales representatives have no authority to accept, vary or amend any of these conditions. The Buyer acknowledges that it has not relied on any statement, promise or representation made or given by or on behalf of the Supplier which is not set out in the Contract. Nothing in this condition shall exclude or limit the Supplier's liability for fraudulent misrepresentation.

2.4 Each order or acceptance of a quotation for Goods by the Buyer from the Supplier shall be deemed to be an offer by the Buyer to buy Goods subject to these conditions.

2.5 No order placed by the Buyer shall be deemed to be accepted by the Supplier until a written acknowledgement of order is issued by the Supplier or (if earlier) the Supplier delivers the Goods to the Buyer.

2.6 The Buyer shall ensure that the terms of its order and any applicable specification are complete and accurate.

2.7 Any quotation is given on the basis that no Contract shall come into existence until the Supplier despatches an acknowledgement of order to the Buyer. Any quotation is valid for the period set out on the quotation or, in the absence thereof, for 30 days, provided that the Supplier has not previously withdrawn it.

3. Description

3.1 The quantity and description of the Goods shall be as set out in the Supplier's quotation or acknowledgement of order.

3.2 All samples, drawings, descriptive matter, specifications and advertising issued by the Supplier and any descriptions or illustrations contained in the Supplier's catalogues or brochures are issued or published for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract and this is not a sale by sample.

4. Delivery

4.1 Unless otherwise agreed in writing, delivery of the Goods shall take place on the arrival of the Goods at the Buyer's usual place of business. Unless otherwise agreed in writing, the cost of delivery of the Goods is not included in the price for the Goods. The Supplier reserves the right to make such charge associated with the delivery of the Goods as stated in the Supplier's catalogue published on the date of delivery or deemed delivery, or if no such price is published, as set out in the invoice for the Goods.

4.2 Any dates specified by the Supplier for delivery of the Goods are an estimate and time for delivery shall not be made of the essence by notice. If no dates are specified, delivery shall be within a reasonable time.

4.3 Subject to the other provisions of these conditions the Supplier shall not be liable for any direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and similar loss), costs, damages, charges or expenses caused directly or indirectly by any delay in the delivery of the Goods (even if caused by the Supplier's negligence), nor shall any delay entitle the Buyer to terminate or rescind the Contract or reject further deliveries unless such delay exceeds two months.

4.4 If for any reason the Buyer fails to accept delivery of any of the Goods, or the Supplier is unable to deliver the Goods on time because the Buyer has not provided appropriate instructions, documents, licences or authorisations: (a) risk in the Goods shall pass to the Buyer (including for loss or damage caused by the Supplier's negligence); and (b) the Goods shall be deemed to have been delivered; or (c) the Supplier may store the Goods until delivery, whereupon the Buyer shall be liable for all related costs and expenses (including, without limitation, storage and insurance).

4.5 The Buyer shall provide at the Delivery Point and at its expense adequate and appropriate equipment and manual labour for loading or unloading of the Goods.

4.6 The Supplier may cancel delivery if it believes it would be unsafe, unlawful or unnecessarily difficult to deliver to the Delivery Point and delivery shall take place upon the return of the Goods to the Supplier's place of business.

4.7 The Supplier may deliver the Goods by separate instalments. Each separate instalment shall, subject to condition 4.8, be invoiced and paid for in accordance with the provisions of the Contract.

4.8 Each instalment shall be a separate Contract and no cancellation or termination of any one Contract relating to an instalment shall entitle the Buyer to repudiate or cancel any other Contract or instalment.

5. Non-Delivery

5.1 The quantity of any consignment of Goods as recorded on despatch from the Supplier's place of business shall be conclusive evidence of the quantity received on delivery unless the Buyer can provide conclusive evidence proving the contrary.

5.2 The Supplier shall not be liable for any non-delivery of Goods (even if caused by the Supplier's negligence) unless the Buyer gives written notice to the Supplier of the non-delivery within 7 days of the date when the Goods would in the ordinary course of events have been delivered.

5.3 Any liability of the Supplier for non-delivery of the Goods shall be limited to replacing the Goods within a reasonable time or issuing a credit note at the pro rata Contract rate against any invoice raised for such Goods.

6. Risk/Title

6.1 The Goods are at the risk of the Buyer from the time of delivery.

6.2 Where applicable, risk in transit shall remain with the Supplier until delivery at the Delivery Point provided that in the event of any damage to the Goods during transit the Supplier will replace any goods proved to the Supplier's satisfaction to have been damaged in transit subject to having received from the Buyer within 48 hours after delivery notification in writing of the occurrence of the damage and also, if and so far as practicable, of its nature and extent.

6.3 Ownership of the Goods shall not pass to the Buyer until the Supplier has received in full (in cash or cleared funds) all sums due to it in respect of: (a) the Goods; and (b) all other sums which are or become due to the Supplier from the Buyer.

6.4 Until ownership of the Goods has passed to the Buyer, the Buyer shall: (a) hold the Goods on a fiduciary basis as the Supplier's bailee; (b) store the Goods (at no cost to the Supplier) separately from all other goods of the Buyer or any third party in such a way that they remain readily identifiable as the Supplier's property; (c) not destroy, deface or obscure any identifying mark or packaging on or relating to the Goods; and (d) maintain the Goods in satisfactory condition and keep them insured on the Supplier's behalf for their full price against all risks to the reasonable satisfaction of the Supplier. On request the Buyer shall produce the policy of insurance to the Supplier.

6.5 The Buyer may resell the Goods before ownership has passed to it solely on the following conditions: (a) any sale shall be effected in the ordinary course of the Buyer's business at full market value; and (b) shall be a sale of the Supplier's property on the Buyer's own behalf and the Buyer shall deal as principal when making such a sale.

6.6 The Buyer's right to possession of the Goods shall terminate immediately if: (a) any of the matters set out in condition 11.1 (a) to (c) occur; or (b) the Buyer encumbers or in any way charges any of the Goods.

6.7 The Supplier shall be entitled to recover payment for the Goods notwithstanding that ownership of any of the Goods has not passed from the Supplier.

6.8 The Buyer grants the Supplier its agents and employees an irrevocable licence at any time to enter any premises where the Goods are or may be stored in order to inspect them or where the Buyer's right to possession has terminated, to recover them.

6.9 Where the Supplier is unable to determine whether any Goods are the goods in respect of which the Buyer's right to possession has terminated, the Buyer shall be deemed to have sold all goods of the kind sold by the Supplier to the Buyer in the order in which they were invoiced to the Buyer.

6.10 On termination of the Contract the Supplier's (but not the Buyer's) rights in this condition 6 shall remain in effect.

7. Price

7.1 Unless otherwise agreed by the Supplier in writing, the price for the Goods shall be the price set out in the Supplier's price list published on the date of delivery or deemed delivery.

7.2 The price for the Goods shall be exclusive of any VAT which the Buyer shall pay when it is due to pay for the Goods.

7.3 The Supplier reserves the right, by giving written notice to the Buyer at anytime before delivery, to increase the price of the Goods to reflect any increase in the cost to the Supplier which is due to any factor beyond the reasonable control of the Supplier (including without limitation, any increase in packaging, insurance, transportation costs, costs of labour, materials or other costs of manufacture, taxes, tariffs or import duties (where applicable) or changes in legislation or regulations) or any changes in delivery dates, quantities or specifications for the Goods which are requested by the Buyer or any delay caused by failure of the Buyer to give the Supplier adequate information or instructions.

7.4 The Buyer agrees and acknowledges that the price for the Goods is based upon the limitations of liability set out in conditions 3 and 10 and upon the limited warranties given in condition 9.

8. Payment

8.1 Subject to condition 8.4 and unless otherwise agreed by the Supplier in writing, payment of the price for the Goods is due by the later of: (i) the delivery or deemed delivery of the Goods; and (ii) the issue to the Buyer of the invoice in respect of the Goods.

8.2 Time for payment shall be of the essence.

8.3 No payment shall be deemed to have been received until the Supplier has received cleared funds.

8.4 All payments payable to the Supplier under the Contract shall become due immediately on its termination.

8.5 The Buyer shall make all payments due under the Contract in full without any deduction whether by way of set-off, counterclaim, discount, abatement or otherwise unless the Buyer has a valid court order requiring an amount equal to such deduction to be paid by the Supplier to the Buyer. The Buyer shall not be entitled to withhold any payments due under the Contract because of a disputed claim of any nature.

8.6 If the Buyer fails to pay the Supplier any sum due pursuant to the Contract:

8.6.1 The Buyer shall be liable to pay interest to the Supplier on such sum from the due date for payment at the annual rate of 4% above the base lending rate from time to time of HSBC, accruing on a daily basis until payment, before or after any judgment but the Supplier reserves the right to interest under the Late Payment of Commercial Debts (Interest) Act 1998; and

8.6.2 The Supplier shall be entitled to suspend or cancel all future deliveries of Goods to the Buyer.

8.7 In the event that any variation is agreed between the Supplier and the Buyer regarding payment terms, which results in credit terms being extended to the Buyer, any such variation will cease and the amount of any debt owed will be payable forthwith on the occurrence of any of the matters set out in condition 11.1 (a) to (c).

8.8 Without prejudice to any other right or remedy of the Supplier, any payment by the Buyer, which results in a cheque being referred to the drawer for whatever reason, will incur a charge of £50.00 plus VAT per cheque payable by the Buyer.

8.9 The Supplier may apply all or any part of any sum owing by the Supplier its subsidiaries or associates to the Buyer in relation to any matter in or towards payment of any sum owing to the Supplier. For this purpose references to the Supplier or the Buyer include any company which is a holding company, subsidiary or associate of the Supplier or the Buyer respectively.

8.10 The Supplier may appropriate any payment made by the Buyer to the Supplier against amounts that are owed by the Buyer to the Supplier for the longest period not withstanding any prior appropriation of that payment by the Buyer.

9. Quality

9.1 The Supplier warrants that (subject to the other provisions of these conditions) on delivery the Goods shall:

(a) be of satisfactory quality within the meaning of the Sale of Goods Act 1979; (b) be reasonably fit for any particular purpose for which the Goods are being bought if the Buyer had made known that purpose to the Supplier in writing and the Supplier has confirmed in writing that it is reasonable for the Buyer to rely on the skill and judgement of the Supplier. For the avoidance of doubt, the warranties given in this condition 9.1 are given in lieu and exclude the operation of the implied terms as to satisfactory quality and fitness for purpose in the Sale of Goods Act 1979, to the fullest extent permitted by law.

9.2 The Supplier shall not be liable for a breach of any of the warranties in condition 9.1 unless: (a) the Buyer gives written notice of the defect to the Supplier within 14 days of the time when the Buyer discovers or ought to have discovered the defect, whichever is the earlier, and in any event within one year following the delivery or deemed delivery of the Goods; and (b) the Supplier is given a reasonable opportunity after receiving the notice of the defect from the Buyer of examining such Goods and the Buyer (if asked to do so by the Supplier) returns such Goods to the Supplier's place of business for the examination to take place there.

9.3 The Supplier shall not be liable for a breach of any of the warranties in condition 9.1 if: (a) the Buyer makes any further use of such Goods after giving such notice; or (b) the defect arises because the Buyer failed to follow the Supplier's oral or written instructions as to the storage, installation, commissioning, use or maintenance of the Goods or (if there are none) good trade practice; or (c) the Buyer carries out repairs itself or brings about changes in the nature, composition or packaging of the Goods delivered, or has these carried out or brought about by third parties, or if the Goods delivered are used improperly or for any purpose other than that for which they are meant or are maintained and/or stored improperly or contrary to any agreed or legal regulations or if the defect of the Goods can be ascribed to the other party in any way.

9.4 Subject to condition 9.2 and 9.3, if any of the Goods do not conform with any warranties in condition 9.1 the Supplier shall at its option repair or replace such Goods (or the defective part) or refund the price of such Goods at the pro rata Contract rate provided that, if requested, the Buyer shall return the Goods or the part of such Goods which is defective to the Supplier.

9.5 If the Supplier complies with condition 9.4 it shall have no further liability for a breach of any of the warranties in condition 9.1 in respect of such Goods and any Goods replaced shall belong to the Supplier.

9.6 Subject to the other provisions of these conditions the Supplier shall not be liable for any direct, indirect or consequential loss (all three of which terms include, without limitation, pure economic loss, loss of profits, loss of business, depletion of goodwill and similar loss), costs, damages, charges or expenses caused directly or indirectly by the unsuitability of any site at which the Goods are installed or any installation procedures relating to the Goods.

9.7 Where the Goods sold are manufactured by the Supplier to the Buyer's specification, or are outside the Supplier's normal range, or are sourced by the Supplier at the Buyer's request, the Supplier's obligation is limited to manufacturing or sourcing such Goods within the specifications provided by the Buyer (except to the extent the Supplier in its own discretion has decided to vary the same, taking into account the current custom and practice) and the Buyer shall otherwise have no right to reject such Goods or to cancel an order in respect of such Goods.

10. Limitation of Liability

10.1 Subject to conditions 4, 5 and 9, the following provisions set out the entire financial liability of the Supplier, which for the avoidance of doubt and for the purposes of this condition 10 shall mean the collective aggregate liability of all the partners in the Supplier (including any liability for the acts or omissions of its employees, agents and sub-contractors), to the Buyer in respect of: (a) any breach of these conditions; (b) any use made or resale by the Buyer of any of the Goods, or of any product incorporating any of the Goods; and (c) any representation, statement or tortious act or omission including negligence arising under or in connection with the Contract.

10.2 All warranties, conditions and other terms implied by statute or common law (save for the conditions implied by section 12 of the Sale of Goods Act 1979 or section 2(3) of the Supply of Goods and Services Act 1982, whichever Act applies to the Contract) are, to the fullest extent permitted by law, excluded from the Contract.

10.3 Nothing in these conditions excludes or limits the liability of the Supplier: (a) for death or personal injury caused by the Supplier's negligence; or (b) under section 2(3) Consumer Protection Act 1987; or (c) for the matter which it would be illegal to attempt to exclude its liability; or (d) for fraud or fraudulent misrepresentation.

10.4 Subject to condition 10.2 and condition 10.3 the Supplier's total liability in contract, tort (including negligence or breach of statutory duty),

misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of the Contract shall be limited to the Contract price plus 100% or the sum of £50,000 (whichever is the greater).

10.5 In the event that the limitation on liability set out in condition 10.4 is found by any court, tribunal or administrative body of competent jurisdiction to be illegal, invalid, void, voidable, unenforceable or unreasonable then subject to condition 10.2 and condition 10.3 the Supplier's total liability in contract, tort (including negligence or breach of statutory duty), misrepresentation, restitution or otherwise, arising in connection with the performance or contemplated performance of the Contract shall be limited to the Limit of Indemnity remaining from time to time in accordance with the Supplier's public/products liability insurance effected by the Supplier, a copy of which policy shall be provided to the Buyer on request.

10.6 Subject to condition 10.2 and 10.3 the Supplier shall not be liable to the Buyer for loss of profit, loss of business, or depletion of goodwill in each case whether direct, indirect or consequential, or any claims for consequential compensation whatsoever (howsoever caused) which arise out of or in connection with the Contract.

11. Termination

11.1 The Supplier may terminate the Contract without liability to the Buyer immediately (or following such period as it sees fit) by giving notice to the Buyer if: (a) the Buyer fails to pay any amount due under the Contract on the date for payment and remains in default for more than 7 days; or (b) the Buyer commits a breach of any term of the Contract and (if remediable) fails to remedy that breach in 14 days; or (c) the Buyer repeatedly breaches any of the Contract in such a manner as to reasonably justify the opinion that its conduct is inconsistent with having the intention or ability to give effect to the terms of the Contract; or (d) the Buyer suspends or threatens to suspend payment of its debts or is unable to pay its debts as they fall due or admits inability to pay its debts or is deemed either unable to pay its debts (being a company within the meaning of section 123 of the Insolvency Act 1986) or as having no reasonable prospect of so doing within the meaning of section 268 of the Insolvency Act 1986 or in the case of a partnership has any partner to whom foregoing applies; or (e) the Buyer commences negotiations with any of its creditors with a view to rescheduling any of its debts, or makes a proposal for or enters into any compromise or arrangement with its creditors; or (f) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of the Buyer; or (g) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator is appointed over the Buyer; or (h) a floating charge holder over the assets of the Buyer has become entitled to appoint or has appointed an administrative receiver; or (i) a person becomes entitled to appoint a

receiver over the assets of the Buyer or a receiver is appointed over the assets of the Buyer; or (j) the Buyer, being an individual, is the subject of a bankruptcy petition or order; or (k) a creditor or encumbrancer of the Buyer attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days; or (l) any event occurs, or proceeding is taken, with respect to the Buyer in any jurisdiction to which it is subject that has an effect equivalent or similar to any of the events mentioned in condition 11.1(d) to condition 11.1(k) (inclusive); or (m) the Buyer suspends or ceases, or threatens to suspend or cease, to carry on all or a substantial part of its business; or (n) the Buyer, being an individual, dies or, by reason of illness or incapacity (whether mental or physical), is incapable of managing his or her own affairs or becomes a patient under any mental health legislation; or (o) there is a change of control of the Buyer.

11.2 In the event of termination in accordance with condition 11.1 or of any order being cancelled by the Buyer, the Buyer shall indemnify the Supplier against all loss (including profits) costs (including labour and overheads) and all other expenses and damages reasonably and properly incurred by the Supplier in connection with the Contract and its termination.

12. Assignment

12.1 The Supplier may assign the Contract or any part of it to any person, firm or company.

12.2 The Buyer shall not be entitled to assign the Contract without the prior written consent of the Supplier. The Supplier shall not be deemed to have accepted an assignment of the Contract due to any circumstance or pursuant to any act or omission of the Supplier including, without limitation, the acceptance of payments or obligations under the Contract from a third party.

13. Force Majeure

The Supplier reserves the right to defer the date of delivery or to cancel the Contract or reduce the volume of the Goods ordered by the Buyer (without liability to the Buyer) if it is materially prevented from or delayed in the carrying on of its business due to circumstances beyond the reasonable control of the Supplier including, without limitation, acts of God, governmental or regulatory actions (including orders preventing the movement of Goods), changes in legislation or codes of practice, war or national emergency, acts of terrorism, protests, riot, civil commotion, fire, explosion, flood, epidemic, lock-outs, strikes or other labour disputes (whether or not relating to either party's workforce), failure of sub-contractors or restraints or delays affecting carriers or inability or delay in obtaining supplies of adequate or suitable materials, provided that, if the event in question continues for a continuous period in excess of six months, the Buyer shall be entitled to give notice in writing to the Supplier to terminate the Contract.

14. Returns Policy

14.1 Without prejudice to clauses 4, 5, 9 and 10, or the statutory rights of the Buyer: (a) any Goods returned which are not included in the Supplier's catalogue and have been obtained by the Supplier at the request of the Buyer will only be refunded in the absolute discretion of the Supplier; (b) in respect of any Goods returned where Orders are placed via mail, phone, fax or the internet, which have been cancelled within seven days of receiving the Goods, the Supplier will refund the price of the Goods in full; (c) where an Order has been cancelled within 28 days of receiving the Goods, the Supplier will examine the returned Goods within a reasonable time. Where Goods are found to be defective, the price of the Goods will be refunded in full (d) where Goods returned in accordance with clause 14.1(c) are found not to be defective, the Supplier reserves the right to deduct a re-stocking charge of 20% of the Price of the Goods from any refund to the Buyer.

14.2 All Goods must be returned unused, in their original packaging and in a re-saleable condition (to be determined in the Supplier's absolute discretion) and the Buyer will be responsible for the costs of returning the Goods to the Supplier and for arranging the return of the Goods to the Supplier. Costs of delivery to the Buyer (if any) will not be refunded.

15. General

15.1 Each right or remedy of the Supplier under the Contract is without prejudice to any other right or remedy of the Supplier.

15.2 If any provision of the Contract is found by any court, tribunal or administrative body of competent jurisdiction to be wholly or partly illegal, invalid, void, voidable, unenforceable or unreasonable it shall to the extent of such illegality, invalidity, voidness, voidability, unenforceability or unreasonableness be deemed severable and the remaining provisions of the Contract and the remainder of such provision shall continue in full force and effect.

15.3 Failure or delay by the Supplier in enforcing or partially enforcing any provision of the Contract shall not be construed as a waiver of any of its rights under the Contract.

15.4 Any waiver by the Supplier of any breach of, or any default under, any provision of the Contract by the Buyer shall not be deemed a waiver of any subsequent breach or default and shall in no way affect the other terms of the Contract.

15.5 The parties to the Contract do not intend that any term of the Contract shall be enforceable by virtue of the Contracts (Rights of Third Parties) Act 1999 by any person that is not a party to it.

15.6 The formation, existence, construction, performance, validity and all aspects of the Contract shall be governed by English law and the parties submit to the exclusive jurisdiction of the English courts.

16. Communications

16.1 All communications between the parties about the Contract shall be in writing and delivered by hand or sent by pre-paid first class post or sent by fax: (a) (in case of communications to the Supplier) to its principal office or such changed address as shall be notified to the Buyer by the Supplier; or (b) (in the case of the communications to the Buyer) to the registered office of the addressee (if it is a company) or (in any other case) to any address of the Buyer set out in any document which forms part of the Contract or such other address as shall be notified to the Supplier by the Buyer.

16.2 Communications shall be deemed to have been received: (a) if sent by pre-paid first class post, two days (excluding Saturdays, Sundays and holidays) after posting (exclusive of the day of posting); or (b) if delivered by hand, on the day of delivery; or (c) if sent by fax on a working day prior to 4.00 pm, at the time of transmission, otherwise the next working day.

16.3 Communications addressed to the Supplier shall be marked for the attention of a partner or the partners of the Supplier.

17. Confidentiality

The Buyer shall keep confidential and shall not without the prior consent in writing of the Supplier disclose to any third-party any technical or commercial information which it has acquired from the Supplier as a result of discussions, negotiations and other communications between them relating to the Goods and the Contract.

18. Direct Debit

In the event that the Supplier agrees with the Buyer in writing that Goods shall be paid for by Direct Debit, the Buyer shall comply with the provisions of such agreement and shall execute and deliver to the Supplier all such documents (including any Direct Debit mandate or instruction to a bank or building society) as the Supplier shall request in order to give effect to such agreement.

STOCK FRAME FINISHES

BLACK

RAL 9005



ANTHRACITE

METALLIC



SILVER

RAL 9006



WHITE

RAL 9016



CHROME

POLISHED



RAW STEEL

MATTE FINISH



RAW STEEL

GLOSS FINISH



[VIEW ONLINE](#) 

[Web page](#)

[Images](#)

[Case Studies](#)

While we have made every effort to represent the true colour of the products in the catalogue, due to the printing process there may be slight variations between the actual product and the photograph.

STOCK TOP DÉCORS

BLACK

EGGER U999



GRAPHITE

KRONOSPAN 0162




GREY

EGGER U708 ST2




WHITE

EGGER W980 ST2



WENGE

EGGER H1137



ANTHRACITE SHERMAN OAK

EGGER H1346



NATURAL DIJON WALNUT

EGGER H3734



TIMBER

EGGER H1487



GREY NEBRASKA OAK


EGGER H3332




VIEW ONLINE 

Web page Images Case Studies

BEECH
KRONOSPAN D381



OAK
EGGER H1334



MAPLE
KRONOSPAN D375



CASCINA PINE
EGGER H1401



CONCRETE
EGGER F186



FERRO BRONZE
EGGER F302



BLACK PLY EDGE
KRONOSPAN U999



GRAPHITE PLY EDGE
KRONOSPAN 0162



WHITE PLY EDGE
KRONOSPAN K101





Contact

0330 133 1112
info@lavorodesign.com
www.lavorodesign.com

Head Office

38 Mochdre Industrial Estate
Newtown
SY16 4LE